

Your Complete Leisure Accessory Wholesaler



www.groveproducts.co.uk



Your Complete Leisure Accessory Wholesaler

WELCOME TO

THE **BIGGER ORANGE** BOOK

It's bigger and better than ever before with improvements based on your invaluable feedback.

- All pages are now numerical to make navigating your way through the sections even easier.
- We've introduced 'New' and 'Best Seller' symbols to assist your buying choices.
- The spares images have been greatly extended to help you identify the correct replacements.
- The Fiamma catalogue has been included in its entirety at the back, and now includes Grove part numbers on our vastly increased Fiamma range.

We hope you enjoy using the improved catalogue. We welcome your comments and should you have any suggestions for further improvements please contact me or any member of the Grove team.

Carol Davies
Managing Director

CONTENTS

Chassis & towing spares	1 - 22
Security products	23 - 30
Electrical products	31 - 56
Satellite & TV products	57 - 66
Water & waste	67 - 86
Sanitation	87 - 94
Gas range & safety equipment	95 - 100
Cooking & heating	101 - 110
Refrigeration	111 - 118
Tableware & outdoor dining	119 - 126
Housewares	127 - 138
Caravan cleaning products	139 - 148
Rooflights & ventilators	149 - 156
Workshop	157 - 172
Legs & steps	173 - 176
Automotive & Motorhome accessories	177 - 200
Tent & awning accessories	201 - 232
Books, site guides & toys	233 - 234
Sleeping bags & furniture	235 - 242

SPARE PARTS DIAGRAMS

AL-KO	243 - 248
Dometic	249 - 250
Fiamma	251 - 256
Kronings	257 - 260
Morco	261 - 262
Propex	263 - 264
Reich	265 - 266
Shurflo	267 - 268
Thetford	269 - 306
Truma	307 - 338

www.groveproducts.co.uk

Wheel Rims



Prins LD1361 rim 005016 4.5J x 13" 4 Stud Prins LD1360 rim 5J x 13" 4 Stud 005004



Prins LD1362 rim 4.5J X 13" - B + B **005038**



005020

Lemmerz rim 5.5J x 14" 4 stud



Lemmerz rim 5.5J x 14" 5 stud 005025 6J x 15" 5 stud 005030



Alloy wheel lock nuts M12 Set of 4 005148



Alloy wheel bolt STW M12R 005147

400-8" No cut out **005048**

Wheel rim with 4 ply tyre 500-10" 005050

Wheel Trims $\,$ - Caravan wheel trims available singly or 12 per outer

Alaska wheel trims



13" White/chrome **006020**



14" White **006021**



13" Silver 006016



14" Silver 006017

Tourer





13" Ivory **006001**



Motorhome wheel trims

Supplied boxed - in a set of 4 15" Silver **006022**

16" Silver 006024

Wheel cover protectors

Protect your investment by protecting your wheel and tyre from UV, wind and rain. Available in assorted colours. Usually available in blue, green and burgundy; please specify if colour is important. Sold individually

Single axle 007347 007348 Twin axle





Spare wheel accessories

AL-KO side lift jack

Can be fitted to all caravans manufactured after 1980. The jack is easy to position and operate and is supplied with mounting brackets which are bolted to the main chassis members immediately behind the wheel. The jack can also be used as an aid to levelling. Can be lowered to 85mm and raised to 375mm. The mounting bracket design ensures correct positioning and operation. WARNING: When in use the caravan

must be attached to the towing vehicle.



Maximum load 1600kg, static load 800kg

AL-KO side lift jack in a bag 007364

AL-KO side lift jack boxed 007351

AL-KO 800kg side lift jack AL-KO 1000kg side lift jack



AL-KO 2 tonne scissor jack

For caravans manufactured after 1980 on AL-KO chassis with a maximum total weight of 2000kg. Static load 1000kg. Maximum load 2000kg Specifically developed for use on tandem axle caravans **007359**



Side lift jack bracket kit

Suitable for use only with Al-Ko Side Lift Jack or 2 Tonne Jack. Comprises of 2 x galvanised mounting brackets and fixing kit

1000kg **007357**

Maximum load 2000kg, static load

007403 Spare bracket **007402**



jack. Extends 28-43cm. For stabilizing only - Not for lifting **007358**



Fiamma jacks



Aluminium







Aluminium axle stands supplied in a pack of 4. Max load 1000kg

Adjustable in height from min 28cm to max 43cm. Weight 0.9kg each

007353



Plastic Jacks

Plastic UV resistant axle stands supplied in a pack of 4.

Max load 750kg. Adjustable in height from min 31cm to max 44cm. Weight 0.8kg each

007352

Spare wheel carriers

AL-KO spare wheel carriers

For AL-KO chassis with fixing holes. Check AL-KO technical brochure for wheel size compatibility.

Telescopic action for easy wheel removal and replacement. AL-KO part no. 241859 for chassis with a distance between the main members of 1260mm - 1515mm

004004

AL-KO part no. 241860 for chassis with a distance between the main members of 1510mm - 1815mm $\,$

004015

AL-KO part no. 1287180 for chassis with a distance between the main members of 1410mm - 1715mm.

Pre-assembled 004006



Tyre gauges



Digital tyre keyring gauge

LED light
 Available singly or 8 per outer 007377



Digital tyre & tread gauge

- 360° connection
- Tread depth gauge Available singly or 6 per outer **007373**



Programmable digital tyre & tread gauge

- 360° connection
- Automatically stores recommended tyre pressure
- Tread depth gauge
 Available singly or 6 per outer 007374



Rolson digital tyre gauge

- Simple push button operation
- LCD display in PSI and bar 007366

Compressors



Air compressor inflater/deflater

12v digital air compressor for tyre inflation and inflator for air beds & other leisure accessories. Preset pressure mode with automatic cut off. High intensity LED white light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes 017304



Cordless air compressor

Rechargeable version of 017304 with the addition of a removable tyre pressure gauge 017306



Digital air compressor

12v. Preset pressure mode with automatic cut off. Red light for SOS and high intensity LED light. Handy storage case and a tyre deflation valve. Inflates a tyre to 35psi in under 3 minutes

017303



Digital air compressor

12v 120psi. Self select pressure mode with automatic switch off. Complete with 2 piece adapter kit. Fitted with fused cigarette lighter plug and approximately 3.3m of cable. Built in white light for direction and red light for alert/SOS. Flexible air hose with screw set. Available singly or 6 per outer

017305

Towball accessories



Towball50mm ball. 'E' approved.
Available singly or 10 per outer
007062



AL-KO towball kit

Extended necked towball includes 2 x 50mm nuts, bolts and spring washers **008003**



AL-KO towball boot

Black plastic **008006**



Towball boot

Black plastic Loose (50) 012191 Packaged 014460



Towball boot with reflector

Black plastic **014465**



High tensile bolt sets

Available singly or 10 per outer
45mm 007073
55mm (in Ring Packaging) 014475
65mm 007084
75mm (in Ring Packaging) 014478
100mm 007085



Spacers

13mm **007040** 25mm **007051**



Ring towball cover Chrome 014452 Black 014455



Drop plates

 51mm
 007007

 76mm
 007018

 100mm adjustable
 007029



AL-KO soft ball

Supplied in a display box of 24 Red **012200**

Black **012201**Blue **012202**



AK300 coupling head

The AL-KO AK300 is designed for a draw shaft of 50mm. Spacers are available for smaller draw shafts - See AL-KO spares in section 1 of the spares section





AL-KO soft dock

Can be used on AL-KO coupling heads AK7, AK10/2 and AK252. Supplied in a display box of 12 **007159**

Chassis spares

Note: More chassis spares can be found in the spares section of the catalogue



Corner steady nuts 16mm thread ø 007428 20mm thread ø 007429



WOW Bulk offers of 50 or more are available

One shot nuts

Supplied 10 per outer 20mm thread ø 007662 25mm thread ø 007689

Corner steady braces & wheel wrenches



AL-KO corner steady brace

Available singly or 10 per outer 007168



Budget corner steady brace 007167

Grove extension sockets

For use with cordless drills for lowering and raising corner steadies. Available singly or 10 per outer



Budget wheel brace 007166

Master wheel wrench



Chrome plated carbon steel body with 17/19mm vanadium socket. Telescopic handle gives adjustable length of 375-495mm. TUV/GS approved. Available singly or 10 per outer 007169

Shock absorbers

AL-KO

Octagon shock absorbers

Designed to complement AL-KO Euro Axles. Colour coded for easy weight identification - provides the ultimate in road holding and ride comfort. Set of 2.

Axle weights (gvw)	Single	Tandem	Part No.
Green	Up to 900kg	Up to 1600kg	007425
Blue	901 - 1300kg	1601 - 2600kg	007426
Red	1301 - 1800kg	2501 - 3500kg	007427
Black	1801 - 4000kg	3501 - 7500kg	007424



Breakaway cables

Note: Cables should be connected as per instructions to ensure effective operation.

AĿKO

A - Standard 007130 🔋 - Detachable 007135



Available singly or 10 per outer. Poly-bagged and header carded.

C- Breakaway cable

007118

D - Plastic coated cable

007120

Cable with split ring

007125

P- Easy fit cable



Hitch covers



W4 hitch tidy

White P.V.C. weather - proofing cover with drawstring for secure fixing. Available singly or 10 per outer 007335



Nylon hitch cover

007340

PVC coated green nylon cover with drawstring. Available singly or 10 per outer

Printed with your company name and logo. Minimum order of 100 pieces. Alternative colours also available 007341



W4 'A' Frame cover

Hard-wearing cover which protects the hitch, handbrake mechanism and cable storage ports. Available singly or 5 per outer 007336



PVC hitch cover black

Budget priced hitch cover Volume discount available on request Supplied 10 per outer 007337



AL-KO deluxe hitch cover

To cover the towing hitch/stabiliser Suitable for the AKS2004/3004 stabiliser 007350



PVC hitch cover white

Budget priced hitch cover Volume discount available on request Supplied 10 per outer 007338

National hitch covers PVC coated nylon cover with drawstring. Available singly or 10 per outer



England **007342**



Scotland 007343



Wales 007344

Heritage "Keep Calm and Caravan" hitch cover



Standard "Keep Calm and Caravan" hitchcovers

Hitch cover 007346

100% cotton canvas hitch cover with drawstring. Wet and rot proof. High quality desirable product

007345

ALSO AVAILABLE IN COST EFFECTIVE NYLON 007339



Standard products also available in a mains cable bag (see section C) 016177 and a peg bag (see section T) 109563

Levelling accessories



WOW Ideal for soft ground and to help support the weight of the vehicle

Fiamma Plates

Kit of 4 reinforced anti-sinking plates for the feet of the caravan. Dimensions: Ø 20cm Weight: 0.2kg each 007381





Fiamma Plates pro

Kit of 4 anti-sinking bases supplied with 4 locks to be fastened to the vehicle's lifting jacks. Permanently secured even when travelling. Weight: 0.2kg each 007382





Stabilizer jack pads Set of four plastic jackpads 007380



Jumbo foot jack pads

Budget priced set of four pads and pins Green. Available singly or 10 per outer 007385 Spare jumbo foot and pin green 007384 Black. Available singly or 10 per outer 007379 Spare jumbo foot and pin black 007378



Wheel chock

A vital safety device when parking up or changing a wheel. Available singly or 24 per outer 007312



W4 grip trak

Ridged on both sides of track for maximum wheel to ground traction 007368

Levelling devices



Levelling device

Available singly or 10 per outer 007295





W4 Target level

Circular spirit level for 360° levelling indication. Self adhesive 007297 10 per outer

Magnetic 007298 Available singly or 10 per outer

3 piece level set Available singly or 12 per outer 007293

Levelling accessories



WOW For more information on Fiamma products see our comprehensive Fiamma section at the back of the catalogue



Level Up (2)

Dimensions (mm) 570 x 200. Maximum height 130. Maximum axle weight 5 tons. 007326 Level bag **007333**



Level PRO (2)

Dimensions (mm) 430 x 170. Maximum height 90. Maximum axle weight 5 tons. Available singly or 6 per outer 007320 Level bag **007332**



Anti slip plate (2)

To help prevent slipping on paved surfaces. Suitable for all blocks except Level System Jumbo. 007328



Chock level (2)

Lightweight chock for use with Level up, Pro and Magnum on longer stays. Comes with 2 steel hooks to firmly fasten to chocks when used on levels 007327

Level up Kits

Each kit comes with 2 Level Ups and a washable Polyester carry bag. Easy to carry with comfortable shoulder strap.



Kit Level Up (2)

Dimensions (mm) 570 x 200. Maximum height 130. Maximum axle weight 5 tons. Comes with washable polyester carry bag. Easy to carry with comfortable shoulder strap 007316



Kit Level Up Jumbo (2)

Dimensions (mm) 580 x 240. Maximum height 140. Maximum axle weight 8 tons. Comes with washable polyester carry bag. Easy to carry with comfortable shoulder strap 007318



Level System® Magnum (2)

Dimensions (mm) 500 x 200. Maximum height 90. Maximum axle weight 8 tons Available singly or 6 per outer 007322 Level bag **007332**

Jumbo (2)

Dimensions (mm) 600 x 260. Maximum height 120. Maximum axle weight 12 tons



Level bag S

For level pro (007320), magnum (007322) and wheel saver (007331) 007332

Level bag

For level up (007326) 007333



Level Plate (2)

Anti skid system for instalation on Fiamma level up. It increaseS traction, avoiding skids and slips on smooth surfaces and helps to prevent sinking on soft ground.





Grip System (2)

Anti skid system with superior traction. The two grips can be combined into one long piece to position under the motor home or caravan wheels. Ideal on sand or mud. 007367



Wheel savers

Ideal for long stays or storage. Suitable for wheels up to 70cm diameter. Dimensions (mm) 460 x 210. Maximum height 60.

Wheel saver / level bag 007332

Stabilisers & Spares



AL-KO AKS 1300 stabiliser

The AKS 1300 stabiliser has been developed for caravans and trailers up to a maximum gross weight of 1360kg

AKS 1300 Stabiliser AKS 1300 security device 007950 007960



AKS 1300 Triple pack consisting of stabiliser, security device, towball and safety ball 007970



Integral barrel lock 002118



AL-KO MkII AKS 3004 stabiliser

The MkII AKS 3004 stabiliser has been developed for caravans and trailers from 200kg up to a maximum gross weight of 3000ka

AKS 3004 Stabiliser AKS 3004 Security device 007938 007940



MkII AKS 3004 Triple pack consisting of stabiliser, security device, towball and safety ball

007939



Winterhoff WS3000 stabiliser

The arrangement of the front and rear friction elements reduces the unpleasant pitching movement of the car/trailer combination. The slender design guarantees excellent angular flexibility for manoeuvring.

WS 3000 stabiliser Robstop security device 007850 007860





Friction pads For Winterhoff WS3000

Stabiliser from Aug 2002 onwards 007852



AKS 3004 4x4 handle

Replacement handle for 4x4's to avoid fouling of the rear door 007934



AL-KO Safety ball

Locks into hitch head for extra security. Supplied in a display box of 24 002120



Friction pads 1300 stabilisers - side 007957



AKS security barrel and two keys For all models 007723



Side friction pads To 1993 for 2000/2500 stabilisers

008004

From 1994 2004/3004 stabilisers 008005

WOW For more hitch locks and security devices please see section B



Towball kit 008003



Towball cover 008006



Front/rear friction pads 2004 stabilisers

007935

3004 stabilisers 007936



Leaf type stabilisers - spares shown for driver stabiliser



Driver stabiliser

Comes with quick release kit, 4.5" friction discs and standard L bracket to suit AL-KO and similar taperline chassis





4.5" Friction discs 007825



4" Friction discs 007824



4 Hole car plate 007804

I bracket

007812



2 Hole car plate 007805



Extended L



bracket 007814



TC car plate

Slipper block 007822



007816







Quick release kit 007834



Tommy bar 10mm 007828

Stronghold stabiliser

2 year mechanical warranty, with quick release mechanism and fast fit 'L' bracket that clamps onto the chassis which eliminates drilling. Fitted with 2 x 4" friction discs. Supplied with canvas carry bag.

Jockey wh











	Part No	Description	Width of stem	Type of wheel
Α	007194	Jockey assembly	48mm	Plastic
В	007192	Heavy duty assembly	48mm	Al-Ko soft wheel
С	007197	Heavy duty assembly	48mm	Pneumatic
D	007195	Jockey assembly	48mm	Plastic
E	007193B	Premium jockey wheel	48mm	Metal

Part No

007170

007172

007174

Α

В

С

Description

Jockey wheel and clamp

Jockey wheel and clamp

Jockey wheel and clamp





Type of

wheel

Metal

Metal

Pneumatic

Width of

stem

34mm

48mm

48mm

Spare wheels



For 34mm jockey assembly Overall ø 160mm Spindle hole length 60mm 007171



Al-Ko Soft wheel Overall ø 240mm Spindle hole length 90mm 007196



For std 48mm jockey assembly

Overall ø 195mm Spindle hole length 60mm 007173



Al-Ko pneumatic wheel & tyre

Overall ø 250mm Spindle hole length 90mm



Pneumatic wheel

Overall ø 260mm Spindle hole length 85mm

Spindle hole length 90mm 007189 007198



Reich Easy Wheel set

Transform your existing jockey wheel into a double jockey wheel. Increase your manoeuvrability on any surface. Quick and easy assembly / disassembly. 007210



Pneumatic wheel

Overall ø 250mm

& tyre

007620

AL-KO manoeuvring handle

For use with caravan and trailer jockey wheel assemblies with 48mm diameter stems

007250


Jockey wheel clamps



Jockey wheel clamp Suitable for 48mm tube 007276



AL-KO jockey wheel clamps







007639

007619

$13~\mathsf{pin}~\mathsf{electrics}$ - Please note that all UK caravans produced from Sept 2008 have a 13 pin plug fitted as standard



13 pin plug Available singly or 10 per outer 012037



7 pin 12N plug to 13 pin socket Available singly or 10

per outer 012044

13 pin socket Available singly or 10 per outer



13 pin plug to 7 pin 12N socket Available singly or 10 per

outer **012043**



13 pin alignment tool

A simple tool to re-align the pins when the plug and socket have not separated correctly. Available singly or 10 per outer 012050



012003 12S plug 012014 12N socket with fog cut out 012025 12S socket 012036 Available singly or 25 per outer

012163 Socket cover black 012165 Socket cover grey Available singly or 50 per outer

Plug and ball cover holder 012058 Available singly or 10 per outer

012047 Socket gasket Available singly or 20 per outer

AL-KO 7/13 Pin plug holder Suitable for either 7 or 13 pin plugs **012060**







13 pin socket to 7 pin 12N/12S plugs

Enables a car with 12N and 12S sockets to connect to a caravan with a 13 pin plug Available singly or 10 per outer



012042 13 pin plug to 7 pin 12N/12S trailing sockets

Enables a car with a 13 pin socket to connect to a caravan with 12N / 12S plugs



13 pin plug to 12N/S socket adaptor

Available singly or 6 per outer 012046

Relaus



Wiring kit 12N **014006**



Coiled cable kits

Consists of a length of cable which extends to 1.2m and has a 7 pin plug on each end. Kit contains a 7 pin socket to mount on caravan A frame.

12N **014310**

12S **014311**



W4 Combi Master

Combined fridge power supply and charging relay enabling the fridge to operate and an auxiliary battery to be charged whilst towing





W4 Self Switching Combi Master

The same specification as the Combi Master but with the addition that it senses the vehicles battery level - switching off when there is insufficient power available. So the vehicles power can continue to be used when the engine is switched off without worrying that the auxiliary battery or fridge will be draining your vehicles battery 014077



Ring relays Combination

Split charge relay for charging auxiliary battery & operating a refrigerator whilst towing. With automatic cut off 014405

Audible

Rear mounting sensor relay 014407









ERL11 Automotive relays 12V 40A Centre pin not used ERL11

12V 20/30A ERL7

Socket mounting and bumper protection



Socket mounting plates

Manufactured from mild steel plate.

012087 Double straight 012096 Double 'T' 012105 Available singly or 25 per outer






Bumper protection

Protects your vehicle whilst hitching up With two socket mounting points 012109

Mini bumper protection plates Available singly or 10 per outer

012110



RING Automotive

Towing accessories

WOW All relays are easy to select from the 'Which relay do I need?' chart on the pack. They are easy to fit using the full instructions provided. Suitable for 12V negative earthed vehicles



Combination relay

Split charge relay for charging auxiliary battery or operating a refrigerator whilst towing 014405



Audible relay Rear mounting sensor relay 014407



Plastic plugs 12N **014313** 12S **014329** Available singly or 10 per outer



Metal plugs 12N **014314** 12S **014332**



Plastic sockets 12N **014312** 12S **014328** Available singly or



Metal sockets 12N **014315** 12S **014330** Socket seal kit Available singly or 10 per outer





Socket cover Black **014457**



Towball covers Chrome 014452 Black **014455**



Towball boots Black **014460** Black with reflector 014465

wow

Comprehensive 18 page 'Towing Electrics' guide with each kit giving handy tips on legal requirements and wiring diagrams



Twin socket With fog cut out **014395**





High tensile bolts 2 per pack 55mm **014475** 75mm **014478** Available singly or 10 per outer



Socket plates Single **014445** Twin **014450** Available singly or 10 per outer



Ask your sales contact for details 014479

Small square

014424

Trailer lamps

Towing mirrors

HANDY mirror range

This range of "E" marked mirrors feature the unique "Handy" ratchet system which gives minimal vibration and maximum stability. Simple to install and remove: the unique "Handy" ratchet allows a tight fit to the existing mirror every time. Attaching to the vehicle's existing mirror these universal fitting mirrors are suitable for most vehicles and include models

suitable for vans and motorhomes as well as cars, and will fit left or right hand mirrors.

Glass size 190mm x 120mm. All available singly or 6 per outer.

WOW The Handy XL achieved "Best Overall towing mirror" when on test in Practical Caravan magazine - September 2013. Conclusion: "(the) ratchet tensioning system gives a satisfyingly secure feel when fitted" and "once securely fastened to the towcar mirror it was rock steady. The mirror image was superb with no distortion visible. The field of view was massive and vibration was insignificant." 89/100



Handy XL standard mirror

Arm length 310mm 120140



Handy XL extended mirror

As per the XL version this mirror has extended arms for a wider field of vision. Arm length 370mm

120142



Handy Super Flex mirror

This model has wide angle arms to make it suitable for most vans and motor homes. Arm length 230mm 120144

Summit towing mirrors

All mirrors are "E" approved, quick and easy to fit to most vehicles and are available singly or 10 per outer.



RV98T towing mirror

Adjustable arms, mirror head ajustable through 360° and shatterproof glass. 120148



RV3100 towing mirror

Adjustable arms, mirror head ajustable through 360°, shatterproof glass and complete with built-in blind spot. 120150

Standard towing mirror



Excellent value clip-on 'E' marked extension mirror. Glass size 150mm x 110mm. Arm length 220mm Available singly or 20 per outer 120154

Spare straps 120153

Excellent view towing mirror



After initial set up the bracket can be left on, head and extension mirror can be removed. Virtually vibration free with excellent visibility. 'E'

Glass size 185mm x 120mm.

Arm length 270mm

Available singly or 20 per outer 120168

With blind spot

Available singly or 10 per outer 120167 Spare straps 120169

XXL towing mirror



Large head for improved vision and safety, extra long securing straps make this mirror suitable for vehicles with large wing mirrors. 'E' marked. Glass size 185mm x 120mm.

Arm length 200mm

Available singly or 20 per outer 120158

WOW The XXL fits vehicles with tall wing mirrors such as the Ford Transit



Reich Mirror Control

The Reich MIRROR CONTROL enables you to adjust the caravan's clip-on mirrors from inside the vehicle without any other assistance. With infrared remote control, the mirror can be adjusted regardless of horizontal or vertical installation. Available to order



RV3200 towing mirror

Removeable arm, mirror head adjustable through 360°, shatterproof glass and complete with built-in blind spot. 120151

Kronings mirror kronings









Towing mirror set

A pair of extruded aluminium and ABS quality towing mirrors. Minimum vibration. Designed to fit 95% of all vehicles, this set comes with all required tools and multiple fitment combinations. Supplied with:

- 3 different sized gripping handles
- 2 x flat and 2 x convex glass for convenience
- 4 x different sized holding pins
- 2 x different sized rubber "push" Weight 468g

120130

Towing safety

Caravan Weight Control

The Caravan Weight Control (CWC) gives you 100% control over the total weight and the partial weights of the individual wheels. Using the handy balance may easily prevent excess and uneven loads which may have a negative impact on vehicle handling.

- Can measure the load per wheel up to 1000Kg yellow or 1500kg orange
- Totals the weight once measured on either a single or twin axle vehicle
- Can be used as a nose weight gauge
- Requires 3 x AAA batteries (not included)
- Simple to use
- Weighs 1 Kg

1500Kg orange **007304** 1000Kg yellow **007305**

TLC Towbar load control

A new, accurate digital gauge for measuring the weight of the hitch on the towball. The unit is both lightweight and compact. The TLC's accuracy and reliability is due to the use of load cell technology. The TLC is small and light enough to take with you. The twin version will automatically take into account the different load distribution involved.

- Digital read out in 1Kg steps
- Clear to read
- Safe function without spring
- Maximum nose weight 100Kg

Requires 2 x AA batteries (not included)

Single axle 007306

NOTE: The TLC MUST be removed before towing



WOW Simple to use - Accurate, lightweight and compact



W4 weigh-it extra

Calibrated in both pounds and kilograms. Measures nose weight up to 250lbs/115kg **007310**





Warning triangle

E approved.

Available singly or 10 per outer

Grayston coil spring assisters

To stiffen and raise suspension by approximately 38mm. To measure the size - jack the vehicle up to take weight from springs then measure the gap between two parts of the spring

GE13	18mm-25mm	008019
GE14	26mm-38mm	008008
GE15	39mm-51mm	008027
GE15A	52mm-65mm	008036



Rear view lens

Manufactured from optical grade PVC with viewing angles of upward 13° sideways 25° and downward 28°, these lenses help eliminate the blind spot and therefore make reversing safer.

9"x 7" **120137** 10" x 8" **120138** 14" x 11" **120139**



Beam converters

Headlamp beam adaptor for continental driving. By law, at any time - day or night, when driving in Europe you must convert your headlamps to avoid dazzling other road users.

Combination lights

Caraluna caravan



MK1 left hand, reverse 015001 MK1 left hand, fog light



MK2 left hand 015000



MK2 left hand, fog light 015017





MK1 right hand, fog light 015002



MK2 right hand, fog light 015003

Caraluna motorhome



MK1 left hand 015015




MK2 left hand, reversing light 015013



MK1 Right hand, fog light

MK2 Right hand, fog light 015014



Dimensions (HxWxD): 612 x 163 x 92mm Left hand 014490 Right hand (as illustrated)



Caraluna vertical

Dimensions (HxWxD): 406 x 168 x 80mm Left hand - Includes reverse 014493 Right hand (as illustrated) - Includes fog

014494





MK2 left hand fog clear lens 015021



MK2 right hand clear lens 015020



Jokon wrap round

Combines stop/tail, flasher, reverse and fog lamp. 385mm x 112mm 015007



Jokon combination lamps

Combines stop/tail, flasher and fog lamp Left hand lamp 015012 Spare lens 015023 Right hand lamp 015034 Spare lens 015045



Jokon wrap round small

Combines stop/tail, flasher and fog lamp. 305mm x 112mm 015004



Hella mini wrap round/reverse

Combines stop/tail, flasher and reverse 015009



Britax 9002 lamp 015056



Jokon wrap round

Combines stop, tail, flasher and fog lamp. 385mm x 112mm 015006



Hella wrap round

Combines stop/tail flasher and fog lamp 015010



Britax 9300 wrap round

Combines stop/tail, flasher, fog and reverse. 382mm x 130mm 015050

Number plate lamps



Britax number plate lamp Small 015476



Hella number plate lamp 015479



Hella number plate lamp Large 015483

Marker lamps Front



Hella oblong front marker Lamp 015461



Jokon EL61 front marker Lamp 015457 015458 Lens



Britax 881 front marker 015438 Lamp



Jokon front marker 015465 Lamp 015466 Lens



Hella oval front marker 015444



Jokon PL96 front marker Lamp 015454 015455 Lens



Britax 814 front marker 015384 Lamp



Britax 764 front marker Lamp 015337

Side



Hella oblong side marker Lamp 015463



Jokon EL61 side marker Lamp 015459 015460 Lens



Britax 883 side marker Lamp **015440**



Jokon side marker 015467 Lamp 015468 Lens



Hella oval side marker 015446



Jokon PL96 side marker 015456 Lamp



Jokon side marker Lamp 015472



Jokon side marker with screw on lens 015473



Jokon side marker Lamp 015470 015471 Lens



Jokon oblong side marker red/white 015474

Rear



Hella oblong rear marker Lamp 015464



Jokon EL61 rear marker 015452 Lens 015453



Britax 882 rear marker Lamp **015442**

Reflectors



Self adhesive reflectors 105 x 50mm. 79mm hole centres.

10 per outer Red 015268 Amber 015277 015286 White



Reflective red triangle (2) Screw on, pack of 2. Height max: 155mm, Width max: 135mm, Hole centres: 70mm. Available singly or 10 per outer 015492



Britax 813 side marker 015404



Hella front marker Lamp 015375



Britax 536 front marker Lamp 015450



(WA) 250 x 70mm

Repair stickers

Headlight reflective repair tape (silver vinyl) Red lens repair tape (red vinyl) clear lens repair tape (clear vinyl) Orange lens repair tape (amber vinyl) 10 per outer

013620 013621 013623 013622

Number plates

A.151 WXX

Reflective yellow Reflective white 013313 100 per outer



Scottish yellow 013311 100 per outer



Oblong

Square

Bordered yellow 013303 Bordered white 013322 100 per outer



Border Scottish yellow 013309 100 per outer



Euro GB yellow 013304 Euro GB white 013323 100 per outer



Cymru yellow 013312 100 per outer



Bordered Euro GB yellow 013314 Bordered Euro GB white 013318 100 per outer



Square yellow 013317 100 per outer

ABCDEFGHIJKLMN PQRSTUVWXYZ 0123456789

Digit starter pack 100 of each digit 013407



Acrylic plates

50 per outer

25 per outer

Adhesive pads

013306

013315

20 per outer 1mm 013523 6mm 013524 Bulk 150 per outer 013525 1mm 013526 6mm



Staticlean fluid

Apply to the acrylic sheet (and to the reflective if required) before use in order to reduce static

013512 Sponge pad bottle 013421



Individual digits (100)



3D digits (50) 013408 Followed by number or letter 013409 Followed by number or letter

Self adhesive stickers are sold 10 per outer

Euro plate stickers (W4)

40 x 110mm

Adapt your number plate for European driving



GB 013608



SCO 013578



Cymru 013583



Ireland 013589



Euro GB Rectangle 60 x 48mm 013607



Euro GB Large oval 180 x 135mm 013604



Euro GB 122 x 88mm (W4) 013605



Euro Scotland 122 x 88mm (W4) 013575



Euro Cymru 122 x 88mm (W4) 013580

Self adhesive stickers are sold 10 per outer



Scotland flag Medium rectangle 110 x 65mm (W4) 013577



SCO Large oval (W4) 140 x 100mm 013576



Wales flag Medium rectangle 110 x 65mm (W4) 013582



Cymru Large oval (W4) 140 x 100mm 013581



Ireland flag Medium rectangle 110 x 65mm (W4) 013588



IRL Large oval (W4) 140 x 100mm 013587



AA GB Magnetic badge

Large oval 180 x 135mm 013598



GB sticker Large oval 180 x 135mm 013603



GB sticker Large oval 140 x 100mm (W4) 013602



GB plaque Small oval 80 x 58mm 013600



NI Large oval (W4) 140 x 100mm 013586



Fresh water 60 x 55mm (**W4**) 013618



60mph 100mm ø **W4** 013609



Tracking fitted 110 x 65mm (W4) Motorhome Caravan





Vital statistics 60 x 48mm (**W4**) 013619



Tyre pressure 60 x 48mm (**W4**) 013615



Caravan movers

The Truma mover Fruma



Truma manoeuvring assistant

- Very light Weighs just 34kg
- Low-wear aluminium rollers
- Softstart and Softstop for jerk-free manoevering
- Cross actuation as standard (manual engagement and disengagement of aluminium rollers from one side)
- No drilling or welding of chassis required (no need for TUV approval)
- Power consumption: Max 120A, Average 20A
- Max vehicle weight 1800kg (on a 15% gradient)

Single axle 006810

WOW 5 Years Warrantu!



Common mover spares

Note: More mover spares can be found in the spares section of the catalogue



Battery isolator switch

Max rating 100A - can withstand 500A for 5 seconds 010325 Kronings 006675 Battery isolator switch key



Housing for isolator switch 006960



Reich manual engagement Handset

Single axles 006930 Twin axle 006932



Kronings Remote Control FB2 With standard software 006660

10 per outer **010015**

kronings Caravan moving systems

BUY THE CARAVAN MOVER THAT GIVES YOU MORE YEAR AFTER YEAR!

Each product is carefully tested before shipment. Kronings caravan moving systems and equipment have a built in 64 bit encryption radio transmitter as standard. This Kronings Code technology protects your remote control against interference from other transmitters and receivers!

WOW Five year warranty on all movers when the mover is serviced after years 1 and 3 by a Kronings service centre!

Future proof – Software upgrades available through Kronings service centres!

All Kronings movers have buttons to control the optional extra Electric corner steadies, an excellent opportunity to up-sell!

Caravan moving system

Compact, clean design and minimal maintainance - easy to use. **Automatic engagement** by control buttons on the handset. Controlbox on all models can be individually programmed by Kronings service centres, to meet the exact demands of the customer. When new software is developed, the controlbox can always be upgraded with newest functions by any Kronings service centre.

006606 Single axle caravans up to 2,000kg

006608 Twin axle with 2 motors for caravans up to 2,300kg

006610 Twin axle with 4 motors (all wheel drive) for caravans up to 3,000kg

WOW Upgrade to Electric corner steadies on any Kronings mover add - **006710**



	006606	006608	006610
Weight	32kg	32kg	64kg
Frequency	433.92MHz	433.92MHz	433.92MHz
Voltage	12V	12V	12V
Recommended Battery Size	85-105 (Ah)	85-105 (Ah)	105 (Ah)
Rise	17% (1800kg) 25% (1275kg)	15% (2300kg) 18% (2000kg)	14% (3000kg) 20% (2000kg)
Electric Usage (Firm ground) Standby	25-35Ah < 10mAh	25-35Ah < 10mAh	25-35Ah < 10mAh
Speed cm/s (Firm ground)	13-16	13-15	14-15

Light weight Caravan moving system

Compact, clean design and minimal maintainance - easy to use. Manual engagement with cross actuation allowing both rollers to be engaged from one side.

Controlbox on all models can be individually programmed by Kronings service centres, to meet the exact demands of the customer. When new software is developed, the controlbox can always be upgraded with newest functions by any Kronings service centre.

006600 Single axle caravans up to 1,800kg

006602 Twin axle with 2 motors for industrial trailers only!

006604 Twin axle with 4 motors (all wheel drive) for caravans up to 3,000kg





	006600	006602	006604
Weight	28.7kg		57.5kg
Frequency	433.92MHz		433.92MHz
Voltage	12V		12V
Recommended Battery Size	85-105 (Ah)	For Industrial	105 (Ah)
Rise	16% (1800kg) 23% (1275kg)	Trailers only please call!	13% (2500kg) 15% (2100kg)
Electric Usage: (Firm ground) Standby	25-35Ah < 10mAh		25-35Ah < 10mAh
Speed cm/s (Firm ground)	12-14		12-14

kronings Electric Corner Steadies



Kronings Electric Corner Steadies™

A new simplified electrical corner steady system. Four electrical motors, a digital control box and easy to use remote control, which may be combined with any Kronings™ caravan moving system.

Mount 4 motors on your original corner steadies, and you are ready to operate your corner steadies from the same remote control as the caravan moving system. Simple manual over-ride.

The system is revolutionary in its simple use and installation. The corner steadies automatically find the surface of the ground, after which precise adjustment of each corner steady is easily done using the remote control. The remote control of Kronings $^{\text{TM}}$ movers and corner steadies are unique in the market, being first in a dual function control, which makes you able to control both Kronings $^{\text{TM}}$ movers and corner steadies on the same remote control.

The only prerequisite for installing Kronings Corner Steadies™ system is that your manual corner steadies have a spindle / mandrel on the rear end of your standard mounted corner steadies! Plastic adaptor supplied - fits both BPW and Al-Ko (12mm/16mm)

Note - Inspection of your caravan is recommended to ensure correct installation can be achieved as corner steadies can vary between manufacturers.

006710 Electric leg set (without remote) **006712** Electric leg set (with remote)

Optional 90° Gearbox 006714



	Electric Corner Steadies
Weight	12.6kg
Frequency	433.92MHz
Voltage	12V
Recommended Battery Size	85 (An)
Lift	Up to 85kg (Max. 2500kg caravan)
Electric Usage (Firm ground) Standby	25-35Ah < 10mAh
Speed (Firm ground)	13-16 seconds per steady

Kronings Caravan mover mounting accessories

*For more spares parts such as handsets and control boxes please see the spares section at the end of the catalogue





ERIBA Touring mounting kit

Brackets to allow any Kronings mover to be fitted to Eriba Touring chassis **006615**



AL-KO Vario III mounting kit

Brackets to allow any Kronings mover to be fitted to and "Flat Frame" BPW or Al-Ko Vario III chassis 006617





Low chassis kits

To allow any Kronings mover to be lowered 006631 006633



M-Chassis mounting kit

To allow any Kronings mover to be fitted to caravan with an M-chassis 006635



Flat clamp set



Stop block set (2)

Stops any Kronings mover from slipping on the chassis **006639**



Anti-theft lock bolt set (2)

Anti theft bolts to help prevent the mover from being removed without authorisation 006642

Caravan and Motorhome Covers



Caravan top covers

- Superior top cover offering protection for your caravan top
- Water resistant heavy duty silver polyester
- Ideal for winter storage
- UV stable material ensuring long product life
- Elasticated straps with nylon coated steel hooks
- Elasticated hem for tailored fit
- Storage bag included
- Additional straps supplied to allow different fitment options
- 12 months warranty

106830	Caravan top cover up to 14'
106831	Caravan top cover 14-17'
106832	Caravan top cover 17-19'
106833	Caravan top cover 19-21'
106834	Caravan top cover 21-23'
106835	Caravan top cover 23-25'



Caravan covers

- Breathable material allows condensation to evaporate
- Superior cover offering excellent water resistance
- Easy to fit (fitting instructions included)
- Ideal for winter storage
- UV stable
- Nylon straps for a secure fit
- Elasticated hem for a tailored fit
- Storage bag included
- 2 zips for easy access
- 12 months warranty



Technical specification

Layers: 4 Composition: SB+SB+FILM+SB* Bond Pattern: rectangle oval Weight: 163gm/m2 Water resistance: 1000mm Rain test: < 0.1

*SB = Spunbound polypropylene *Film = Better water resistance than a membrane



106801	Green 12-14'
106802	Green 14-17'
106803	Green 17-19'
106804	Green 19-21'
106805	Green 21-23'
106806	Green 23-25'




106801GY	Grey 12-14'
106802GY	Grey 14-17'
106803GY	Grey 17-19'
106804GY	Grey 19-21'
106805GY	Grey 21-23'
106806GY	Grey 23-25'

Motor home covers

- Heavy duty 4-ply non-woven polypropylene fabric UV stable
- Breathable and has superior water resistance
- Elasticated hem allows tailored fit over a range of motor home sizes
- Zip opening allowing easy fitting
- Nylon straps on side, front and rear to secure the cover in place
- Comes with fitting and care instructions
- Storage bag included for when the cover is not in use
- 12 months warranty







Towing protectors





Waterproof - Strong - Impact absorbing - Durable - Soft non-scratch fleece - UV protected material

Universal fit protective towing cover. One piece construction with "T-FIT system" for quick and easy fitting. Double vented design for enhanced fit. Protects lower van front windows from impact damage, over 85% of van covered. Duo-tone, black and grey. Hi-viz reflective strips for added visibility on the road. Exclusive fitted, push operated and removable "LED eye lights" for day and night use whilst towing. 8 x strap and click system for easy adjustability. Strap loops hold your straps in place whilst towing. A-frame strap and click system. A-frame seal stretches to adjust to different A-frames. Steadies strap and click system stops dirt going behind the cover from the undercarriage. Velcro® fastening for extra fit. Uses awning channels to secure the cover to the van. Accessories pack included to enable you to expose the front marker lights neatly.

Tow pro lite - Universal fit towing protector

Designed to fit a wide variety of new and used caravans

- Fits caravans up to 2.5m with 2 awning rails
- Front marker lights shine through side pieces
- Accessories pack included
- 2 LED eye lights included





Cover top









Sturdy and hard wearing cover made with UV resistant and heavy duty vinyl to protect the motor home from dirt and sun.

- Easy to tighten using ropes or elastic cords (not included)
- Reinforced corners and tie down grommets
- One size only
- Dimensions: 8.5 x 5.2m
- Weight 6kg

106875

Cover premium



The Fiamma Cover Premium is ideal to protect from the sun, UV-rays, dust, pollution and dirt. Made of strong and light breathable fabric that prevents humidity and maintains a cool temperature inside the vehicle.

Cover Premium M

For motor homes up to 7.1m long Dimensions 7.16 x 2.59 x 2.74m Weight 10kg 106870

Cover Premium L

For motor homes up to 8m long Dimensions: 8.08 x 2.59 x 2.74m Weight 11kg 106872



Velcro to fix side panels when they are completely opened



Metal eyelet to better fix the Cover Premium



4 plastic buckles to fix the lower part of the Cover Premium



3 practical zippers allow quick entrance into the vehicle

FIAMMA

Thermoglas XXL Ducato



WOW Suitable for low temperatures



- Ideal for winter use to completely cover the engine compartment
- Made of insulated material
- Made up of 2 detachable parts
- The upper part covers the 3 windows of the cabin; it is possible to uncover the windscreen without mounting the Thermoglass
- The lower part, which can be attached with velcro®, covers the engine compartment completely
- Suitable for Fiat Ducato after 06/2006
- Weight 11kg

106466

Thermo Wall Ducato Cabin

Comfortable and useful thermal panel to put between the cabin and the motor home cab of the Fiat Ducato (after 2006) to enable more privacy and heat insulation. The upper par is fixed there with velcro® and two central zip-fasteners for the door.

- Dimensions: 182 x 150cm
- Weight 1.8kg

106470



WOW Made from seven layer sturdy insulated material





Coverglas XL Ducato

- Blocks out the sun and protects from UV rays, gives privacy and keeps windshield clean
- Exterior waterproof system to cover all the windows of your vehicle cabin, extended to cover bonnet air intakes as well
- Easily installed and no drilling required
- The cabin doors are used to support and secure the covering
- A practical mounting system is secured on the inside, useful against theft
- Excellent for summer use
- Suitable for Fiat Ducato after 06/2006
- Weight 3.5kg



Hitchlocks and security devices



AKS 3004 security device Fits all models of 2004/3004 stabilisers 007940



Winterhoff Robstop

Sold Secure GOLD security device to fit the Winterhoff WS3000 stabiliser. Supplied complete with safety ball



AKS 1300 security device Comes with necessary fittings 007960



Grayston hitchlock

AKS 2700 security device

008007

To fit 50mm ball couplings. Supplied with 2 keys 002087



007860

AL-KO coupling lock A compact and sturdy universal 50mm ball coupling lock. Available singly or 5 per outer 002092



Trailerlock Mk2

Fits into hitch head. Comes with allen key and 2 keys. Suitable for 50mm ball couplings 002090



The hitchlocks can be fitted hitched or unhitched. All locks have high security pick free locks, supplied with 3 keys giving millions of key combinations. Supplied with robust plastic carry storage cases and colour pictorial fitting instructions. DO NOT USE WHILST **TOWING**



Stronghold AL-KO hitchlock

- Sold Secure
- Fits Alko Hitches, AK130, AK160, AKS1300, AKS2004 and AKS3004 (all versions)
- Easy fit in under 10 seconds
- Case hardened steel body and locking bolt

001703



Strongbox hitchlock

- Fits Alko, Albe, Winterhoff, Harrison, B&B and most other original open handle hitch types
- Robust steel construction
- Anti-prising lip



Stronghold Winterhoff hitchlock

- Sold Secure
- Fits Winterhoff WS3000 hitches
- Easy fit in under 10 seconds
- Supplied with steel security ball for the un-hitched position
- Case hardened anti-saw location pins 001705



AL-KO safety ball

Locks into hitch head for extra security. Supplied in a dispaly box of 24

002120



The leg lock

- 2 year mechanical warranty
- Electro-plated for rust protection
- Robust heavy duty steel construction
- Dual locking system
- Supplied with 3mm allen key and hexagon adjustor key

001707



AL-KO AKS 1300 lock

Integral lock for the AKS1300 stabiliser. Comes with 2 keys

002118



AL-KO AK 10 lock

Integral lock for Al-Ko AK Integral lock for Al-Ko with 2 keys.

Available singly or 10 per outer 002105



AL-KO AK 13 lock

7, 9 + 10 hitches. Comes AK13, AK21 and AKS 2700 stabiliser. Comes with 2 keys

AL-KO Secure wheel clamps

The AL-KO Secure Wheel lock has proven itself year after year to be a superb caravan security device. Available as a standard fitment to many 2006 caravans onwards it has been tested to Diamond standard from SOLD Secure and is **the only product on the market with this level of security**.

Years of research and development into the methods and practices employed by caravan thieves ensures that AL-KO Secure protects your caravan. The AL-KO Secure Lock provides over 30,000 security combinations together with a drill resistant lock and anti-pick tumbler mechanism ensuring that your caravan is safer than it has ever been from theft. At home, on site or in storage, there is no better product to protect your investment.

There are 3 models - Compact kit, Plus kit & Premium kit - plus the option of buying the lozenge insert on it's own. Some locks are not available in all models.



Lozenge insert only

For use where owners change their caravan and own a Secure wheel lock. Simply use the existing barrel with the new lozenge insert and re-register.

Compact kit

For use on AL-KO chassis vehicles with the receiver plate pre-fitted. Lozenge with full instructions and key registration documents supplied.

Plus kit - must be professionally installed

For use on AL-KO chassis vehicles where no receiver plate is pre-fitted, but the brake drum is pre-drilled. Lozenge and receiver plate with full instructions and key registration documents supplied.

Premium kit- must be professionally installed

Premium and Plus kits can be ordered by request where available

For use on AL-KO chassis vehicles with no receiver plate pre-fitted and brake drum is not pre-drilled. Brake drum (2051) plate, lozenge and receiver with full instructions and key registration documents supplied.

Stronghold Wheel clamps

Stronghold wheel clamps come with a 2 year mechanical warranty. All clamps have high security pick free locks supplied with 3 keys giving thousands of key combinations. High visibility yellow units. Wheel clamps are supplied in robust plastic carry storage cases with colour pictorial fitting instructions.











The alloy wheel clamp

- Sold Secure
- Fits 13" to 15" rim sizes
- Fits 165mm to 205mm tyre sizes
- Easy fit onto security wheel bolt within 20 seconds
- Robust case hardened antisaw steel construction
- Supplied with 10mm allen key001722

The Scimitar alloy wheel clamp

- 50mm alloy wheel spoke gap required
- Fits wheel size 13"-15
- Fits tyre sizes 165mm-205mm
- Easy fitment in under 30 seconds
- Case hardened with patented lock
- Weight 6kgs
- Colour fitting instructions001730

The strongarm wheel clamp

- Sold Secure
- Fits 12" to 14" rim sizes
- Fits 155mm to 190mm tyre sizes
- Easy fit onto security wheel bolt/nut within 5 seconds
- Locks onto the wheel instead of over the ture
- Robust steel construction
- Case hardened anti-saw bar feature
- Fits over bolt on wheel trims **001714**

The wheel clamp

- Fully adjustable for wheel diameter and width
- Covers wheel nuts, wheel trims and alloy wheels
- Electro-plated arms for rust protection
- Robust heavy duty steel construction

8"-10" fits 100-175 tyre **001716** 10"-14" fits 155-205 tyre**001718** 14"-16" fits 185-250 tyre**001720**

Lozenge No. 3

on a range of models

- Star 14"

Used by Swift



Lozenge insert Compact Kit

Lozenge No. 1 - Bailey 14" Used only by Bailey

001907INS 1389041 001907 1287642



Lozenge insert Compact Kit

Lozenge No. 4 - Mirage 15" Used by Swift

001905INS 1389044 001905 1287645



Lozenge insert Compact Kit

Lozenge No. 8 - Salida 14 Used only by Lunar Protective cover 001966 **001903INS** 1389050

001903 1287650



Lozenge insert Compact Kit

Lozenge No. 14 Debut 14' Used only by Swift

001897INS 1389052 001897 1287991



Lozenge No. 17 - Rimfire 15" Used by Swift on GTS, Vogue Cameo & Spectrum models

Lozenge insert Compact Kit

001896INS 1389818 001896 1287994

Lozenge No. 20

- Pageant 6 14**"**

Used only by Bailey on



Pageant series 6 models Lozenge insert

001882INS 1550532 Compact Kit 001882 1289576



Lozenge insert

Lozenge No. 23 - Roven 14" Used by Swift on a range of models Protective cover 001972 001894INS 1551985

Lozenge No. 26

001894 1289106 Compact Kit



Lozenge insert Compact Kit

- Storm 15" Used by Swift on a range of models

001891INS 1552664 001891 1289489



Compact Kit

Lozenge No. 29 - Vortex 14 Used by Coachman

1553574 1289825



Lozenge insert Compact Kit



Lozenge insert Compact Kit



Lozenge No. 2

Protective cover 001960

001900 1287647

001900INS 1389042

- Hawk 14"

Used by various

Protective cover 001963 **001906INS** 1389043 001906 1287644



Lozenge insert

Lozenge No. 10 - Dion 14" Used by Avondale

001902INS 1389049 Compact Kit 001902 1287649



Lozenge insert Compact Kit

Lozenge No. 15 - Challenger 14" Used by Swift on Challenger & Conqueror models Protective cover 001968

001892INS 1389816 001892 1287992



Lozenge insert

Lozenge No. 18 - Star 15" Used by Swift on a range of models

001899INS 1389819 Compact Kit 001899 1287995



Lozenge No. 21 Lunar Venus 14' Used by Lunar and Avondale

Lozenge insert Compact Kit

001888INS 1550918 001888 1288559



Lozenge insert Compact Kit

Lozenge No. 24 - Lunar 5514 14' Used only by Lunar

001895INS 1551986 001895 1289166



Lozenge insert Compact Kit

Lozenge No. 27 - Pegasus 14" Used only by Bailey on Pegasus & Olympus models

001889INS 1552665 001889 1289779



Lozenge No. 30 - Vortex 15' Used by Coachman

Lozenge insert 1553575 Compact Kit 1289826



Lozenge insert

001898INS 1389046

001898 1287643 Compact Kit



Lozenge insert Compact Kit

Lozenge No. 6 - Challenger 15" Used by Swift on Challenger & Conqueror models

001893INS 1389053 001893 1287652



Lozenge insert Compact Kit

Lozenge No. 11 Quicksilver 14" Used only by Lunar

Lozenge No. 16

- Rimfire 14"

001904INS 1389051 001904 1287651



Used by Swift on GTS, Vogue Cameo & Spectrum models

001909INS 1389817 Lozenge insert Compact Kit

001909 1287993



Lozenge insert Compact Kit

Lozenge No. 19 - Hawk 15" Used bu various manufacturers

001908INS 1389048 001908 1287990



Lozenge insert Compact Kit

Lozenge No. 22 - Senator 6 14**"** Used only by Bailey on Senator series 6 models

001883INS 1551031 001883 1289577



Lozenge insert Compact Kit

Lozenge No. 25 - Storm 14" Used by Swift on a range of models

001890INS 1552663 001890 1289487



Lozenge insert Compact Kit

Lozenge No. 28 - Unicorn 15" Used only by Bailey on Unicorn models

001884INS 1555231 001884 1289824



Lozenge insert Compact Kit


Lozenge No. 31 - Lunar 14" Used only by Lunar

001887INS 1555305 001887 1555497

FIAMMA SECURITY

Security Handles

Security device made from solid painted aluminium with 30mm diameter and 2mm thickness. It also serves as a conventional handle to make entering and exiting the vehicle easier. Adapts to all doors opening both to the right and to the left







Security 46 PRO

Special version of Security for motor home doors or for applications where a strong structure is required. Made in light but solid aluminium. Delivered with Kit Security Lock that offers major safety and strength thanks to a third fastening point on the door.

Security 31	001201	1.1kg
Security 46	001203	1.2kg
Security 46 Pro	001204	1.7kg

Kit Security Lock







Optional safety lock kit for Security 31 and Security 46 to be installed on the door of the motorhome.

Delivered as standard with keys and internal brackets. Weight 0.5kg

White

001218

Duo-Safe Pro

Strong security bar allows blocking of the front doors from the inside. Quick and ready to use

Universal model thanks to the telescopic frame and Quick Lock hooks provided, to adapt to most vehicle cabins.

Tested on:

Fiat Ducato, Citroen Jumper, Peugeot Boxer and Renault Master before 06/2006

Mercedes Sprinter, Fiat Ducato, Renault Master and Ford Transit after 06/2006

Also suitable for Iveco Daily cabin.

Weight 1kg Grey **001204A**







SAFE DOOR®





Safe Door®

Safety block for motor home or caravan door. It works as an anti-theft device as it is made from sturdy anodized aluminium without plastic parts. It is easily installed to the vehicle wall with bolts and internal support brackets. Weight 0.6kg. White

001205

Safe Door® 3

A set of 3 Safe Doors with the same key number for convenience 001205A




Spacer Kit Safe Door®

An optional kit of spacers to allow the space between the Safe Door® and the wall of the vehicle to be reduced 001221


Safe Door® Guardian

Security block created to be placed on the inside of the door or the garage of the motor home or caravan to secure the doors of the vehicle. Excellent protection against theft as it is made of strong aluminium, without any plastic parts. It is installed instead of the standard plastic security blocks, in the same position and using the same fixing holes.






Safe Door Guardian Standard




Master - after 06/2010



Ducato - before 09/2009

Transit - before 06/2006

Safe door guardian standard	001213	0.3kg
Ducato after 09/2009	001214A	0.4kg
Ducato before 09/2009	001214	0.4kg
Transit after 06/2006	001214C	0.4kg
Transit before 06/2006	001214B	0.4kg
Master after 06/2010	001214D	0.4kg



Safe Door® Frame

A Safe Door® that is installed on the side frame of the door or garage compartment with self-tapping screws. Weight 0.5kg. White.

001207


Safe Door® Frame 3

A set of 3 Safe Door Frame with the same key number for convenience 001207A




Safe Door® Magnum


A Safe Door® with extended length to 20cm to cover the locks of camper doors. Weight 0.6kg. White.



Ducato - after 09/2009



Transit - after 06/2006



Locks and keys **Exterior door locks**

WOW A left hand lock fits on a door with the hinges on the left as you look from the outside





001091

Exterior only

Caraloc 2000

Left hand complete

Right hand complete

Left hand interior only

Right hand interior only





W4 external locker door lock Replacement door lock assembly complete with WD lock and 2 keys. Used by manufacturers on external lockers

001169

Zadi round door lock

Right hand black Left hand black R/H cream

L/H cream (black interior)



Caraloc 640 Left hand complete Right hand complete Left hand interior only Right hand interior only

Compartment lock


Complete assembly and 2 keys

assembly

001168

Locker locks







001012

001014

001013

001015

Black square 45mm 001180



Black square 45mm inc cover **001162**

Key merchandisers



Chrome 001182

(W4) Keys All keys are supplied individually packed in outers of 3

1	2	3	4	5	6	7	8	9	10	11	12	13
14	15	16	17	18	19	20	21	22	23	24	25	26
27	28	29	30	31	32	33	34	35	36	37	38	39
40	41	42	43	44	45	46	47	48	49	50	51	52
53	54	55	56	57	58	59	60	61	62	63	64	65
66	67	68	69	70	71	72	73	74	75	76	77	78
79	80											
1	2	3	4	5	19	20	28	29	30	32	47	48
52	53	54	58	59	60	62	64	67	69	78	82	83

1	2	3	4	5	19	20	28	29	30	32	47	48
52	53	54	58	59	60	62	64	67	69	78	82	83
84	85	97	98	99	100	101	105	106	107	108	109	110
123	124	125	126	130	131	132	133	134	135	148	149	150
151	152	156	157	158	159	160	161	174	175	176	177	178
182	183	184	185	186	187	199						

9601	9602	9603	9604	9605	9606	9607	9608	9609	9610	9611	9612	9613
9614	9615	9616	9617	9618	9619	9620	9651	9652	9653	9654	9655	9656
9657	9658	9659	9660	9661	9662	9663	9664	9665	9666	9667	9668	9669
9670	9671	9672	9673	9674	9675	9676	9677	9678	9679	9680	9681	9682
9683	9684	9685	9686	9687	9688	9689	9690	9691	9692	9693	9694	9695
9696	9697	9698	9699	9700	9791	9792	9793	9794	9795	9796	9797	9798
0700	0800											

001147 followed by key number

MC keys

WD keys

001155

followed by key number



Zadi key 001152 followed by key number

Locks and keys

Caraloc



Spare barrel Supplied with 2 MC keys. 001130



Security barrel

001166

To replace caraloc and WD standard barrels with a high security lock with over 1000 combinations. Comes with removal tool and 4 keys. 002127

001167

Zadi



As used on Hartel doors and Vecam lock assemblies

Spare barrel

Supplied with 2 Zadi keys

001154

WD Series



Spare barrelS

Supplied with 2 WD keys

WD standard barrel with removal tool 001164

WD short barrel 001166

A WD short barrel lock with a female thread to enable attachment to gas locker door mechanisms. 001167

Snake-Cut Lock



Replacement barrel lock cylinder, complete with one fold-away key fob and one over-moulded key. As used by Coachman Caravans

001170

Safes & padlocks



AL-KO Personal effects safe

Complete with removable internal shelf, mounting plate, with all fixing and 2 keys. External Dimensions: 300 x 240 x 200mm Internal Volume: 14 Litres Outer wall thickness: 3mm Weight: 8.5kgs 002165



W4 Identitags (4)

10 per outer **001135**





Corner steady lock

For use with AL-KO premium corner steady 007436

Safe Can







Store your valuables where the thief won't find them. All labels and cans are 100% genuine and supplied by the manufacturer under licence. Recognised by Police Forces, Neighbourhood Watch groups and Insurance Companies worldwide as an excellent deterrent to theft, the Safe Can is an ideal place to hide money, jewellery and valuables. Just unscrew one end to reveal a great hiding place. Supplied 10 per outer

Key rock **002256**

002252 Soup

Beans 002253

Supplied 50 per outer

Assorted soup, beans, spagnetti 002250

Alarm systems

IDM4 Alarm kit

A keypad operated alarm system utilising the latest power saving technology. The system is able to operate for many months from its integral battery, thus removing reliance on the leisure battery.

The main features are:

- Stylish keypad with 10,000 possible codes, sensor and battery test functions and programmable settings
- 3 possible power sources plug-top charger, leisure battery, solar panel (optional extra) **002174**



IDM alarm spares



IDM PIR sensor Fits IDM 2, 3 & 4 002173



IDM charger Fits IDM 2, 3 & 4 002171



IDM battery Fits IDM 2, 3 & 4 002172

RF100 advanced alarm system

A keyfob operated alarm system utilising the latest power saving technology. The system is able to operate for many months from its integral battery, thus removing reliance on the leisure battery.

The main features are:

- Pocket keyfob complete with arm/disarm button, 2 x 12v switching channels (also 230v via adaptor), secure rolling code algorithm, low battery detection
- PIR, tilt/movement and contact sensors
- Low battery consumption
- Charging via leisure battery, mains or optional solar panel
- Outputs for triggering paging and tracking systems

002176







Caravan alarm system

Multifunction, 4 button easy to use remote key fobs. Micro processing tilt/motion sensor. Advanced interior movement sensor. Auto charging battery back up siren. Visual or non visual status LED illumination. Easy connection design **002150**



Solar powered dummy camera

Solar panel with rechargeable batteries. Flashing red light. Robust and weather proof body. Indoor and outdoor use. Operational during day and night. Wall mountable with 360° rotating base **002216**



Remote control P.I.R.

Detects human movement - 110° arc. 105dB alarm. Activated by remote control (2 with batteries supplied). The P.I.R. is also battery powered (4 x AA not supplied). Can be used free standing or wall mounted **002160**

Plugs, sockets, multisockets and testers

Ring 12v MultiSockets & testers



Enables multiple use of 12v appliances with cigar lighter plugs. All come with battery status indicator with the

exception of 011701 & 011710. All are blister packed with euro slot





10 amp 12v DC can shaped multi socket with USB MultiSocket battery analyser, width adjusting fitment collar, charging adaptor guide light rings and coiled cable. Available singly or 12v USB charging socket 10 per outer

Twin with twin USB Triple

011714 011716



Twin MultiSocket & tester

Available singly or 10 per outer



suitable for MP3 and mobile phone recharging. Available singly or 10 per outer 011710



Triple MultiSocket & tester

Available singly or 10 per outer 011703



Twin MultiSocket Available singly or 10 per outer 011701



4-way MultiSocket & tester

Available singly or 10 per outer 011704



Twin MultiSocket 12v/USB & tester

Allows the recharging of MP3 players and mobile phones. Available singly or 10 per outer **011712**

12/24v plugs and sockets

Can Multi-Socket & tester



Lighter type socket

12/24v, surface mounted, heavy-duty socket. 20amp 011695



Universal plug

12/24v. Heavy duty suitable for use in both lighter type sockets and single pole sockets. 8 amp fused 011665



Lighter type socket & cap

12/24v. Panel mounted, with a dust and splash proof cap. Push fit mounting. 20amp



Universal plug

011694

12/24v. Heavy duty suitable for use in both lighter type sockets and single pole sockets. 16 amp fused, built in power indication LED



DIN to Lighter type converter

12/24v. Converts any single pole socket to a lighter-type socket. No fuse. 8amp





Bendable universal plug

A heavy duty plug similar to 011665 but can be angled at up to 90° . 8 amp fused 011696



DIN socket & cap

Single pole socket surface mounted with a dust & splash-proof cap. 16amp

011690



DIN multisocket

12/24v. Three single pole sockets mounted on a 90 x 36mm panel, 16amp 011693



Standard DIN plug

12/24v basic single pole plug without a fuse. Rated 8amp

011689



Standard DIN plug

A high-quality single pole plug without a fuse. Rated 15amp 011697



Coiled extension lead

12/24v. 8amp fused universal plug with coiled cable (0.6 to 3m) 011699



Lighter socket extension 3.6m

12/24v. Heavy-duty extension lead rated to 20amps. Lighter-type plug on one end, lighter-type socket on the other. Length 12 feet, 3.6 metre 011682 Plugs, sockets, multisockets and testers



W4 illuminated cigar socket

Flush fitting in 28mm round hole. 12v 011671



W4 surface mounted lighter socket

Flush mounted socket for permanent fixing. 10 per outer 011669

W4 Dual USB

charging point

Available singly or 10

per outer

011720



W4 lighter socket Inline socket. 10amp. 10

per outer 011649



W4 fused lighter Plug

With 5amp fuse. 10 per outer **010647**



W4 2-way adaptor

Converts a lighter type socket to a double socket internally fused at 15amps. Available singly or 10 per outer 011685



W4 cigar plug/socket lead

Adaptor lead to extend lighter type sockets to a distance of 2 or 5 metres. Fuse (5 amp) built into plug. Available singly or 10 per outer 2m 011675 5m 011680



W4 DIN socket Single pole flush fitting

W4 DIN plug & socket socket **011631** Single pole 8A plug & socket. 10 per outer

011630



Hella plug and socket

Single pole plug. Available singly or 10 per outer 011635

Single pole socket & cap 011646



W4 adapt-it

2 pin 12v plug to lighter type socket adaptor. 10amp. Available singly or 5 per outer **011650**



W4 adapt-it 2

3 pin 12v plug to lighter type socket adaptor. 2amp. Available singly or 5 per outer 011652



W4 adapt-it 3

Parallel pin 12v plug to lighter type socket adaptor. 10amp. Available singly or 5 per outer 011654



W4 adapt-it 4

2 fully insulated crocodile clips to lighter type socket adaptor with 1 metre cable. 10amp. Available singly or 5 per outer **011655**



W4 adapt-it 5

Single pole plug to lighter type socket adaptor. 8 amp. Hella type. Available singly or 5 per outer 011657

Clipsal plugs, sockets and switches Black / Brown / silversand Beige



2 pin plug 12v polarised plug 038613



2 pin socket 12v polarised socket. 75mm x 32mm



Coax and 2 pin socket 86mm x 32mm 038638



2 pin socket and coax

12v 2 pin polarised socket and coax socket 87mm x 87mm 038681



2 pin plug 10 amp polarised plug **038610** W4 2 pin 12 volt plug 10 per outer 038609



3 pin plug 13 amp 038672



Blanking plate 038686



Fused switch with neon

230v 13 amp fused switch with neon indicator 038675



Single switch 10 amp switch. 75mm x 32mm 038633



038614

Double switch 10 amp. Two gang switch. 86mm x 32mm 038643



Single gang socket Brown and silver sand 038682



Silver sand surround only 038684



Coax socket 87mm x 87mm 038622



2 pin socket and coax 87mm x 87mm 038678

= .0





socket 15 amp polarised socket 87mm x 87mm Coax and 038617



2 pin socket 86mm x 32mm 038635

Berker sockets



230V 13A socket

White **038800**Anthracite **038801**Brown **038802**



Rocker switch

White **038828**Anthracite **038829**Brown **038830**



Rocker switch twin

White **038832**Anthracite **038833**Brown **038834**



12V single pole socket

White **038808**Anthracite **038809**Brown **038810**



TV aerial point

White **038812**Anthracite **038813**Brown **038814**

Single frames

038851

038852

038853

038854

038855

Granite

Anthracite

White

Brown

Chrome

White & lid (IP44)



Satellite point

White **038820**Anthracite **038821**Brown **038822**



TV/satellite point

White **038816**Anthracite **038817**Brown **038818**



12V cigar socket

Anthracite **038805**





USB charging point

White **038824**Anthracite **038825**Brown **038826**





Back box 038850

Double frames

 Granite
 038860

 White
 038861

 Anthracite
 038862

 Brown
 038863

 Matt Chrome
 038864

Anthracite & lid (IP44) 038871







Divided box

For two single sockets. Dimensions Overall: 175mm x 85mm Recess: 165mm x 75mm 038669



Single flush mounting box

With push on black trim. 89mm x 89mm x 30mm 038664



Twin flush mounting box

With push on black trim. 149mm x 89mm x 30mm 038674



W4 mains backing boxes

Suitable for flush fitting of most 13 amp sockets. Box simply pushes into cavity. Integral lugs click into position to retain box and clamp on partition when pulled forward. Self adjusting for material thickness 1-10mm. Available singly or 10 per outer

Single **038723**Double **038724**Twin **038725**

CBE sockets and switches



WOW CBE switches and sockets are supplied in three parts. Please order the support frame and "ni" frame as well as the switch or socket required.



Single support frame grey 86x78mm 038500



Light grey 038509

Light grey 038512

Light grey 038515



Double support frame grey

139x78mm **038503**

Single module "nl" frame

Double module "ni" frame

Triple module "nl" frame



Triple support frame grey

192x78mm 038506

Dark grey **038518**

Dark grey **038521**

Dark grey **038524**





12V Switch 2 way. Grey **038527**



12V Switch & LED Grey **038530**



12V Double SWitch 2 way. Grey 038533



12/24V Switch & 3 position step switch

2 way. Grey **038563**



Pump & light SWitch Grey 038560



230V uk socket Comes with back box Grey 038536



12V lighter type socket Grey 038545



12V watertight lighter type socket Grey 038548



12V Single pole socket Grey 038551



USB charging socket Grey 038539



TV & satellite socket Grey 038542



12V lighter type, TV & satellite socket Grey 038554



12V single pole, TV & satellite socket Grey 038557



CO detector Grey 038572



LPG detector Grey 038575



12V battery tester

4 level indication. Includes frame and spacer. Grey **038569**



Waste & fresh water level indicator

4 level fresh and full indication waste. Includes 2 x 4m cables, frame, spacer and probes. Grey 038566



Fresh water level indicator

4 level indication. Includes 4m cable, frame, spacer and probe. Grey **038578**



Waste water level indicator

4 level indication. Includes 4m cable, frame, spacer and probe. Grey **038581**



Fuse holder 4 fuse Grey 038590



Digital clock LCD 65x32x11mm 038584



Fuse holder 50A



Back box 50mm 34mm depth 038593 45mm 22mm depth 038596

Wap Electrical 1 - Bulb and Fuse

Complete stand

Complete with 10 packs of 48 of the best selling items in this range. Items

marked * are not included on the stand 010700 All sold in outers of 10 unless otherwise stated

s = Single contact d = Double contact WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.



12v 4W Ba9s Side/No. plate 010511



12v 10W Ba9s Halogen Side/No. plate 010650 *



12v 5W capless Tail/side 010556



12v 5W Ba15s Tail/side 010512



12v 21W Ba15s Indicator 010510



12v 21W Ba15s Amber, Indicator 010564 Offset pins 010595



E = Eddison screw fitting

GU = Twist lock Bi-pin connector

12v 21/5W Ba15d Stop/tail 010509



12v Ba15d Tail/interior 5W **010550** 21W **010553**



12v G4 Halogen (2) Interior 5W **010543** 10W **010563** 20W **010591**



240v 25W G9 halogen Interior 010544



12v G4 30° MR11 dichroic Interior 10W **010533** 20W 010534



36° MR16 dichroic Interior 10W **010651** 20W 010652



Bulb terminoligy

Ba = bayonette fitting

G/GX = Bi-pin connector

MR16 dichroic Interior. Available singly 15 LED 010655 *

20 LED 010656 *



20W 010588 * 50W 010589 *



230v LED GU10 40° dichroic Interior. Available singly 15 LED 010657 * 20 LED 010658 *







12v Ba15s Halogen Interior 5W **010558** * 10W 010559 *



12v 24W R22d Interior 010560 *



12v E14 Interior 15W **010554** * 25W 010555 *



230v B22d Globe bulb Interior 25W 010590 * 40W 010596 *



230V 25W E14 Pigmy bulb Interior 010561 *



230v 25W E14 Golf ball bulb Interior 010562 *



12v Festoon Interior/Awning 5W **010508** 10W **010513** 18W **010557**



10A in-line fuse holder 010516

30 x 6.35mm fuses (3)

010519

010520

010521

3A

5A

10A



Blade fuse holder 010642

Mains fuses 30mm

2 x 3A, 5A & 13A

mixed (6)

010644



4 Way blade fuse box 010594

Continental fuse

2 x 8A, 16A & 25A

mixed (6)

010643



LED Blade fuses (3) LED glows when fuse blown

010670 * 5Δ 10A 010671 * 15A 010672 * 010673 * 20A



20 x 5mm fuses (3)

1A 010632 010522 2A 3.15A **010523** 010524 010525



Mini blade fuses mixed (8) 2 x 5A, 10A, 15A & 20A 010631 *

Mini blade fuses (3) 010605 5A 10A 010610 010615 15A 20A **010620**



Blade fuses mixed (10) 2 x 3A, 5A, 10A, 15A & 2OA 010633 * Blade fuses (3) 010634 ЗΔ

5A 010635 7.5A **010636** 010637 10A 010638 15A 20A 010639 010640



010518 15A Bulb and fuse kits



W4 Inside/outside bulb W4 Budget bulb and and fuse kit fuse kit

Contents: 20mm fuses x 5 (1A, 2A, 3A, 5A & 10A) 30mm fuses x 3 (5A, 10A & 15A) Mains fuses x 2 (5A & 13A) Blade fuses x 4 (3A, 5A, 10A & 15A) 12v bulbs x 9 (Stop and tail, flasher/ fog, no. plate, tail, 10W spot, 15W spot, 10W G4, 5W festoon & 10W festoon). Available singly or 25 per outer 010800



Contents:

12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s) 2 x Blade fuses (10A, 15A) 010801



W4 Motor home headlight kits

Contents:

12V bulbs x 7 (5W festoon, 4W Ba9s, 5W capless bulb, 5W Ba15s, 10W Ba15s, 21W Ba15s & 5/21W Ba15s) 3 x Blade fuses (10A, 15A & 20A) 2 x Mini blade fuses (10A & 15A) Plus the following H1 headlight bulb 010803 H4 headlight bulb 010804

H7 headlight bulb 010805



Universal bulb kit

Contents:

H1, H4 & H7 headlight bulbs. 11 x assorted bulbs

3 x assorted blade fuses 2 x assorted mini blade fuse

010802

W4 Electrical 2

Complete stand

Complete with 10 each of the 48 best selling items in this range. Including the W4 fused lighter plug on page C2 and the TV pack-it range on page D10 **010598** All sold in outers of 10

Red for fitting to 0.5-1.5mm² cables

Yellow for fitting to 4-6mm² cables

Workshop bulk packs can be found in section Q









6.35mm

Blue **010573**





WOW Cable terminals are colour coded for easy identification



Male 6.35mm Red **010569** Blue **010570**

Push-On terminal (3) Push-On terminal (3) Push-On terminal (3) Piggy back terminal (3) Push-on terminal & Female 2.8mm Red **010575**

Insulated female 6.35mm Red **010566** Blue **010567**

cover (4) Female 6.35mm 010503

Ring terminal (3) Blue 6mm Ø **010578** Yellow 8mm Ø 010579 Blue 010506

Self stripping cable connectors (4)















300 x 4.8 mm **010593**



6 way

010500



010504



Brass battery Press switch 010514

Bolt set (3) For towing sockets Microswitch M5 x 35mm

Crocodile clips (pair) 5A **010517**

50A 010529 25A **010530**

terminals (Pair) 010645

010515

for taps 010583

tape 19m x 4.5mm 010528 010507

WOW All W4 pack-it items can be ordered loose at a preferential

rate. Please speak to your sales contact for details.

PVC insulation Cable tie base (3) Cable clip (3)

Self adhesive 010592

Voltage testers



W4 Battery tester

Useful gadget for checking power in all sizes of dry cell batteries.

Available singly or 10 per outer 016093



DC voltage tester

6-24v DC tester with neon indicator complete with 1 metre lead and crocodile clip. Available singly or 10 per outer 016041



The intelligent screwdriver

Tests voltage, continuity, bulbs, fuses and much more. Availabe singly or 10 per outer 016092



Digital voltage tester

This product is easy, safe, quick and accurate to use. It will detect AC voltage, is a neutral checker and performs earth line connection checks.

20 per outer **016091**



W4 Compact digital multimeter

Tests AC/DC voltage, DC current, resistance. Audible continuity check. Automatic low battery indicator. Available singly or 10 per outer 016094



W4 Digital multimeter

Tests AC/DC voltage, DC current and resistance, diode & transformer check. Audible continuity check. Auto polarity indication. With Impact resistant holder and plug in leads. Battery supplied. Available singly or 10 per outer 016096



Rolson Digital multimeter

Tests AC/DC voltage, DC current, decibel ratios, continuity, diode & transistors. With plug in leads. Battery supplied. Available singly or 24 per outer 016097

Emergency power



4 in 1 Universal power adapter

230V, 12V and USB charging system. Adaptors for iPhone (4 generations), Blackberry, PSP and others. 4 per outer 017101



Emergency phone charger

Suitable for charging Nokia, Samsung, Iphone, Ipod and Motorola. Includes mini USB adaptor. Supplied with AA battery. 12 per outer 011750

230v plugs, sockets and accessories



Mains site plug

complying with BS4343 and IEC complying with BS4343 and IEC 309 CEE17

Available singly or 10 per outer W4 packed **016007** Bulk loose 016008

Mains coupler

230v male 3 pole 16A plug 230v female 3 pole 16A plug 309 CEE17

> Available singly or 10 per outer W4 packed **016018** Bulk loose **016019**

U.K.

Enables a mains lead to be connected to a 13A 3 pin socket Available singly or 10 per outer W4 packed **016118**

Mains hook-up adaptor Mains hook-up adaptor continental

Enables a mains lead to be connected to a continental 13A 2 pin socket

Available singly or 10 per outer W4 packed **016125**



13A trailing socket

230v male site plug with 13A Surface mounted 230v male 230v male 3 pole 16A mains inlet 10 per outer **016090**



W4 Mains angled inlet

trailing socket. Available singly or 3 pole 16A inlet complying with with lever release in an IP44 BS4343 and IEC 309 CEE17 016029



W4 flush mains inlet

housing.

Installation hole: 100x100x80mm (HxWxD). Available singly or 10 per outer. White 016045



Cover and pins

Fits 016036, 016038, 016039 and 016043 (by cutting fins). 160 x 100mm

016040



Oblong flush mains inlet

230v male 3 pole 16A mains inlet in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016036



W4 flush mains outlet

230v female 13A socket in an IP44 socket housing. Installation hole: 150x92x65mm (HxWxD) 016039



W4 waterproof flush

IP55 230v 13A socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) 016043



W4 flush dual 230v/12v outlet

230v female 13A socket & 12v lighter type socket in an IP44 housing. Installation hole: 150x92x65mm (HxWxD) **016038**



Garage socket 230V female 3 pole 16A mains outlet. IP44 016049



W4 waterproof socket 230v 13A socket IP55

016044



Travel adaptor

UK 3 pin socket to Euro 2 pin plug 7.5A capacity. Available singly or 10 per outer **016130**

230v mains testing equipment





W4 mains tester
For electrical safety. Considered
essential on the continent.
Tests Earth, Live and Neutral.
Available singly or 5 per outer
016099



W4 mains testing kit
For checking the polarity directly from
site electrical post. Components can
be used separately
016095



W4 Universal mains testing kit
All you need to test the site supply at source, both in the UK and

All you need to test the site supply at source, both in the UK and Europe. Especially useful for testing for polarity reversal **016100**

230v mains leads and accessories

Mains extension lead



Semioh

Specification 16A 230V cable to BS6500 1975

W4 10m lead **016171**W4 25m lead **016172**Semioh 10m lead **016161**Semioh 25m lead **016161**

Mains cable 100m roll **016175**



"Keep Calm and Caravan" mains cable bag
100% cotton canvas hitch cover with
drawstring. Wet and rot proof. High
quality desirable product 016177
ALSO AVAILABLE IN COST EFFECTIVE NYLON
016176

WOW Personalised "Keep Calm and Caravan" canvas mains cable bag. Choose your colour, change the crown for your logo or even display your phone number, all for the same unit cost.

Minimum order quantity - 50. Please speak to your sales contact for more details. Please allow 6 weeks for first time orders and 4 weeks for repeat orders. Mains cable bag **016178**



Also available in a hitch cover (see section A) 007345 and a peg bag (see section T) 109563



Mains lead bag Reinforced nylon bag 016174 Printed bags Minimum 100 016173



W4 cable keeper & storage bag 016267



W4 Cable Keeper Will hold up to 25 metres of cable 016266



Cable connecting case

Waterproof safety box for housing the connection when using 2 mains cables **016188**



Cord wheel

Stores up to 45 meters of cable, cord, rope or flat hose keeping it tangle free and ready for use.
6 per outer **016268**

WOW Printed bags have the same unit cost as standard bags (for single colour printing) minimum quantity 100. Please speak to your sales contact for more details. For personalised product please allow 6 weeks for first time orders and 4 weeks for repeat orders to receive your delivery.



Priced per metre. Sold in rolls.

7 core Black PVC sheath with PVC insulated cores - 21 x 0.2mm 100m roll	011542
7 core Black PVC sheath with PVC insulated cores - BS 16452004/5 100m roll	011544
7 core Grey PVC sheath with PVC insulated cores - 6 of 21 x 0.3mm and 1 of 35 x 0.3mm 30m roll	011553
Twin flat Twin core flat cable 2 x 32/0.2, 8 amp, (1.0mm²) black sheath, 30m roll	011586
Mains cable 3 x 2.5mm² with orange outer sheath 100m roll	016175

Mains power supply



CEC mains unit 225SPN

Fully insulated enclosure containing a 40A RCD and two single pole, neutral switched MCB's (10A and 6A). Used in conjunction with a charging system and distribution panel the 225SPN can supply and protect all aspects of power supply to a caravan or motor home.

Dimensions: 183x118x104mm (HxWxD) 017050



CBE DS120 mains distribution

The DS120 is a RCD main switch with a double pole 13A MCB to control and protect various mains circuits. 138x180x85mm

017004

Stellings



W4 mains electrical pack

Contains all the necessary components for a safe and efficient mains installation in a caravan. Full fitting instructions supplied 016277

Mains and 12v power supply



STE48 Mains consumer unit

Charger Specification

- 230v AC Input 1.5A 50/60HZ
- 18A Maximum output current
- 14.5v Maximum output voltage
- Protected from output faults
- Operating temp. -25°C to +50°C Main Unit Specification
- 0-16A 230v AC Input (Site Limited)
- 3 x 10A MCB 40A RCD Protected
- Water & Space Heater Outputs
- BS EN 60335-2-29 Approved Available singly or 5 per outer

017125

Wiring harness adapters

STE48 to Nord NE143RM **017128**



017127 STE48 to Nord NE143DU

WOW All Stellings products have a 2 year guarantee.

CEC PMS 3

Power management system combining mains/12V distribution and protection with a 18A battery charger. Terminal block connections for easy installation. 40A RCD, 3 resettable MCBs (10A, 6A & 6A), polarity indicator, pump switch, battery selector switch and battery condition indicator

Vertical 017040





CEC PMS 4

A combined mains 230v AC and 12v DC distribution unit. Earth leakage protection via 40A RCD device. Over current protection via 3 x MCB devices (10A, 6A & 6A). Reverse polarity 240v neon indicator. 12A or 18A charger with overcurrent, short circuit and thermal protection. Six fused outputs via automotive blade fuses. Connecting kit with all necessary plugs and sockets provided. Dimensions: 225x335x115mm

017051



CEC ESM 2000/2 supply module

Designed to operate on a mains supply of 185-265 volts AC. The 40A RCD gives protection against earth faults and also acts as the main switch. Includes 3 resettable MCBs, to protect against overcurrent.

Allocation of the MCBs is as follows:

MCB1 (10A) - Sockets / heater MCB2 (6A) - Water heater / Lights

MCB3 (6A) - Fridge / Charger

Includes a transformer/charger. Provides 12V circuits with power and charges the 12V battery when connected to the mains supply. 18A maximum output.

Dimensions: 225x123x255mm (HxWxD)

017045





White junction box

CBE DS300 12V distribution unit With 9 fused circuits

017006

Mains and 12v power supply continued...

CF8 charger

Fully automatic electronic charging plus 230/12v conversion. 12A max charge depending on battery state. Up to 4.5A continuous current on transformer. Features include 3 x 10A switched and fused outlets for the



vehicle accessories, battery condition monitor, automatic self re-setting, current overload and thermal trip. Dimensions: 162x206x110 (HxWxD)

Brown **017026** Black **017024**

CF9 charger



Fully automatic electronic charging plus 230/12v conversion, 12A max charge depending on battery state. Up to



4.5A continuous current on transformer. switched selection of source, car or auxiliary battery. Double pole illuminated mains switch. Safety - the C9 incorporates no less than 8 protection devices to eliminate overheating and over current problems. Dimensions: 105x300x140mm (HxWxD)

Brown 017028

Chargers



CBE chargers

Designed specifically for the caravan, motorhome and marine markets. These chargers have thermal protection from overheating and short circuit and reverse polarity protection on 12V. For lead acid and gel batteries. TUV approved. Available in 10A or 16A maxiumum charge versions. Automatic operation, once voltage is reached it will continue to charge for 90mins (lead acid) or 8hrs (gel). Continuous maintenance 13.5V (lead acid) and 13.8V (gel). After 10 hours of maintenance the charger will switch to standby and charge again only when the battery drops below 13V. Dimensions: 180x140x85mm (LxWXD) 10A CB510 **017000** 16A CB516 **017001**





STE47 3 stage charger 18A

- 230v AC Input 1.5A 50/60HZ
- 18A maximum output current
- 14.5V maximum output voltage
- Protected from output faults
- Operating temp. -25°C to +50°C
- BS EN 60335-2-29 Approved Available singly or 5 per outer 017138

3 stage 18A open charger Specification as 017138 without cover 017124



CEC 3 stage charger 18A

A light weight and efficient leisure battery charger. Thermal, short circuit and overload protection. Fan protection. 3-stage charging - bulk mode, absorption mode and float mode - charges your battery to 100% capacity. Operates from 184v to 264v AC. Temperature operation -25°C to +50°C. Dimensions: 176x162x74mm (LxWxD)

017053

Open charger for CEC 18A

This open charger can be used on all CEC units. May need slight adjustment on the fixing points on



older models. If you are using this on an ESM2000 make sure the small switch on the side is pointing at "FLOAT" not "3 stage". Dimensions: 167x113x59mm (LxWxD)

017052



X70 ce charger 12.5A

A lightweight compact battery charger and power supply with a stabilised output for maximum efficiency and control. L195 x W115mm x H70mm 017020





X80 ce charger 16.5A

A lightweight 230V AC low noise forced cool battery charger and power supply with increased power for additional accessories. L195mm x W115mm x H90mm 017022

Impulse battery charger



The Impulse is a fully automatic computer controlled and safeguarded power supply and charger. TUV/GS approved, designed with double insulation. Operates in low voltage situations (e.g. 200v) to help prevent damage the leisure battery

- High frequency technique
- Weight 1.5Kg
- Can be used as a power supply without battery
- Suitable for lead acid and gel batteries
- Automatic overheating reset
- LED fault finding

10 amp **017070**

Control panels and indicators



Zig VM4 voltmeter

Only two connections required for accurate up to date battery condition. The meter's scale reads from 8 to 15 Volts with warning areas either side of the optimum voltage. Black **017030**



Zig CPX7 control panel

The ZIG CPX7 battery condition meter allows Three way switched and fused 12v distribution both car and caravan battery voltages to be monitored from the caravan depending and power source selector switch. Black on which is being used to supply power. 017032 Dimensions 60x95x50mm. Black 017034



Zig MK1 control panel

panel, analogue battery condition monitor



CEC Custom volt meter

Provides a useful indication of the voltage available at your battery terminals 017055



CBE 12V battery tester

4 level LED indication. Includes frame and spacer. Grey **038569**



CEC KT9SCU distribution panel

Switch the power from car/cab batteries and van/auxiliary batteries or isolate both. Includes pump isolation switch which will inhibit the inboard or outboard water pump. Pump running indicator displays water pump activity 017057



12v water guage suitable for all water tanks. It can also be fitted to portable water carriers. At the push of a button the gauge provides an accurate reading. Dimensions: 65x85x60mm (HxWxD) Probe: 8 Inches (cut to size)

Black **017036** Brown **017038**



CBE PC200 control panel

LCD control panel only. Microprocessor controlled digital system. Includes: Clock, battery (car and aux) level indication, fresh water level indication (%), internal and external temperature display, and controls for lights, water pump, fridge, car battery charging and exterior lights. Fuse protection and save battery function. Dimensions: 192x78mm

017003



CBE Waste & fresh water level indicator

4 level fresh and only full indication of waste. Includes 2 x 4m cables, frame, spacer and probes. Grey 038566





017007 400mm Fresh water tank probe or 017009 300mm Fresh water tank probe 017010 Waste water tank probes

WOW To make up a PC200 kit add the following items to the control panel.

017012 Cables for probes - please order 1 for fresh and 1 for waste if necessary

017013 Cables for control panel

017015 Cables with internal and external temperature sensors

017006 DS300 12V distribution and fuse protection 017000 10A charger or 017001 16A charger

038587 50A fuse and fuse holder








CBE Waste water level indicator 4 level indication. Includes 4m cable, frame, spacer and probes. Grey 038581





Control your Truma heaters with the Text Control that allows you to turn on and off your Truma product by simple text message.



More chargers



CTEK chargers

Charges all types of batteries to the maximum capacity. Lightweight and portable. Enables the leisure battery to provide as much as 25% more power than the 'on board' system. Can significantly prolong a battery's life. Can help prevent a 'dead' battery. Can be permanently connected to ensure perfect battery condition. Guaranteed for 2 years

MXS 3.6 charger 3.6A (Battery size 1.2ah to 120ah) 010025

MXS 5.0 charger 5.0A (Battery size 1.2ah to 160ah) 010026

MXS 7.0 transformer/charger 7.0A (Battery size 14ah to 225ah) 010027





Smart battery charging

Diagnostics

Repair and maintenance

Smartcharge+ fully automatic chargers, ideal for charging 12v batteries. Supplied with 230v 13A plug. Connect and forget, can be left permanently connected. De-sulphation and recondition battery maintenance tools and LED display. Includes USB charging socket (except +8) LED light and hook. Fast, safe battery charging

with multiple charge rates



Smartcharge+8 2 to 8A Dimensions: 259x133x70mm (HxWxD) 010047



Smartcharge+12 2 to 12A Dimensions: 259x133x70mm (HxWxD) 010049



Smartcharge+16 2 to 16A Dimensions: 335x160x92mm (HxWxD) 010051



Ring Standard Charge 8

12v, 8A fully automatic battery charger. Fast (8A) and slow (3.7A) charge rate settings. Easy to read LED indicators clearly show charger status. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery

Dimensions: 215x260x100mm (HxWxD). For leisure batteries up to 120Ah

010054



Ring Standard Charge 12

12v, 12A fully automatic battery charger. LED display screen shows battery voltage and charge rate applied. Fast (12A) and slow (3.7A) charge rate settings. Reverse polarity indicating LED. Ideal for DIY, enthusiasts and standard battery charging.

Dimensions: 215x260x100mm (HxWxD). For leisure batteries up to 180Ah

010056



Ring Workshop Charge 20

12v, 20A fully automatic battery charger. Tough metal and rubber construction for professional use. Fast (20A) and slow (3A) charge rate settings. 80A jump start function. High quality professional battery chargers.

Dimensions: 215x265x230mm (HxWxD).

Kronings battery charger



Commercial automotive battery charger/maintainer - Automatic switching power, digital processing.

Shows status as follows:

- No AC power
- Stand bu
- Charging
- 75% Charged
- Charged and maintaining

 Deeply discharged or defective battery For lead acid, Gel, AGM and VRLA leisure batteries up to 180Ah

010292

Inverters



PowerSource inverters

The PowerSource modified sine inverters are internally protected by a fuse. For extra peace of mind the cigar lighter plug is also fused. An audible alarm sounds when the input voltage drops to 10.6v. The PowerSource will automatically shut down when the input voltage exceeds 15v DC. If the battery voltage drops below 10.0v the PowerSource will automatically cut off, leaving enough voltage to crank/restart the vehicle. The inverter will automatically shut down if draw exceeds the maximum rating of the PowerSource. If the internal temperature reaches 65°C the PowerSource will shut down automatically. Made from light weight durable ABS

150W 1 x AC socket & 1 x 2.1A USB **017215** 300W 1 x AC socket & 1 x 2.1A USB **017230** 500W 1 x AC socket & 1 x 2.1A USB **017234**



MP:75 Mini Inverter 75w

Transform your vehicle into a mobile office or home from home and never be caught short of electrical power again! Simply insert the MP:75 into your car's cigarette lighter socket and plug in any appliance upto 75w e.g. laptop 017212



E:Can Inverter 150w

12V DC to 230V AC can sized modified sine inverter suitable for cup holders, 150w power suitable for laptop computers, video game consoles, MP3 players and many other applications, USB charging point to allow the recharging of electronic devices, coiled DC lead. Max Power Rating: 150W. Peak Power Rating: 240W. Operates from 10-15 volts. Low battery shutdown protection, over voltage protection, overload protection and temperature protection



PowerSourcePro Inverters

High quality modified sine inverters, ideal for the professional user requiring mains power for heavy duty applications. Power shown is the continuous power rating (for 12 hours). Includes USB charging port. Digital display shows application wattage and battery voltage. Both 2100W and 3100W versions include a wired remote control.



Ring remote switch

Provides convenient remote on/off control of the 1100W PowerSource Inverter. 017245



1100W **017238**



2100W **017241**



3100W **017243**

Applications

Domestic TV, games consoles, refrigerator, toaster, hairdryer, pro drill, jigsaw, strimmer, circular saw, angle grinder, office laptop, PC & monitor, fan, fan heater

Applications

Domestic TV, games consoles, refrigerator, pro drill, jigsaw, strimmer, office laptop, PC & monitor, fan

Applications

Domestic TV, games consoles, refrigerator, toaster, hairdryer, kettle, oil filled radiator,pro drill, jigsaw, strimmer, circular saw, angle grinder, hot air gun, pressure washer, office laptop, PC & monitor, fan, fan heater

Leisure batteries Note: All batteries are despatched from a local distribution depot. Please check when ordering for current lead times.

Powerstart batteries Minimum order quantity of 5 assorted.

Leisure batteries with dual post terminals, magic eye indicator, reinforced case, advance plate technology and a 3 year guarantee

Leisure batteries with magic eye indicator and a 2 uear quarantee















XV24MF 86ah Sealed

Dimensions: (mm) L257 x W172 x H220 Weight 18.8kg 010300

XV27MF 96ah

Sealed Dimensions: (mm) L302 X W172 X H220 Weight 21.2kg 010304

XV31MF 110ah

Sealed Dimensions: (mm) L330 x W172 x H242 Weight 23.3kg 010306

LV22MF 75ah

Dimensions: (mm) L266 x W175 x H225 Weight 16.9kg 010302

LV25MF 90ah low box

Sealed. Dimensions: (mm) L354 X W175 X H190 Weight 21.1kg 010309

LV26MF 100ah


Dimensions: (mm) L302 x W172 x H225 Weight 21.1kg 010308

UK Giant batteries Minimum order quantity of 5 assorted



(UK Giant and Platinum - subject to geographic limitations) Built with extra deep cycle plates and glass fibre seperators to prolong life. Durability is increased with the use of anti-vibration glue and plate locks to help combat damage by vibration. With magic eye

and a 2 year guarantee



Envelope and fibre glass separation for longer life. Thick Grid Technology for greater capacity and deep cycle durability. Fast charge capability.

With magic eye indicator and a 2 year guarantee













UK Giant 75ah

Dimensions: (mm) L267 x W172 x H222 Weight 16.3kg 010315

UK Giant 100ah low box

Sealed. Dimensions: (mm) L351 x W174 x H188 Weight 22.6kg 010317

UK Giant 110ah

Dimensions: (mm) L350 x W175 x H225 Weight 24.9kg 010316

Platinum 75ah

Dimensions: (mm) L267 x W172 x H222 Weight 16.3kg 010310

Platinum 100ah low box

Sealed. Dimensions: (mm) L351 x W174 x H188 Weight 22.6kg 010313

Platinum 110ah

Dimensions: (mm) L350 x W175 x H225 Weight 24.9kg 010311

kronings Light weight battery packs

Optima high-performance AGM batteries aren't like any other batteries in the world. Their exclusive spiral cell technology design is among the most advanced commercially available lead-acid technologies out there. It delivers an incredibly strong and clean power source that can't be touched by today's lead-acid batteries. With longer lasting battery life under both starting and deep-cycle applications. Vibration resistant, spill proof and built to last. Low internal resistance also provides more constant power output and faster recharges.





2.7 power pack

Recommended for leisure vehicles up to 1650 kg 010282

4.2 power pack

Recommended for leisure vehicles up to 2000 kg 010284

5.5 power pack

Recommended for leisure vehicles over 2000 kg 010286

Specifications	<u>Optima</u>		
YTS = Yellow Top Standard terminals	41Ah 2.7 YTS	55Ah 4.2 YTS	75Ah 5.5 YTS
Rated voltage	12.0V	12.0V	12.0V
Fully Charged voltage	13.1V	13.1V	13.1V
Cut-off voltage	10.5V	10.5V	10.5V
Battery Charger recommended	13.8 to 15V, 10A max	13.8 to 15V, 10A max	13.8 to 15V, 10A max
Charging time at 50A Charging time at 10A	65 mins (90%) 6-12 hours (100%)	75 mins (90%) 6-12 hours (100%)	112 mins (90%) 6-12 hours (100%)
Length	237mm	254mm	325mm
Width	129mm	172mm	165mm
Height (at terminals)	227mm	200mm	238mm
Weight	11.6kg	19.9kg	26.5kg
	010282	010284	010286

Battery accessories



Battery box deluxe

Features a 100A battery isolation switch, a battery power meter (at a touch of a button test the battery's condition), a 12v lighter type socket, external connections, and an adjustable carry handle. Made from impact resistant polypropylene. Accommodates all batteries up to (LxWxH) 356x208x228mm. 010322



Battery boxes

Acid resistant plastic boxes. Comes with battery strap, 2 retainers and a buckle. Internal Dim (mm): 270x195x190 010320 410x200x200 010321



Wire5

A pair of zinc plated multi-wire battery connectors. For round battery terminal posts. Connect up to 5 cables. Simply tighten the screws onto wires.

010011



Lift-Off battery clamps

Suitable for all standard round battery terminals. Colour coded.

Pair (packed). Available singly or 10 per outer

010009

Bulk pack. 150 pairs per outer 200100



Battery isolator switch

12v 100A. Max rating 500A for 5 seconds **010325**

Isolator switch keu only

10 per outer **010015**



Isolator switch housing only 006960



W4 battery strap retainers

2 per pack. 10 packs per outer 010324

Dry cell batteries

Counter display stand 019150
















D MN 1300 (2) 9v MN 1604



100%

AA MN 1500 (4) 20 per outer 019126 AA MN 1500 (2) 20 per outer 019135 AAA MN 2400 (4) 10 per outer 019140 C MN 1400 (2) 019117 10 per outer 10 per outer 019108 10 per outer 019144













019147

Zinc Chloride batteries



High quality dry cell batteries at a budget price. Please note that the image is for illustration purposes only - the manufacturer will change periodically.

Solar panels

Watt-peak (Wp) is a measure of the nominal power of a photovoltaic solar panel under laboratory illumination conditions. It is important to buy a quality product that is guaranteed to give you many years of service. Solar Technology panels are based on the finest crystalline technology, which is more efficient than amorphous or other film technologies. Solar Technology panels are all accredited with the internationally recognised IEC 61215 certification that guarantees robust construction and high performance in all weather conditions. 10 year module warranty - 20 year cell output warranty.









18Wp **010356**

28Wp **010357**

43Wp 010359

	Power (Watt peak)	Size (mm)	Weight (kg)	Amps per hour	Amps per day
010356	18	638 x 278 x 25	2.2	1.21	Up to 8.47
010357	28	559 x 407 x 25	2.8	1.71	Up to 11.90
010359	43	634 x 534 x 35	4.3	2.5	Up to 17.50

Caravan panel kits

Complete with all necessary cables, connectors, charge control and fitting instructions

18Wp 010356 28Wp 010357 43Wp 010359







Solar panel stand

Universal stand to suit every panel size up to 43Wp 010362



WOW Display stand Free of charge with the purchase of 2x18Wp, 3x 28Wp and 2x 43Wp panels 010363

	Power (Watt peak)	Size (mm)	Weight (kg)	Amps per hour	Amps per day
010364	80	1198×534×35	7.9	5	Up to 35.00
010366	120	1483x671x35	11.5	7.93	Up to 55.51

Motorhome panel kits

Complete with all necessary cables, connectors, charge control, digital multi meter, sikaflex adhesive, angled fixing brackets and fitting instructions

qW08 010364 120Wp 010366

Solar panels







Folding solar panel kits

The new PV Logic range of folding solar panels are perfect for anyone looking for a highly portable system which is quick and easy to use. Each panel has it's own integrated stand, charge controller and battery connectors, so all you need to do is open it up, stand it up and connect it to your battery for instant power.

These rugged weather proof panels are supplied with a premium padded carry bag.

Available singly or 5 per outer

40W **010351** 60W **010352** 90W **010353**

	Power	Size closed(mm)	Weight (kg)	Typical Watts per day
010351	40	500 x 353 x 76	7	260
010352	60	500 x 500 x 76	8.5	390
010353	90	700 x 520 x 76	11.5	585



Solar briefcase panel 13w

Made with a high impact plastic case and built-in stand, flashing LED and internal cable storage. Magnetic catches on handles keep panel closed when not in use. Dimensions: $510 \text{mm} \times 37 \text{mm}$ closed. Weight 4.5kg. Output 13W, 1.08 A/hour in best conditions. Overcast approximately 50% loss.

Available singly or 5 per outer 010350

Solar autotrickle charger 12v

Designed for motorhomes when in storage to send a maintenance level charge to the battery, helping prevent flat batteries. Simply sits on the dashboard or windscreen and connects to the 12v cigar lighter socket.

Complete with suction cups (for windscreen mounting), LED charge indicator, 12V DC power plug, battery clips and 2.7 metre lead. Can be left connected overnight.

- Solar panel trickle charger to manage battery drain in parked vehicles.
- Can be connected to the cigarette lighter or directly to the battery.
- Will not overcharge or damage batteries.
- Charging voltage 13-14V, open circuit 22V.
- Applicable for all types of 12v batteries



Power 1.5W Power 2.4W Power 6W Dimension: 520x170x30mm (HxWxD) **010370** Dimension: 525x265x35mm (HxWxD) **010373** Dimension: 580x385x60mm (HxWxD) **010377**





If you want to use electrical power in your leisure vehicle exactly the way you do at home, you'll find mobile power sources quickly show their limitations. The EFOY COMFORT fuel cells are the solution for

people who don't want to do without all the conveniences of home. These fuel cells will keep your batteries charged even in winter and allow you to park wherever you want - regardless of the weather and the season.

How does the EFOY work?

The EFOYs built in regulator constantly monitors the battery voltage. If the voltage drops below 12.3V, it will automatically switch on to recharge the

battery. Once it's recharged, the EFOY will revert automatically to standby mode. You don't have to worry about a thing. EFOY makes sure that your battery will always be charged.









Grove No. Efoy No.

157 077 003

010332



MIC





The best energy supply for your travel enjoyment

Control panel for EFOY 600-2200

WOW New longer fuel lead for more installation options

Accessories

Description

Ref

Α

EFOY COMFORTs are supplied with all necessary accessories required for installation.

Control panel for EFOY COMFORT В 157 077 053 C. Data Line 157 077 033 D Insulated exhaust hose 010326 151 904 003 Ε Surface mounting panel for EFOY 600-2200 010333 157 077 020 F Surface mounting panel for EFOY COMFORT 157 077 054 G External face plate 151 903 013 Η Off heat elbow 151 903 014 Off heat flange 151 903 023 1 010327 Off heat tube 151 904 001 K Fuel cartridge holder 151 905 021 L Belt for fuel cartridge holder 151 908 003 M Mounting plate for EFOY COMFORT 151 908 020 Ν Belt for mounting plate 151 908 022 0 Connecting line to EFOY 151 906 004 Ρ 151 906 007 Battery fuse 2A-sense line Q Battery fuse 15A-power line 151 906 024 R Complete charge line 151 906 034

Nominal voltage 12 V 12 V 12 V Charge current@ 12 V 3.3 A 6.0 A 8.8 A 0.9 l consumption / kWh 12 V rechargeable lead batteries (lead acid, lead gel or AGM) Connectable batteries Weight 7.0 kg 7.5 kg 8.2 kg Dimensions (L x W x H) 44.3 x 20.2 x 28.8 cm

-20 to +40 °C

2 years² 2 years²

80

40 W

80 Ah

010336 010340 010342

140

72 W

140 Ah

210

105 W

210 Ah

¹ The valid warranty conditions apply

Operating temperature

Warranty¹

Technical data

Grove No.

EFOY COMFORT

Maximum power

Charge capacity / day

² Warranty can be extended to 5 years as an option



Fuel cartridge	M5 010347	M10 010348
Nominal capacity	5.5 kWh/460 Ah	11.1 kWh/925 Ah
Volume	5 l	10 l
Weight	4.3 kg	8.4 kg
Dimensions (L x W x H)	19 x 14.5 x 28.3 cm	23 x 19.3 x 31.8 cm
Capacity in days	15³	303

³ Based on experience; actual days of utilisation depending on the usage pattern

WOW Items without Grove numbers can be ordered as specials







Power line extension 8m

Sense line extension 8m

Service fluid





010328

010329

010334



151 906 006

151 906 005

150 903 001

S

Τ

Labcraft Interior lighting



Labcraft linear

Budget range. 12v switched fluorescent. Low profile, low energy - only 4.5A @ 12v with tough polycarbonate lens. 351 x

018215 8W 16W 018220

78 x 24mm



Labcraft pearl

12v switched fluorescent 8W White 427 x 45 x 35mm **018210** 13W White 655 x 45 x 35mm **018212**



Labcraft DL

018240

Labcraft trilite KL8

10,000 hours. 381 x 78 x 24mm

12v switched flurescent, 8W. Supplied

with one 8w tube but up to two more

tubes can be added. Long bulb life -

12v switched fluorescent DL9 8w light 353 x 58mm **018172** DL9 diffuser 018194 DL14 13w light 582 x 58mm **018183** 018205



LED lights - with 2 year guarantee

LED pole light

Nebula LED strip light

12v. The Nebula incorporates the Orizon LED strip in a tough aluminium housing to provide a bright low profile surface mounted solution. Length 625mm Unswitched 018025

Switched (as illustrated) 018025A



LED tubes

Available singly

T5 LED30 tube

purposes). Low energy 2.2W 018026

12v. Length 600mm. The LED pole light

is the perfect solution for illuminating

areas such as inside cupboards and

wardrobes (strong enough for hanging

12v. Super bright Power LED.

Orizon LED striplight

12v. Budget light with 24 high intensity LEDs in a weather proof casing. 522mm x 17mm x 10mm 018028

Callisto downlighter

Ideal for use in bathrooms, chilled/refrigerated areas and as an external light source **018039**

Common replacement interior bulbs

B

Note: For more bulbs see p35..

Fluorescent tubes

10 per outer Replacement 8W tube Replacement 13W tube

6 =



018257



12v G4 30° MR11 dichroic. 10 per outer 10W **010533**

20W 010534



018044

12V GX5.3 36° MR16 dichroic. 10 per outer 10W **010651** 20W **010652**



12v LED GX5.3 36° MR16 dichroic. Available singly or 5 per outer 15 LED **010655** 20 LED 010656



Labcraft 018331

Available singly

Labcraft XL 16

lumens of light 018162

light with input

Square light 12_V

of only 16w but output

equivalent

to a 100w

Zoe light

Matt chrome

2D bulb 4 pin 12v 16W

bulb 30° MR11 G4 dichroic

Available singly or 10 per outer

010587 Available singly or 10 per outer

Spare bulb 10W MR11

12v 2 x 8w recessed switched

fluorescent. Strong durable unit.

800 lumens (2 x 8W tubes emit 800

light bulb using only 1/2 of the energy

normally required. The tube will also

last up to 4 times longer than a 100w

Square light 018322 Spare tube 018331

High power halogen reading light. Fully

enclosed dichroic bulb, gives 30% more

light than conventional downlighters. CE approved, 12v with quick release 10W

230v GU10 40° dichroic, 10 per outer 20W **010588** 50W **010589**



018336

018339

230v LED GU10 40° dichroic. Available singly or 5 per outer 15 LED **010657** 20 LED 010658



10W **010563**

20W **010591**

12v G4 Halogen

(2) 10 per

outer 5W **010543**





240v 25W G9

outer

010544

halogen. 10 per

LED12 TransAx 018024



12V G4 MR11 dichroic. Available singly or 10 per outer LED 12 018013



12v Ba15d 10 per outer 5W **010550**



12v Ba15s 10 per outer 10W **010551** 15W **010552**



12v Ba15s Halogen. 10 per outer 5W 010558 10W **010559**



12v Festoon 10 per outer 5W **010508** 10W **010513** 18W **010557**

Interior lighting ligh

lighting on the move

Fluorescent wall / ceiling lights



Lumo 1

12v 8W switched fluorescent
Available singly or 10 per outer
Clear/white 018046
Satin ends 018049
Silver sand ends 018048



Lumo 3

12v 2 x 8W switched fluorescent Clear/white **018057**



Lumo XL

12v 8W switched fluorescent Available singly or 10 per outer Satin **018060**



Lumo 13

12v 13W switched fluorescent Clear/white **018062**

Specifically designed for motorhomes



Ellipse

Stylish elliptical 12v 2 x 8W switched fluorescent, wall or ceiling light Silver Sand **018276**



LED tubes

T5 LED30 tube **018044**Includes instructions on how to replace 8W fluorescent tubes with an LED tube. Under no circumstances should the tube be simply swapped. It must be wired directly to the 12v d.c. supply. Available singly

Halogen wall / ceiling lights



Coronet

Discreet 12v switched wall or ceiling light. 10W G4
Silver sand 018273



Crown

12v switched ceiling light. 20W G4

Silver sand 018260 Satin (illustrated) 018258

PL tube wall / ceiling lights



Coronet

Discreet 12v switched wall or ceiling light.

Chrome 9W **018274**



Crown

12v switched ceiling light. Chrome Ice 9W **018261**

Halogen spot lights and down lights



MiniSpot

12v switched. 10W halogen MR11 dichroic

White 018350 Satin/Chrome 018359 Black 018360 Silver Sand 018362



Dora SpotLite

12v switched. 10W halogen MR11 dichroic Brushed Nickel **018370**



EyeLite


12v. 5W G4. Ideal bunk light, surface mount or recess. Push diffuser to switch on/off Satin **018016**



PL-S tubes

Replacement 4-pin tubes in cool white

7W **019528** 9W **019533** 11W **019537**





Replace your traditional bulbs with low energy LED bulbs...

Replace halogen in down lights with:

A LED12 TransAx 018024

Replace halogen in spot lights with: **B** LED1 Capsule **018014**

C LED12 MR11 018013

Available singly or 10 per outer





LED Rigid StripLite

Can be cut to size every 3 LEDs. 18 LED 300mm **017978** 30 LED 500mm **017979**



LED24 StripLite

2W LED Switched. Available singly or 10 per outer 018000 satin



LED24 RotaLite

2W LED rotating head, switched 018001 Grey



LED20 RotaLite Mini

2.4W LED rotating head, switched Satin 017999



LED01 ecospot 1W LED, switched

Brushed Nickel 017984



LED01 Lily spot light

1W LED, switched Brushed Nickel 017983



LED01 Teoni

1W LED, switched Brushed Nickel 018023



LED01 SpotLite 1W LED, switched Chrome **018010**





LED9 CeilingLite

0.75W LED, switched. Surface mount or recess Satin 018009



Ciara Eyeball DownLite

1W LED, switched Chrome **017980**



LED01AD DownLite

1W LED Brushed Nickel **018008**



LEDO21L DownLite

2W 21LEDs. Warm White Brushed Nickel 018004



LED09 Touch DownLite

2W 9LEDs. Warm White Brushed Nickel 017991



LED21 Sensor CupboardLite Satin **017997**



LED Coronet

Discreet 12v switched wall or ceiling light 3.5W LED. Chrome 018019



LED Crown

12v switched wall or ceiling light 3.5W LED.

018017 Satin





LED MouseLite 1W LED, switched Satin 018005



LED21 CeilingLite

1.75W unswitched with 'dimming facility', water-resistant

018002 White 018003 Satin



LED AwningLite ===

Easy to install, smooth, stylish water-resistant external light 10W halogen + LED

With 'Find-Me' day/night photocell controlled LED giving security with low battery drain

White 018390 Satin 018392

LED12

Consuming only 3W 018391 White



LED Theo awning light 018395 30 LED 2.4W







Fixed awning lights

Ultra awning light

Ultra awning light



Self-sealing weatherproof diffuser and multi-point fixing for easy replacement of existing awning lamp. 018431



Ultra security light

A unique security awning light with built in PIR movement detector. Offers automatic dusk to dawn activation for security and as a welcome light for occupants. Wide angle detector of 110°, detecting movement in a 7m $\,$ range. 30 second "on" timer provides security without excessive battery drain 018435

Britax 896 awning lamp mk2

12V switched light. With rubber seal.

018386

018387

018388

Complete with 10W festoon bulb.

Dimensions: 200 x 70mm

896 awning light

Spare lens

Spare switch

Replacement lens 018433





Astro LED awning light

12v. 24 high intensity LEDs encapsulated in a weatherproof casing. Low energy - only 2.2 W. 2 year guarantee. Total length 592mm 018043



LED Theo awning light

30 LED 2.4W

018395





AwningLite

Easy to install, smooth, stylish water-resistant external light

10W halogen + LED

With 'Find-Me' day/night photocell controlled LED giving security with low battery drain White **018390** Satin 018392

LED12

Consuming only 3w

White 018391 Satin 018393



Britax 891 awning lamp

12V switched light. Can be used as interior or awning lamp. Complete with 10W festoon bulb. Dimensions: 133 x 133mm

891 awning light 018404 018415 Spare lens 018388 Spare switch

Tent and awning lights



Mercury clip-on light

Useful addition at a very low cost. 230v light with spring clip. Available singly or 10 per outer 018381



Mains awning lamp

230v external impact resistant light with double insulation. Complete with pole fixing clips, 5 metres of cable and fitted with a 13A fused domestic plug. 60w ES bulb. Available singly or 6 per outer 018450



LED sticky light set

Bright white LED that can last up to 100 hours on a single set of batteries. Simply stick to any surface. Push to activate the 3 LEDs. Each light requires 3 x AAA batteries (not supplied) 8 per display box 019740







Tent and awning lights

Shower proof battery powered LED tent light. Comes with pegs to attach to poles, and packaging is complete with test button.

- Light output: 45 lumens 2pk ,60 lumens 3pk
- Run time: 8hrs 2pk, 7hrs 3pk
- Operates from: 4 x AA supplied Available singly or 6 per outer

2 Lights 019640 3 Lights 019642



30cm solid 27 LED tent/awning light. Velcro or clip attachment for universal fitting. More add on units can be added for bespoke lighting solutions. Light output: 155 lumens per length.



Starter kit

Comes with 12V and 230V adaptors and 2m cables. 019646






Flexi light

Θ

90cm flexi 90 LED tent/awning light. Comes with 12V and 230V adaptors and 2m cables, Velcro or clip attachment for universal fittina. Light output: 294 lumens. Available singly or 6 per outer 019653





WOW Dimensions: 574x36x32mm (LXDXH)

Are the same for the Awning light, Garage light and the Sensor light



LED awning light

External 31 LED 12v light made of solid painted aluminium.

Dim: 574x36x32mm (LxDxH) **018500**



LED sensor light

External LED similar to 018500 but complete with light and movement sensors. It only lights up in the dark and will stay lit for 60 seconds when activated

018508



LED garage light

Internal LED light similar to 018500 but complete with switch

018511



LED awning gutter light

External 31 LED 12v light with a special built in channel to divert water round and down. Preventing annoying drips from above the door. Dim: 690x35x80mm (LXDXH)

018502



LED warning solar lights (2)

Kit of 2 lights (LxWxH) 8x5.5x2.5cm which automatically turn on at twilight. 6 red intermittent signals continue for hours and recharge around 500 times. Can be used on tie down straps, steps, bike carriers, and much more...

018520



Awning arms LED

2 \times 2 LED light kits containing 9 LED lights on each 30cm length (17x7mm). Each length comes with 5m of cable. For permanent mounting on the arms of any F45, F65 or ZIP awning.

018503



Kit awning LED

12v switched LED light with 2 x 10 LED lengths. Can be installed on F45 or F65 (including older versions). Comes with 5m of cable. Simply clicks into the front bar

018501

Rafter LED

12v switched telescopic rafter with 36 LED lights for use on all F45 awnings. Comes with switching bracket that allows power to the light as soon as the rafter is fitted. The bracket requires installation, but can be used with the 5m supply cable with DIN plug without permanent installation of the bracket. Variable length (142-265cm).



Rafter LED Caravanstore

12v switched telescopic rafter with 36 LED lights for use on F35 and Caravanstore awnings. Supplied with spring terminal for easy installation and 5m of supply cable with DIN plug. Variable length (142-265cm).

018506



Kit cables rail

Ideal for hiding supply cables. 2 \times Self adhesive lengths of 1225 \times 13 \times 3 \times 3 \times 4 \times 6 from PVC

018514



Kit cables guide

Ideal for hiding supply cables where preexisting channels are provided on the awning arms. 2 x lengths of flexible profile 1225mm long, 6.5mm Ø.

018515

LED awning case

12v external LED light designed to be inserted into the pre-existing rail on F45 awnings. Delivered with 5 x 50cm lengths (one with 12v wiring attached). 2.5m standard delivery is suitable for 3m awnings. It is possible to travel with the LED lights in situ. **018509**

It is possible to add extra 50cm lengths **018510**





LED step light 12v

12V 6 LED for the entrance of the motor home, to increase safety of the steps and step wells. It can be shortened from 50 to 23 cm **106204**

Rechargeable and wind up lanterns





CPX 6 Display stand

Ask your sales contact for details **109825A**

Bright, effective lighting with the added benefit of operating from batteries (sold separately) or the CPX 6V Rechargeable Power Cartridge (sold separately). The large format combined with LED bulbs are perfect for group camps or working at home.



CPX 6V Rechargeable power cartridge (RPC)

Runany CPX6 product with this rechargeable battery cartridge. LED changes from red to green when fully charged, mains and 12v adapters included.

Dimensions: 28 x 34 x 33mm (HxWxD)



CPX Portable electronics charger

Charge your phone or other small electrical devices with this energy pack.

- Operates from: 4D batteries or 6v RPC
- Size: 9.7 H x 11.1 W x 15.5cm D

109824



CPX Pivoting LED work light

- Light output: 158 lumens
- Beam distance: 241m
- Run time: 82hrs
- Operates from: 4 x D cell or 6v RPC
- Size: 28 H x 12.1 W x 14.2cm D

109816



CPX Heavy duty LED flashlight

- Light output: 172 lumens
- Beam distance: 347m
- Run time: 94hrs
- Operates from: 4 x D cell or 6v RPC
- Size: 18.3H x 19.3W x 11.7cm D

เบออออ



CPX Ultra high power LED spotlight

- Light output: 273 lumens
- Beam distance: 403m
- Run time: 50hrs
- Operates from: 4 x D cell or 6v RPC

109821



Rolson 4 LED wind-up dyno lantern

Soft rubberised finish and simple on/off push button. One minute of winding can generate up to 7-8 minutes of light Ideal for camping, boating, hiking, and emergencies

12 per display box

019592



Rolson Dyno wind-up torch 3 LED

Super bright 3LED 13000MCD. Wind up 1 minute can generate 7-8 minutes of bright light. No batteries required. With wrist strap. 12 per display outer **019726**






CPX Duo LED lantern

Light panels have individual on/off switches

- Light output: Max 216 lumens
- Beam distance: Up to 10 metres
- Run time: Up to 56hrs
- Operates from: 4 x D cell or 6v RPC
- Size: 26.7 H x 16.5cm W

109812



Can be hung in multiple orientations - even sideways - incredibly bright portable, overhead lighting.

- Light output: Max 141 lumens
- Beam distance: Up to 8m
- Run time: Up to 155hrs
- Operates from: 4 x D cell or 6v RPC
- Size: 24.9 H x 12.9cm W

เกดยกด



- Light output: Max 115 lumens
- Beam distance: Up to 7m
- Run time: Up to 122hrs
- Operates from: 4 x D cell or 6v RPC
- Size: 25.7 H x 16cm W

109814

Coleman Classic LED rechargeable lantern

- Charges from 230v AC or 12v DC (both chargers included)
- 12v charger can be stored in lantern base
- Weather resistant
- Light output: 64 lumens
- Beam distance: 6 metres
- Run time: 12 hrs
- Dimensions: 33.5 x 18 cm Ø2 per outer

109820

Assorted battery lights



W4 LED cupboard light

Ideal for cupboards or drawers. Powered by 3 x AG13 batteries supplied. 10 per outer

019497



W4 LED handy lamp

Powered by USB lead (supplied) or 3 x AA batteries (not supplied). Available singly or 10 per outer **019498**

Battery lights



Rolson 24 LED bright light

Super bright 24 LED, now with dimmer switch, complete with hanging ring Ideal for camping or as a patio table light Supplied with 4 x D batteries. 6 per display box 019733



Rolson 30 LED multifunction lantern

Super bright 2 x 15 LED. Panels individually switched and rotated. 3 x D batteries supplied. 2 per display box 019749



Rolson 15 LED lantern with dimmer switch

Built in compass. 195mm high. 12000 mcd. 3 \times AA batteries supplied.

4 per display box **019593**



Rolson 72 LED camping light

Super bright 72 LED light with three strong magnets on reverse for mounting on most metal objects, along with swivel hook for hanging. Supplied with 4 x AA batteries.

5 per display box **019730**



Rolson 6 LED camping light

Ultra bright 6 LED lantern, with simple push button operation. Super bright 6 LED, 11000-13000LCD. Supplied with 3 x AA batteries. 3 per display box

019751



Rolson 9 LED Alu lantern/torch

Handy sturdy torch which doubles as a lantern 10 per display box **019596**



Rolson 3 piece 10 LED headlight

- 3 mode switch 4 LED on, 10 LED on, 10 LED flash and off
- Super bright LED light 12000 MCD
- Adjustable head band
- Supplied with 9 x AAA batteries

3 per outer **019765**



Rolson 24 LED lamp with hook & magnet

Super bright 70mm 24 LED light requires 3 x AAA batteries. Ideal for garage, camping, emergency, household and numerous other applications. Complete with magnet on reverse and swivel hook to assist with hands free operation. 10 per display box 019735





Ring LED rubber torches

Shock proof rubber body, 3 super bright white LEDs, burn time up to 100,000 hours. Batteries included. 8 per outer $\,$

Small (2 x AA) **019540** Large (2 x D) **019542**



Rolson 4 LED Aluminium

Super bright 4 LED torch 12000-15000MCD. Rubber ON/OFF push button. Overall size 43 X 25mm. 16 per display box **019727**

Rolson 9 LED Alu torch

Super bright 9 LED torch. Rubber ON/OFF push button. Knurled barrel for extra grip. 3 x AAA batteries supplied.

16 per display box **019728**



Rolson 1 LED aluminium keyring torch

Pink and green assorted 24 per display box **019724**



Rolson 36 LED inspection lamp on stand

- Manufactured from ABS.
- Light mode push button once for 0.5W torch / off / 36 LED light / off.
- Magnetic function: Two magnets on base of stand, one magnet on back.
- Plastic hanging hook with easy 360° rotation.
- Operates from 3 x AA batteries supplied.
- 36 LED 15000 18000 mcd. 4 per display box **019598**

torch

LEDLITES

Environmentally friendlier LED lighting, tough splash-proof anodized aluminium construction and consistently high performance are the hallmark of the LEDLITES™ series. The essential everyday light for work, leisure or home.

• Light Output • Burn Time • Beam Range

















● 20 Lumen ● 8.5hrs ● 20m

LEDLITES E2 Torch

- Lightweight key-ring torch
- Twist on-off
- Length 52mm
- Weight 20g
- Batteries: 4 x AG13 supplied

6 per display box

019784

16 Lumen
 18hrs
 18m

LEDLITES E3 Torch

- Key-ring torch
- Twist on-off
- Length 79mm
- Weight 29g
- Batteries: 1 x AAA supplied

6 per display box

019786

• 16 Lumen • 27hrs • 18m

LEDLITES E4 Torch

Perfect inspection torch. Ideal size for overall and uniform pockets.

- Elegant slimline styling and handy pocket-clip
- Twist on-off
- Length 124mm
- Weight 46g
- Batteries: 2 x AAA supplied

6 per display box 019788

LEDLITES E6 Torch

● 50 Lumen ● 15.5hrs ● 28m

Three LEDs combine to shine bright, perfect for walking the dog.

- Three high performance LFDs
- Twist on-off
- Wrist strap
- Length 135mm
- Weight 95g
- Batteries: 2 x AA supplied

6 per display box 019790









LEDLITES E7 Torch

- Superior lighting performance in a compact size
- End cap on-off switch / wrist strap
- Length 115mm
- Weight 122g
- Batteries: 3 x AAA supplied

6 per display box 019792



● 80 Lumen ● 20hrs ● 32m

LEDLITES E41 Head torch

Proven performance and exceptional burn time combine effortlessly.

- Lightweight hands-free lighting
- 6 bright LEDs
- Weight 120g
- Batteries: 3 x AAA supplied

6 per display box 019794





Display stands

2 Options.

20 piece Option

3 x E2, 3 x E3, 3 x E4, 3 x E6, 4 x E7 & 4 x E41 (2 x E41 chargeable, 2 FOC)

019797

36 piece Option

6 x E2, 6 x E3, 6 x E4, 6 x E6, 6 x E7 & 9 x E41 (6 x E41 chargeable, 3 FOC)

019799



MAXVIEW

CRANK UP

UK DESIGN & MANUFACTURER

See our set up

video Search 'MaxviewItd'

SATELLITE TV EQUIPMENT TO SUIT ANY VEHICLE & BUDGET





MAXVIEW

SEEKER WIRELESS - FIXED SATELLITE SYSTEM

Fully automatic system. Press and go, the convenience of having all your TV channels ready to watch in an instant at the touch of a button. The ultimate in home entertainment on the move.

- Average search time 30-60 seconds typical
- 'Easy adjust' manual skew system
- Wireless or hard wired (included as standard)
- Future proof with free software updates via a USB stick
 - See below for further features*

With 65cm dish **040050** 040052 With 85cm dish







- Unique wireless control panel
- Magnetic wall mount application included



Manual operation system. Raising dish using handle, locate satellite and park system from the comfort of inside your vehicle
• Ergonomic handle optimises positional accuracy

- Cable entry junction box allows for the system to be fitted in the most convenient position on roof
- Easy to align using the ceiling mounted "Crank Up" handle and elevation zone map
- See below for further features*

With 65cm dish 040014A With 85cm dish 040014B







Clear and easy to read elevation angles with simple and effective locking device





Manufactured

in the UK

BOTH SEEKER & CRANK UP ALSO FEATURE...

- * All of the above models also feature.
- Watch all available UK TV channels in the UK and into parts of Europe
- Low stream line profile, only 17cm.
- With Twin LNB as standard ideal for use with PVR's, SKY+™ or with 2 receivers in separate locations
- With 65 or 85cm dish
- All weather resistant construction
- For permanent mounting, can be transferred to another vehicle
- 3 year guarantee





VUDOME AUTO - FIXED SATELLITE SYSTEM

Fully automatic system - Press and go, the convenience of having all your TV channels ready to watch in an instant at the touch of a button

- Watch all available UK TV channels in the UK and limited UK channels into parts of Europe
- Receives transmissions from Astra 1, Astra 2, Hotbird & more
- Twin LNB as standard for use with PVR's, SKY+TM or with 2 receivers in separate places
- Lightweight, designed to be permanently mounted to a vehicle roof
- Clear and easy to use control box. Control unit is compact in size allowing unobtrusive mounting in a cupboard space
- Compatible with all DVB-S standard & high definition satellite receivers including Sky™
- 40cm Prime focus dish, equivalent to 50cm offset dish giving increased range
- 3 year guarantee

040053A

Other roof mounted satellite systems Automatic dome satellite systems



Sat dome foot Now sold individually 20cm x 13 cm 039999

RoadPro domes powered by Wiworld

Complete protection against wind and weather. Roadpro domes offer the widest range of models of any satdome manufacturer. Average satellite search times of 30 seconds. One button operation, just switch it on!

- Operating voltage 12V
- Fixes to the roof with sikaflex and / or screws (mounting kit for neater installation available 039999)
- Space required for operation: 76cm diameter including mounting feet
- Search controller dimensions H x W x D mm: 42 x 245 x 146
- Search options: Astra 2 (N & S), Eurobird 1, Astra 1, Hotbird, Sirius, Atlantic bird 3, Hispasat
- Off-set dish inside a protective plastic cover
- All weather resistant white dome casing, can be painted
- Can be used with any satellite receiver including Freesat,
 Free to air & SKY receivers (not included)
- 3 year guarantee

WOW Choose 30cm model where height is an issue - 40cm model for maximum coverage abroad. Use twin LNB version to use pause, record, or other functions of a recording receiver or to use 2 receivers at once. In motion versions allow passengers to watch TV or the driver to listen to the radio when travelling.

Part	WOW Many changes were made to	
Number	the satellite broadcast network in 2012	
	and 2013 and many more are to come in	
	2014. The situation is constantly changing,	
020000	and so the area in which you will receive	
039990	certain channels may change at any	
039992A	time, therefore it is difficult to give	
039992	definitive information at this time.	

Part	Dish size	LNB	Weight approx.	Dome height cm	Current Amps approx.		
Number	(W x H) cm	type	kg (Dish & motor)		During search	In use (search complete)	
	Static models						
039990	46 x 25	Single	9.5	30	1.5	< 0.1	
039992A	46 x 25	Twin	9.7	30	1.5	< 0.1	
039992	46 x 35	Single	9.5	40	1.5	< 0.1	
039990A	46 x 35	Twin	9.7	40	1.5	< 0.1	
In motion models							
039993	46 x 35	Single	9.7	40	2.5	1.8	

Manual crank up satellite systems

Camos flat-sat

Instead of a conventional dish, the Flat-Sat uses a planar antenna to catch a satellite's beam. This is a very efficient method and enables the "dish" to be much smaller, taking up less room on a vehicle's roof and making it easier both to install and use. The "flat-sats" have a performance of a larger diameter conventional dish and when it's in the parked position the unit's height is just 12cm.

The antenna's design makes it much more resistant to wind than a normal dish, allowing it to be used in conditions where other systems would have to be lowered for safety.

The dish is controlled from inside the vehicle using a ceiling-mounted cranking handle. It is essential to use a satellite signal finder for ease of use, see page D6.

Also available twin LNB enabling the functionality of Sky+ or other similar satellite receivers so that two channels can be watched at the same time.

If you are visiting Spain, Germany, Italy or Eastern Europe we recommend one of the larger crank-up "plus" satellite dishes


 Flat sat
 039995

 Flat sat "plus"
 039996

 Flat sat "plus" twin LNB
 039998







Astra 2F/E/G

All BBC, ITV, Channel 4 and Five TV channels as well as BBC radio stations should now have moved to Astra 2E and Astra 2F.

Astra 2F/E/G Pan European

It is possible, and some say probable, that some of SKY's subscription channels will be broadcast on this beam when they are moved from their previous positions.

Thanks to RoadPro for the information on satellite reception.

For listings of which TV channels are broadcast on which satellites try visiting www.kingofsat.net.



UK DESIGN & MANUFACTURER



Both models are ultra lightweight with ergonomically designed carry handle



VUQUBE AUTO - PORTABLE SATELLITE SYSTEM

Fully Automatic - Press and go, the convenience of having all your channels ready to watch in an instant

- Easy to use, LED control box
- Dynamic dish levelling allows system to be placed on uneven surfaces
- Twin LNB, ideal for use with PVRs, SKY or to use 2 receivers at the same time
- 40cm Prime focus dish, equivalent to 50cm offset dish giving increased range
- All weather resistant and robust casing
- Includes 2 x 10m of cable allowing easy positioning
- Compact control box, only W:13cm X W:9.5cm X D:3cm
- Control box can be easily mounted with supplied velcro strips
- 2 year guarantee


Semi-Automatic - Easy to elevate & rotate dish to locate required signal with heavy duty LCD display, wireless remote control

- Compass to help you locate the satellite signal zone for ASTRA 1, 2 and Hotbird
- Dynamic dish levelling allows system to be placed on uneven surfaces Twin LNB, ideal for use with PVRs, SKY or to use 2 receivers at the same
- 40cm Prime focus dish, equivalent to 50cm offset dish giving increased range
- All weather resistant and robust casing
- Includes 2 x 10m of cable allowing easy positioning
- Powered by your receiver
- 2 year guarantee

040054A



040054



Retractable upper mast section to lengthen the mast by up to 500mm to mount dish higher to clear possible obstructions

54 - PORTABLE SATELLITE KIT

Manual satellite system

- watch all available UK TV channels in the UK and into parts of Europe
- Designed with folding LNB arm for storing into
- Pre assembled parts making assembly quick and simple
- Suitable for use in tent or awning (signal quality may deteriorate under wet canvas)
- Easy to use zone map included for dish alignment
- Packed weight < 7.5kg
- 2 year guarantee
- With single LNB and 54cm dish
- kit includes > Sat Finder > Compass > Holdall > 10m Coaxial Cable > Ground Pegs > Tripod.

040003

SATELLITE TRIPOD

Both models include ground pegs for extra stability

- Stainless steel fixings
- Portable mount to position satellite dish in convenient position to achieve clear line of sight to satellite
- Upper mast section rotates freely for ease of use to aid satellite dish
- alignment (A) Long legs and an additional locking device ensure stability
- Folds together for compact storage
- Lightweight and stable design
- Mast diameter 34mm (Top)
- Dimensions: Full height 93cm when legs fully extended

DELUXE - SATELLITE TRIPOD

- Stainless steel fixings
- Portable mount to position satellite dish in convenient position to achieve clear line of sight to satellite
- Upper mast section rotates freely for ease of use to aid satellite dish alignment (A)
- Long legs and an additional locking device ensure stabilitu Folds together for compact storage in
- supplied holdall
- Lightweight and stable design
- Mast diameter 34mm
- Dimensions: Full height 165cm when legs fully extended


040005

UK DESIGN & MANUFACTURER

MAXVIEW PRECISI ON















- Kit also includes, Compass, System and Tripod Holdalls, Ground Pegs, Elevation map, Quick Set Up Guide, 10m Flexible 'F' Cable, Sat Finder, Tripod & choice of LNB
 - Available with either 55cm or 65cm dish. Plus Twin or Single LNB options
 - Patent pending design Designed and manufactured in the UK
 - 2 year guarantee

You Tube See our set up video

Search 'MaxviewItd'



Designed & Manufactured in the UK

PRECISION - PORTABLE SATELLITE KIT

Manual satellite system

- Designed with the user in mind for easy set up and quick signal finding Watch all available UK TV channels in the UK and into parts of Europe
- Lightweight yet sturdy design, suitable for most terrains
- Unique and innovative features include...
- A. Elevation indicator, easy to view elevation read out
- B. Integrated Sat Finder, helps you align your dish to the satellite C. Level indicator, a level tripod will allow for quicker set up and a
- more accurate elevation reading D. South leg sticker, point this leg South using included compass for quicker set up
- E. Magnetic LNB lock, to secure LNB arm for easy storage

With 55cm dish & single LNB 040001A With 65cm dish & single LNB 040002A With 55cm dish & twin LNB 040001B With 65cm dish & twin LNB 040002B

* The Caravan Buyer Magazine Accessories on test. 11.2013

Other portable satellite systems



Multimo mobile satellite dish

This compact portable satellite dish is suitable for use with analogue or digital transmissions. The Multimo can be used with any satellite receiver including SKY digiboxes. Although only 40cm wide, it performs like a 55cm dish and can be used Europe wide. Mounted on a base for use on a flat surface, it also has a clamp to attach it to a shelf, step, pole or tripod. Used with the Zehnder sat finder it only takes minutes to set up

Sinlge LNB 039980

Twin LNB 039981



Multimo carry bag

Made of hard-wearing. water-resistant nulon material and has a strong fabric handle and two zipped compartments: one for the dish itself and one for accessories and cable 039980A



Multimo magnetic mounting foot

A powerful magnet which can be used with MULTIMO satellite dishes. It can be glued to the inside of the base and because it is slightly above the level of the base, it will not scratch the mounting surface. Glue is not supplied but we recommend an epoxy type such as Araldite. Please bear in mind that the efficacy of any magnet will be affected by paint or other materials which come between it and the steel surface on which it is being used 039980B

Satellite and TV receivers



FREE TO AIR SATELLITE RECEIVERS - 12/24/230V

- No contract, no subscription
- SD (Standard definition) & HD (high definition) variants available
- Receives over 200 UK digital TV and radio channels
- Can receive 1000's of European channels
- PVR (Personal Video Recorder). Record and manage what you watch
- Plug and play easy set upCompatible with easy find LNBs
- Future proof with free software updates via ASTRA 1 or USB connection
- Easy to access USB port
- Preset channel list (Astra 2 only)
- Includes infrared sensor ideal for hidden installation
- In-built satellite finder
- Compact size, only W:210mm x D:140mm x H:45mm
- 2 year guarantee

Standard definition (SD) 040020B High definition (HD) 040020C





UNIVERSAL RECEIVER MOUNTING BRACKETS

- Mount your receiver securely inside your touring vehicle
- High performance velcro tested to withstand vehicle motions, vibration & shock
- Multi mounting position options to suit almost any cupboard space
- Robust, lightweight design
- Stand off clearance, designed to allow airflow to prevent receiver overheating
- Includes all fixings below for secure permanent mounting in a cupboard or shelving space
- Designed for quick and easy installation

040087

Application example



WOW Vistron satellite receivers are pre-set with the channels in a sensible order. BBC1, BBC2, ITV, C4 etc. ideal for touring caravans and motorhomes. Other receivers will as standard put the list in the order in which the channels are found.



Vistron VT101 a 12V Free-to-air satellite receiver which receives thousands of TV and radio programs. 2 x Scart outputs. 039988

Vistron V201 a 12V Free-to-air satellite receiver which receives thousands of TV and radio programs. Scart & HDMI outputs. 039982

Vistron V230 a 12V HD Free-to-air satellite receiver with HD output and the ability to record onto a USB or external hard drive, HDMI & phono outputs, 039986

Specification	VT101	VT201	VT230
Type of receiver	Free-to-air	HD Free-to-air	HD Free-to-air
Power supply	12V	12V	12V
Scart socket	Yes x 2	Yes	No
HDMI socket	No	Yes	Yes
Phono socket	No	No	Yes
Electronic Programme guide	Now and Next	Now and Next	Now and Next
Available channel positions	4000	6000	6000
Timer function	Sleep timer	Yes	Yes 10 positions
Preprogrammed for satellites	Astra 1, Astra 2, Hotbird, Turksat 1C	Astra 1, Astra 2, Hotbird, Turksat 1C	Astra 1, Astra 2, Hotbird, Turksat 1C
Remote control	Yes	Yes	Yes
Remote control sensor	Yes	Yes	Yes
Power consumption	12W, 1A at 12V	16.8W, 1.4A at 12V	30W, 2.5A at 12V
Dimensions H x W x D	35 x 190 x 140mm	35 x 230 x 140mm	35 x 230 x 140mm
Weight (approx.)	450g	450g	580g
Comes with	12V lead, remote control, remote sensor, receiver	12V lead, remote control, remote sensor, receiver	12V lead, remote control, remote sensor, receiver
Part no.	039988	039982	039986

Twin LNB upgrade kit

Upgrade your single LNB version for use with SKY+ and other hard drive recording receivers with the Twin LNB upgrade kit. Can also be used with 2 receivers for independent viewing. Includes low noise 0.2dB LNB, adapter and 10m twin coaxial cable. Designed specifically for use with Maxview satellite dishes 040004





Roadpro **USB Freeview** receiver 039987



GAZELLE TOURING TV AERIAL

- Omnidirectional receives all available digital and HD TV channels through 360 degrees
- For permanent or temporary mounting
- Also receives FM and DAB signals
- Aerodynamic design
- Includes 12/24V Variable Signal Booster
- Includes 5m coaxial cable for mounting accessories
- 2 year guarantee

040008





OMNIMAX TOURING TV AERIAL

- Omnidirectional receives all available digital and HD TV channels through 360 degrees
- For permanent or temporary mounting
- Also receives FM and DAB signals
- Includes 12/24V Variable Signal Booster
- Still one of the most reliable and most versatile touring aerials on the market
- Includes 5m coaxial cable and mounting accessories
- 2 year guarantee


UK DESIGN & MANUFACTURER





DIGITAL TOURER HIGH GAIN TV AERIAL

- Receives all available digital and HD terrestrial TV channels
- Compact size for easy, tidy storage breaks down into 4 sections
- Erected aerial dimensions H55 x L103 x D40cm
- Includes 10m coaxial cable, boom clamp, and fixing accessories
- Designed with wing nuts for quick, easy and simple installation





MOBILE TOURER TV AERIAL KIT

- Receives all available digital and HD terrestrial TV channels
- Compact size for easy, tidy storage
 Freeted earlied dimensions LIZE V. LEE
- Erected aerial dimensions H7.5 x L55 x D27cm
- Complete kit, includes accessories shown right above
- Designed for quick, easy and simple installation
- 1 year guarantee

040043



Ideal for

- Receives all available digital and HD terrestrial TV channels
- Compact size for easy, tidy storage
- Erected aerial dimensions H38 x L49 x D40cm
- Features multi-element, anti-ghost reflector for rejecting unwanted signals and to enhance forward directivity and gain
- Includes 10m coaxial cable, boom clamp, and fixing accessories
- Designed for quick, easy and simple installation
- Mast shown not included
- 1 year guarantee



TRUVISION SET TOP INDOOR TV AERIAL

- Receives all available digital and HD terrestrial TV channels
- Ready to use just flip up and connect to TV
- Stylish design and folds flat for easy storage
- 2m coaxial cable allows easy positioning
- 1 year guarantee

040046

Maxview Touring TV Mounts



SUCTION PAD BASE

- For mounting Omnimax onlyDesigned for temporary
- fixing
- Uses 4 strong suction pads to provide a secure mounting

040080



MAGNETIC BASE

- For mounting Omnimax only
- Designed for temporary fixing to any flat steel surface to provide a secure mounting base
- Base can withstand average speed application, although we recommend removal to travel

040081



Suitable for all 25mm (1") to 30mm (1.25") masts For permanent or temporary mounting

Includes self adhesive pads

To securely mount all types

of directional touring TV

aerials onto a vehicle panel

Blister packed 040017 040086 Loose

UNIMAX BRACKETS



UNIMAX MOUNTING MAST

- Fixes to the side of any touring vehicle using supplied fixing brackets
- Brackets can be either screwed into position for permanent mounting or attached using the self adhesive backing for temporary mounting

040089

JOCKEY WHEEL MAST

- Designed for caravan mounting
- High quality lightweight aluminium mast with universal fitting brackets giving optimum stabilitu
- Complete with 5 sections, once joined goes to a height of 3.6m

040114

Other TV aerials & masts



W4 Jockey wheel satellite pole

A sturdy 30" pole complete with two specially designed brackets for safe attachment to the caravan jockey wheel. Also supplied with a 'U' bolt for fixing the satellite dish. Keeps the dish in a safe and unobtrusive area, no tripod to trip over!

040119



W4 aerial pole clamps

One pair of specially designed clamps. For safe attachment of an aerial pole to the jockey wheel. 040117



W4 aerial pole kit

Fully telescopic lightweight pole kit extendable to 3.2m. Helps to receive a full range of TV signals with its infinite variety of height adjustments. Can be fitted to the jockey wheel with the special clamps provided

040115



Mercury mast and clamp

Provides three 3' masts and a jockey wheel clamp. Suitable for use with both the Overlander and Tourer aerials and other aerials with a conventional 'V' bolt fixing 040112

Magic Circle aerial

Battery powered amplifier/aerial which gives 400hrs continuous use from 4 x AA alkaline batteries. For use inside metal or concrete buildings 040100



Ring FM aerial

Compact design 12_V electronic leisure aerial. Telescopic with six sections overall length 39cm 040129

Magic wand aerial Covers all UHF TV signals,

both analogue and digital. Amplified, high gain, omnidirectional & multi-positional. Battery powered with 500 hours continuous use from 2xAA Alkaline batteries. Optional DC input (7 - 24vDC) on/off switch with

LED 040102



Mercury Overlander aerial

Wideband aerial for high gain. A unique clamp enables aerial to tilt, swivel and rotate through 360° without adjusting the mast. Fixes with three suction pads for stability and easy removal 040105

HOME ENTERTAINMENT ON THE MOVE

UK DESIGN & MANUFACTURER

Visit Maxview's new channel.

For video guides on just some of the following Maxview products:

> Precision > Seeker Wireless

> Crank Up

> VuQube & more..

You Tube

Search: 'MaxviewItd'



SAT FINDER

- Essential for locating your digital satellite signal
- Designed to help align satellite dish to the satellite with varying audio tone and ascending visual LED display
- Signal sensitivity control for ease of satellite dish adjustment and alignment
- Comes complete with flylead

040011



DIGITAL SIGNAL FINDER

- Optimise terrestrial signal reception before auto tuning TV/receiver
- Features a signal sensitive control
- Essential for use with a directional touring digital TV aerial
- Ideal for Freeview & Freeview HD
- Includes battery and velcro mounts

040048



Zehnder HP480 satellite finder

040062

Varying audible tone and ascending visual LED display to help align satellite dish to the satellite. Signal sensitivity control for ease of satellite adjustment and alignment. Complete with flylead 040010

W4 satellite finder

Easy to read analogue dial as well as an audible signal. Enables effective, quick and reliable satellite alignment for optimum reception. Adjustable gain and sensitivity to suit all situations 040009



UHF TV signal finder

Designed and developed by a caravanner for the leisure market. 9v battery supplied **040057**



Worldwide UHF/ VHF signal finder

For use anywhere in the world. 9v battery supplied 040058



SATELLITE COMPASS

- Satellite alignment zone to help locate the direction of the satellite signal for all the main European satellites Astra 1/2 & Hotbird
- For use as normal navigational compass
- Includes neck strap and user instructions

040013



• For use with any Maxview Touring aerial Variable gain control to optimise signal

VARIABLE SIGNAL BOOSTER

- strength 0-18dB Professional gold plated 'F' connectors
- Blue LED power indicator
- Low power consumption
- 2 year guarantee

Easy tune

2 Outlets **040063**

Uniquely combines a TV booster with signal finder, so TV signal level is "visible" when setting gain. 12/24v operation.

DIGITAL SATELLITE COMPASS

European satellites

Variable gain signal booster. 12/24v

040018

Easy boost

operation.

• Satellite alignment zone to help locate the

• Direction hold mode and path finder mode

programmed, available at the press of a button

WOW

British made

31 6

Easy-Boost

• Can be calibrated to maintain accuracy

when placed near ferrous objects All major European satellite positions pre-

direction of the satellite signal for all the main

Distortion feature to identify magnetic fields

causing possible error to compass accuracy



4 Outlets **040061**

4 Outlets **040064**

ELECTR


Pro TV and satellite signal finder

Used by professional aerial installers and now available to the leisure market. 9v battery supplied 040059





UK DESIGN & MANUFACTURER









WEATHERPROOF SOCKETS

- Provides a neat, external weatherproof cable entry point(s) into a vehicle or boat
- Complete with self adhesive foam seal and screws for easy installation
- Unobtrusive design
- 3m Cable length

Models available:

040023 Single Socket with 'F' Connector (A) 040095 Single Socket with Coaxial Connector (B) 040015 Twin Socket with 'F' & Coaxial Connector (C) 040022 Twin Socket with Twin 'F' Connectors (D)

WEATHERPROOF CABLE ENTRY COVER

- Waterproof IP66 double membrane seal
- Designed for roof mounting
- Self adhesive foam seal
- Optional four point screw fixing
- For all cable types 5 9mm Ø
- Can take 2 cables

040034

ALL PRODUCTS FEATURED ARE SUPPLIED IN FULL COLOURED BLISTER PACKS - SEE EXAMPLE



'F' FLYLEADS

1M - **040038A** 2M - **040038** 4M - 040039 10M - **040040**

 With right angled connector



2M - **040026** 4M - **040083** 10M - **040029**

With gold

contacts



COAXIAL FLYLEADS

2M - 040027 4M - **040028**



FLEXIBLE 'F' FLYLEADS

10M Single **040040A** 10M Twin **040040B**



SCART LEADS

0.8M - **040016** 1.5M - **040025**



2 Way Coaxial 'Y' 040035



Multi strand core gives

added cable flexibility Less likely to tangle Less likely to take a set shape from storage Reduces potential trip

hazard Easy to handle Compact cable storage

2 Way Coaxial 'Y' Splitter - Gold 040035A



2M - **040027A**



Allou Coaxial Plugs (2) **040019**



Back to Back Coaxial Connectors (2) 040031



HDMI CABLES

0.8M - **040085** 1.5M - **040037** 3M - **040037A**

Back to Back 'F Connector (1) 040032



Coaxial Cable Connecting Kit 040033



Satellite Cable Connecting Kit 040036



Connectors (2) 040041



'F' to Coaxial Adaptors (2) **040042**



Push on 'F' Connectors (2) 040090



Coaxial Plugs (2) 040030



New angled accessory range. These adaptors allow a tight angle, perfect for use on slimline (mainly LED) or any flatscreen TV's where space is limited behind TV once wall mounted. Use for easy access to those awkward to get to sockets.



Coaxial Angled Adaptor **040082**



Coaxial Angled Adaptor - Gold 040082A



'F' Angled 040082B



'F' Angled 0400820



HDMI Angled Adaptor - Gold **040082D**



HDMI Pivot Adaptor 040082E

W4 Pack-it TV range



Surface TV point Co-ax socket 040546



Co-ax plug



Co-ax coupler



Surface co-ax / satellite point

Co-ax and F socket **040588**



2-way coax splitter 040586



Surface satellite point F socket





Satellite 'F' plug 040577



Satellite lead 2m F to F plug



2 pin plug 12V 10A **040535**



2 pin socket 12v 10A 040536



Aerial lead

040547

2m male to male

2 pin flush fitting socket & plug 12V 10A 040537



Co-ax cable 5m 040542



TV Universal Power Lead 040595

WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.

Other TV accessories



W4 digital TV hook up lead

Connect directly to the site TV point with this purpose made 25 metre lead.

Just hook up, tune in, watch and relax!

- High quality WF100 cable
- Solid copper centre conductor
- Water tight physical foam dielectric injected with nitrogen gas
- Twin screened with copper foil and braid
- Robust outer sheath for added protection
- Factory tested
- Reel enables easy rewind and storage

040541



Through window cable adaptor

Because satellite co-ax cable can be damaged if squashed it's usually not advisable to pass cable through a closed window. This adaptor kit includes a special flat cable which can be used in just this situation and connects at either end to regular cable. All necessary connectors and instructions included. **039985A**



Flat screen TV carrier

Nulon had with carrying handles

Nylon bag with carrying handles. Suitable for up to 15" TV **040177** Suitable for up to 19" TV **040176**



Mercury co-ax plug (2)



Mercury aerial lead 2m male to male 040325



WOW Ask your sales contact about the superb Maxview display stand deal. **040098**

AQUAROLL® and WASTEMASTER™ products Hitchman display stand - 050250 Please speak to your sales contact for details





AQUAROLL® and WASTEMASTER™ products



Aquaroll® mains adaptor

Designed to give caravans the benefit of running water where mains supply is available. Can be used with any caravan, with no expensive alterations needed. A quantity of water is held in the AQUAROLL®. As there is no mains pressure inside the caravan, the danger of flooding is eliminated. Easy to fit ball valve. 7.5 metres of food quality hose. Snap-on, 1/2" and 3/4" threaded tap connectors included. Snap-on connector to ball valve. Fits both 29L and 40L Aquarolls that have a side cap 050187



Aquaroll® mains adaptor storage bag

Made from water resistant heavy duty PVC coated nylon. With all round zip 050189



7.5m Extension hose Mains adaptor hose connectors kit Mains extension connectors kit Tap connector seals kit Ball valve only Ball valve service kit



050221



050222



050220





W4 Tap swirler

sizes. 10 per outer **104845**



W4 Aqua cap

Suitable for a variety of tap Dust cap for use with plastic water containers. Available singly or 10 per outer **050049**



W4 fill-ups

Suitable for a variety of tap sizes.

Available singly or 25 per outer Fill-up 1 (1.25m hose) 050240 Available singly or 15 per outer Fill-up 2 (2m hose) 050241 Available singly or 10 per outer Fill-up 5 (5m hose) 050242



To connect water supply to hose socket on caravan, with integral non return valve 051444



Insulated Aquaroll bag

Designed to reduce the risk of freezing in winter. Reversible with reflective lining to keep water cooler in summer.

Clever wrap-round design to remove the need to lift the full container in to the bag. 050194





Rolson Folding trolley trucks

Sponge grip handle. Light weight aluminium frame. Easily folds compactly for ease of storage. Toe plate and wheels open simultaneously. Tubing: 50mm diameter. Wheel: 177mm diameter

Load max 60kg

Height: 1m (open) 736mm (closed) Width: 390mm 050269

Load max 45kg

Height: 965cm (open) 690mm (closed) Width: 390mm 050266



Water containers (FIAMMA

Fiamma fresh tanks






70L water tank

Constructed from non-toxic materials. It can be installed either vertically or horizontally. Complete with all fittings for installation. Water pipe inlet 38mm ø, with air outlet of 13mm ø. Dimensions: (LxDxH) 70x47x24cm. Weight 4.4kg








Convenient portable 23 litre water tank with discharge cap at base. Supplied with an extra blanking cap. Weight 2.4kg 050054








40L roll tank

Portable 40 litre drinking water roll tank with easy grip handle and two large wheels that make transportation easy even on gravel. Made of non-toxic material and an easily cleaning wide cap. Weight 3.8kg 050054A

Fiamma waste tanks






23L Practical and portable 23 litre tank for waste water with discharge cap at base. Weight 2.4kg 050051







40L

40 litre waste tank with level indicator air release valve. Filling and discharging are performed through a Sanitary-Flex (not included). 45° angle adaptor for discharge is included. Weight 3.9kg

050051A

Fiamma roll tank spares and accesories





Fiamma Kit sanitary flex

300cm flexible hose, extendable. Delivered as standard with 2 fittings for connection to Roll-Tank 40W, Tank 21W and Quick connection W. 050060A



Spare cap **050056**



Fiamma quick connection waste

Adapter to turn the threaded connection into a bayonet connection, to easily connect the Sanitary Flex to the 23 litre waste tank. Weight 0.2kg.

050057A



Discharge cap 050057

Jerrycans



Jerrycans

050055 25 litre Available singly or 12 per outer 050077 10 litre

Available singly or 12 per outer Spare cap **050079**

Cap with integrated tap **050109**



Jerrycans with taps

The tap is held inside the jerrycan for transport, protecting it from damage. 25 litre 050096 Available singly or 6 per outer 050078 10 litre Available singly or 12 per outer Cap with integrated tap **050109**



Compact carrier

Folding jerrycan with tap. Capacity 20 litres. Available singly or 24 per outer 050170




Collapsible jerrycan

Space saving concertina shape with tap. Capacity 10 litres. Available singly or 12 per outer 050172

Jerrycan with filler spout

10 litre **050115** 20 litre **050116**



Waste container 23ltr capacity container which has a large cap on the side to

take two waste pipes. 6 per outer **050033** Spare cap **050032**



Filler caps



Reich water tank connector

Designed to fit a hosepipe directly to an external fitting. 75mm Ø Twist fit 050059



Fiamma water filler cap

Overall 112mm ø, Internal 80mm ø, Pipes: large 60mm small 10mm.



Jerrycan spare parts



050109



Spare cap for waste container 050032



Spare cap for 10L & 25L jerrycans 050079



Spare cap for take-a-waste 050020




Spare bung for take-a-waste 050020

assembly

Locking water cap which complies with European closure system standards.

Dimensions:

Black **050052** White **050053**



Water filler assembly

Dimensions: 38mm 0 outlet, with 10mm Ø overflow. 118mm overall Ø, 85mm Ø cut out

Black **050066** White **050068**



Water filler cap

78mm Ø, 25 (+22)mm depth

Black **050064** White 050062

Water purification



WOW AquaStar 1+2 and 3 are designed to work in harmony with one another and unfold their full potential when used as a set



AquaStar 1 + 2

The professional installation cleaning system, specifically designed for recreational vehicles.

AquaStar 1 - tough on lime scale.

For maintaining installations preventing the build up of limescale.

AquaStar 2 - shows no mercy to germs.

For a germ free water installation. AquaStar 2 unleashes its two phase action using active oxygen and silver, the oxygen dissolves the biofilm, whilst the silver ions kill any bacteria lurking in it

AquaStar 1+2 052040

AduaStar 3

Transforms water into drinking water. For water sterilisation and preservation.

- Uses active oxygen to inactivate bacteria and germs within 1 hour
- Uses silver ions to protect water against contamination, algae and bad smells for up to 6 months

AquaStar 3 **052041**

Floor display stand 052044 Counter display **052043**



Elsan fresh water tank clean

Leaves the tank free from microorganisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine.

050035 12 per outer 1 litre

Winterban



Prevents freezing pipes and other damage by winterising your motor home or caravan. Winterban replaces the water in the water system and is safe for fresh water plumbing.

It is a propylene glycol solution (1 part winterban to 1 part water protects down to -46°C) which has a dramatically lower burst point than water. This is the point at which the liquid expands when frozen, thus protecting the system from frost damage. It is recommended that you drain as much water from your system as possible (use the Floe drain

down system on E9). Any excess water will be absorbed by the solution and prevents damage to pipes, taps and water heaters through expansion of frozen water. 6 per outer. 1 gallon per bottle 052050



Clear pure water kit

Each Kit Contains Puriclean 100g to clean the water tank and system and 6 Aqua Clean Tabs to purify the water 052026



Puriclean

Cleanses water systems and tanks

100g tub **052002** 400g tub **052024**



Agua Sol

Aqua Sol is a powerful biocide which destroys all water borne bacteria and viruses. In addition it removes tastes and odours caused by plastics, chlorine, GRP and metals, keeping water fresh for a very long time. Aqua Sol is approved by the D.O.E. The 250ml size will treat 625 litres of water. Aqua Sol 250ml. 6 per outer 052030



Waste Guard

Waste Guard provides rapid control of odour producing waste products. It selectively reacts to oxidise odours from many sources and does not emit harmful by products. 300ml. 6 per outer **052039**



Aqua clean tabs

Water purification tablets. One tablet per 5 gallons of Water. 32 tablets per pack. 12 packs per outer **052013**



Aqua tabs mini

Water purification tablets. One tablet per 1 litre of Water. 40 tablets per pack. 18 packs per outer **052012**



Aqua mega tabs

Aqua Mega Tabs are rapid dissolving effervescent water purifying tablets. For use with water storage tanks with a capacity of 50 gallons or more. 12 per outer **052015**



Puri Sol

Cleans, sterilises and deodorises in one action, leaving no taint or odour. Clean, disinfect and deodorise water storage tanks, pipe work and fittings. 300ml. 6 per outer 052032

truma Water systems

Housings



Crystal 2 filter housing assembly

Complete with crystal 2 filter and blanking plug.

White **801467**Lid and pins only white **605359**Vory **N/A**Lid and pins only Ivory **605358**Hinge pins only(2) **605376**





Crystal 2 winter kit

No longer available please use Compact conversion kit below. Lid only white 605375 Lid only Ivory 605374 Hinge pins only(2) 605376



Compact conversion kit

The Ultraflow compact housing with an Ultraflow pistol grip pump connector to allow the user to utilse their existing pump assembly. Dimensions: 143 x 105mm, bore hole 50mm diameter

White **846034** Ivory **846035**





Ultraflow filter housing assemblyComplete with Ultraflow active carbon filter and

Complete with Ultraflow active carbon filter and blanking plug. The ultraflow housing comes with an exterior accessory point which can be connected (via optional connector) to allow the use of the exterior shower set (optional). Template size: 108mm x 163mm

White **846011** Lid only white **846961** lid only lyory **846962** Grey **846013** Lid only lyory **846962**



WOW Now available in dark grey



WOW The comapct shower outlet looks the same as this but has no electrical terminals. See below

Compact housing

The Ultraflow compact housing / winter kit is the standard housing for a pump assembly that does not include a filtration system, accessory point or blanking plug. Dimensions: 143 x 105mm, bore hole 50mm diameter

White **846031** Lid only white **846974** Ivory **846032** Lid only Ivory **846973**



To convert Crystal Mk2 to Ultraflow system whilst enabling the use of the original pump assembly. Kits consist of Ultraflow housing, pistol grip pump connector and filter. Template size: 108mm x 163mm

108mm x 163mi White **846014** Ivory **846015**



Crystal / ultraflow adaptor plate

Adaptor plate that allows you to convert a Mk1 Crystal housing to the Ultraflow system using the conversion kit

846979



Outdoor shower set

The pistol grip of the Outdoor Shower is simply plugged in to the Ultraflow filter housing. After fitting the connector it is ready for use. For pressurised water systems only **846080** Replacement Ultraflow bridge connector

846967

Shower head only 896800



Compact shower

Shower head only 896800

Exterior shower housing. For pressurised water systems only
White **846071** Lid only white **846975**Lid only ivory **846976**



Surge damper

The surge damper with integrated pressure switch. The electronically controlled pressure switch has an intelligent control sequence turning the pump on and off when the tap is opened and closed whilst maintaining an even water flow **846050**

Mains water adaptors



Crystal Waterline

A 15 metre 'food quality' hose pipe which comes complete with fittings and a special pressure reducing adaptor which allows caravanners to connect their water system directly to a mains water supply without modification. Compatible with the Crystal filter and Crystal compact water systems, simply by being locked on to the external Crystal housing 802679



Mk2 - Mk3 Waterline converter

Convert a Crystal Waterline to a Mk3 system with this adaptor **854500**



Ultraflow Waterline

A 15 metre 'food quality' hose pipe which comes complete with fittings and a special pressure reducing adaptor which allows caravanners to connect their water system directly to a mains water supply without modification. Compatible with the Ultraflow filter and Ultraflow compact water systems, simply by being plugged into the Ultraflow housing **846090**

Water inlets and pump assemblies



Ultraflow inlet hose Compatible with any Ultraflow housing **846340**



Ultraflow pump assembly

Ths 12v water pump with ergonomically shaped pistol grip is plugged into the Ultraflow filter or compact housing. 9 litres per minute at 3m head at 1.5bar. Tube length 800mm **846041**



Crystal mk2 pump assembly

Maxi pump comes complete with hose, container cover, storage clip and hose connector. Self priming and extremely quiet in operation. 9 litres per minute at 3m head at 1.5bar. This pump fits any MK2 crystal housing 801927



Maxi pump only 9 litres per minute at 3m head at 1.5bar.

Accessories



Pistol grip pump connector 846977



Blanking plug and 0 ring 846966



Ultraflow pump connector 0 rings (4) 846729



Non return valves John Guest 12mm **846880** Flexible hose 846900



801928

Ultraflow push fit to flex adaptor 846999



Mk2 hose adaptor plug 801038



Mk2 blanking plug



Pump connector 0 rings (2) Mk2 o ring 801023 Mk3 o ring 802421



Mk2 crystal retaining pegs (2) 10 per outer **802530**



Crystal cut blue hose 801017

Filters

WOW A complete range of Truma spares are available in the spares section



Crystal 2 filter cartridge 12 per outer **801256**



Removal tool for MK2 filter For easy removal



Filter only 12 per outer **846020**



Ultraflow filter Ultraflow filter + mk2 cap Blue filter cap Filter and MK2 Crystal cap to allow the and O ring filter to be used in Crystal 2 housings 846964 846021



Hoses

Sold by the metre priced by the roll



Non toxic hose ½" 30m roll 051339



Non toxic hose 38" 30m roll **051317** 1/2" 30m roll 051325 3/4" 30m roll **051348**



Reinforced non toxic hose ½" 30m roll 051356



Flexible waste hose 20mm 30m roll 051360



Convoluted waste hose 23.5mm 50m roll 051365 28.5mm 25m roll 051368



Tube 12 x 8.5mm Blue 25m **055200**



Tube 12 x 8.5mm Red 25m 055201



Flat hose 15m General purpose hose -Not food grade **051310**

W4 push fit fittings

Individually packed push fittings for semi rigid tube - All packed 5 per outer



Equal tee 12mm **055202** 15mm **055302**



adaptor

Two way

12mm 055275



Equal straight 12mm 055204 15mm **055304**



Straight reducer 12-8mm **055205**

12-10mm **055220** 15-12mm **055312**



Equal elbow 12mm **055203** 15mm **055303**



Elbow reducer 12-10mm **055221**



Stem adaptor male

%"bsp-12mm 055263 ½"bsp-12mm 055264



Stem reducer

Female to male 12-10mm **055210** 15-12mm **055215**



Stem enlarger Female to male 12-15mm **055216**



Stem elbow 12mm **055222** 15mm **055322**



Straight adaptor female

%"f-12mm 055238 ½"f-12mm 055232



Bulkhead connector

12mm **055212**



Shut off valve 12mm 055270



Collet clip 12mm

Blue (5) **055292** Red (5) **055293**



Straight adaptor male

3 bsp-12mm 055213 ½"bsp-12mm 055214



Tank fitting assembly

12mm 055266



Stem shut off valve

12mm **055272**



Tube cutters Light duty 055295



Straight adaptor 12mm-1/2" 055206



In-line filter/ strainer 055294



Non return check valve 12mm **055273**



End plug 12mm 055208 15mm **055308**

WOW All W4 water fittings are suitable for contact with foodstuffs and drinking water. ISO 9001 and ISO 14001 certified. FDA and WRAS approved. Complying with the requirements of UK water regulation.


Push fit system stand

Not illustrated. Complete with 5 packs of 24 of the best selling items in this range 055299

Water fittings











Y connectors

1/2" 051128 34" O51137 10 per outer 28.5mm **051139**

W4 easi 2 drain

For caravans with two 28.5mm waste outlets. Pre-assembled 051138

Available singly or 10 per outer



7 piece 'Y' kit

Versatile kit to allow different combinations of outlets be reduced into 1. For 28.5mm hose 051380



Available singly or 10 per outer



Straight





Elbow 1/2" 051198 10 per outer




10 per outer

Reducer T pieces 051174 1/2" - 3/4" 051146 051182 10 per outer



P clips (5) 34" 051284 1" 051293 10 per outer



Re-usable hose clips in heat resistant nylon. Will not rust or corrode and can be fitted with pipe in place. Depending on size withstands up to 160°C and 120psi

½ " 051205 ¾ " 051216

10 per outer





28.5 - 20mm

Takes 28.5mm down to

20mm plus enables smell

trap to be connected to

20mm hose. 10 per outer

reducer

051371



28.5mm - 11/4" reducer

Enables 28.5mm hose to fit 11/4" sink wastes. 10 per outer 051369



Hose sealing sleeves

Enables a better fit between the hose and the connector. 23.5mm hose sealing sleeves also allow 23.5mm hose to be connected to 20.5mm fittings 10 per outer

23.5mm 051366 28.5mm 051367



Tap connector

Suitable for use 1/2 (12mm)round taps. Adjustable hose

clip, ABS plastic, frost resistant and shatterproof gaiter grip clamp to fit ½" hose. 25 per display box 051305



Hose socket with flap

051394 3/4" 051405 28mm **051408** 5 per outer



Dust caps 34" / ½" **051416** 051427 10 per outer



Drain taps

Fresh water food grade. 28mm 051373

Waste water. 28mm 051374

051064

051067



Grove packaged. 10 per outer (8-16mm)

070249 (12-22mm) 051246 051268 $\cap X$ (16-27mm) W4 packaged. 10 per outer

104832 000/M00 (8-16mm) 00 (12-22mm) 104833 104834 OX (16-27mm) 1X (25-45mm) 104836

Hose clips bulk

Supplied 100 per bag 000/M00

00 (12-22mm)

(8-16mm) 070255 051257

Sink and shower waste outlets



1¼" straight waste outlet

34" outlet 28mm outlet 5 per outer





34"straight waste outlet 051086

Plastic top Stainless steel top 051097 5 per outer



¾" angled waste outlet

1¼" angled waste outlet

051108 Plastic top Stainless steel top 051119 5 per outer



Sink waste plug

11/4" 051075 10 per outer



Sink waste plug (2) 36 " O51227

10 per outer



Smell trap

Designed to fit onto 28mm waste water fittings. Fits rigid or flexible convoluted hose. Detachable cap gives access to remove debris 051385



3/4" outlet

28mm outlet

5 per outer

Drain down system floë

Drain down

The floe system is a simple and cost saving way to drain your water system, protecting it from winter frosts and reducing risk of infection from stagnant water throughout the year. With the simple step by step instructions, you will be guided through the quick and easy process, enabling you to use your leisure vehicle all year round. A matter of minutes draining down your water system will give you peace of mind whatever the season. The Drainage kits all come with 1 x Drain down, relevant adaptors and an instruction DVD showing a drain down demonstration.

Drainage kits

051980 Truma Ultraflow 051982 Truma Crystal 2 Whale 051984 U.K. Motorhomes 051990 European Motorhomes 051988

Drain down only

Homes, static caravans, and holiday 051996 homes



WOW Practical Caravan Tourer of the year awards 2012. Recommended Best accessory

















Water filters







Grove purawater filter

The filter should be replaced every season or after filtering 4500 litres of water. Original is suitable for connection to 3/8" flexible hose or standard 12mm semi rigid connectors. Now available with 15mm ends for connection to 15mm semi rigid or 1/2" flexible hose. Available singly or 10 per outer

12mm filter **055066**

12mm adaptor kit

(2 x 12mm straight push fit connectors) 055068 15mm filter **055067**

Reich aqua filter

To ensure a constant filter performance it should be replaced every season or after 4500 litres (approximately) have been filtered. The aqua filter has threaded ends and is supplied complete with screw on copper nozzles for ease of fitting into flexible hose 054350

3M replacement filter

The filter reduces unpleasant taste and odour and removes sediment, dirt, rust, sand and silt to 5 micron size. It also incorporates a bacteria inhibitor. With a capacity of over 7,500 litres.

Replacement filter 055105

Filter and housing 055100

Onboard pumps and accessories



WOW A complete range of Shurflo spare parts can be found in the Spares section

Pump fittings ½" elbow and

½" elbow and straight connectors **053053**



SHURflo



Shurflo filter

Screw-on filter for attachment to Shurflo pumps **053035**



Shurflo filter

Screw-on filter for attachment to Shurflo pumps With wing nut **053036**



Shurflo in-line filter

For use with all types of water pump **053042**

	Trail King 7	Trail King 7	Trail King 10	Trail King 10	Trail King 10
Voltage	12V	12V	12V	12V	24V
Flow rate (I/min)	7	7	10.6	7	10.6
Pressure	20 p.s.i. 1.1 Bar	30 p.s.i. 2.1 Bar	30 p.s.i. 2.1 Bar	45 p.s.i. 3 Bar	30 p.s.i. 2.1 Bar
Max current	4.5A	4.5A	4A	4A	3 . 5A
Weight	1.9kg	1.9kg	1.9kg	1.9kg	1.9kg
Part No.	053017	053018	053020	053021	053023

• Range of fully automatic triple diaphragm positive displacement freshwater

Heavy duty die cast alloy lower housing with twin ball bearing drive
Motors have internal circuit breaker for electrical overload protection

• Barbed hose adaptor and inlet side strainer supplied with pump

Shurflo pumps

• Run dry without damage

pumps with integral pressure switch

• Low amp draw and extremely quiet in operation

Flojet automatic water system pump



- Self priming
- Dry running
- Soft, noise absorbing mounts
- Snap in port fittings
- Corrosion resistant materials
- Smooth operation without accumulator tank
- Built in pulsation eliminator
- Factory pre tested 12 months warranty

053007



Moto

Permanent magnet, ball bearing, totally enclosed, fully suppressed.

WOW Triple diaphragm series

FLOJET

Dimensions							
Height (mm)	Length (mm)	Width (mm)	Weight (Kg)				
121	229	152	1.59				

	Specific	Cations	
Volts	Amp Draw @ 10psi (0.7bar)	Flow GPM (LPM)	Pressure switch Max psi (bar)
12V dc	2.0	1.4 (5.3)	20 (1.4)
12V dc		1.4 (5.3)	_ ` ′


Pump

Three chamber diaphragm design, self priming up to 9 feet suction lift, pump able to run dry without damage.

AQUA® pumps









Fiamma aqua 8 pump

Includes anti-vibration silent plate. Will pump water vertically over 3m with no priming. The stainless steel filter prevents impurities from entering. An automatic pressure switch starts and stops the pump. The pump is resistant to limestone deposits and oxidation. Can run dry without damage. Angle and straight connectors for 13mm0 pipes standard delivered. 7 Litre **053025** 10 Litre **053026** Pressure switch kit **053028**








Fiamma aqua 8 iSensor pump

This version has a variable speed smart electronic system that precisely controls the water pressure of the motor home and regulates the motor speed, with no need for pressure switches. The vehicle water system has less pressure, and water consumption is reduced. Silent operation **053027**

	Fiamma Aqua 8	Fiamma Aqua 8	Fiamma Aqua 8 iSensor
Voltage	12V	12V	12V
Flow rate (I/min)	7	10	7
Pressure	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar	21.75 p.s.i. 1.5 Bar
Operating current	1.4A	3 . 4A	1.4A
Weight	1.5kg	1.5kg	1.5kg
Noise	55/60 db	65/70 db	55/60 db
Part No.	053025	053026	053027







Fiamma A20 expansion tank

Ideal addition to Aqua 8, previous models and all other types of pressure switch pumps. Eliminates the pulsating operation of pressure switch pumps and supplies a constant flow of water in the required quantity. Extends the life of the pump and boiler as well as cutting water consumption. The internal pressurised diaphragm provides a smooth, surge-free flow. Can be adapted to all pressure switch pumps on the market **053030**

Dometic PowerPump



Dometic PowerPump series pressurised water pumps are specially designed for leisure vehicles. Created by comfort specialist Dometic, the pumps excel with their well thoughtout practical features, their durability and extremely quiet running. Powerful in performance they make economical use of energy. Dometic PowerPumps can run dry without damage and feature vibration-absorbing mounts.

Self priming pumps with an integrated pressure switch, which means they can be placed above the water tank. Their unique four-chamber diaphragm design ensures maintenance-free operation over the whole service lifetime. Thanks to a patented click system the pump strainer and the three different $\frac{1}{2}$ -inch hose connectors included in each set are quick and easy to install. These pumps are available in two performance categories each: 7 or 10 litres per minute.

WOW PowerPumps have a 4 chamber diaphragm with independent operation. This allows the pump to continue to function when one or more of the chambers are faulty

	Power Pump PP127	Power Pump PP1210	
Voltage	12V	12V	
Flow rate (I/min)	7	10	
Pressure	20 p.s.i. 1.4 Bar	30 p.s.i. 2.1 Bar	
Operating current	2 . 2A	3 . 0A	
Weight	2.2kg	2.2kg	
Part No.	053010	053011	

Submersible pumps and accessories



Reich and Bohler pumps are especially durable and powerful. Their durability is enhanced by special high-tech sealing. A patented vent in many pumps speeds delivery once submerged. All pumps are extremely quiet in use and the housing material is resistant to dirt and this makes them easier to clean when necessary. For Truma submersible pumps please see E5.

Reich 15 litre slimline



12v submersible pump. 1 bar. 40mm ø. Available singly or 10 per outer **055010**

Reich pump and hose assembly

A 76cm length of twin tube blue hose attached to 055010 Available singly or 10 per outer 055030



Reich twin 19 litre

12v twin submersible pump. 1.4 bar with automatic vent, strainer and non return valve. If one pump fails the TWIN pump will continue to work with reduced power 055017

Truma Thames pump. It has the same dimensions and specifications.

Reich 14 litre Easy amua



12v submersible pump. 0.5 bar. 43mm ø **055003** Bulk 25 per outer 055003B

Reich 18 litre

WOW 055010 15I slimline pump can be used as a direct replacement for the old Carver



12v submersible pump. 0.9 bar with automatic vent and strainer. 45mm ø. Available singly or 10 per outer **055014**

Reich 15 litre In-line



12v booster pump. 0.5 bar. 48mm ø. Available singly or 10 per outer 055020

Bohler 8 litre



12v submersible pump. 0.6 bar. 46mm ø 055001

Reich 12 litre



12v submersible pump. 0.5 bar with automatic vent. 45mm ø 055009

Reich Poweriet 22 litre



submersible pump. 1.8 bar with automatic vent. 55mmø 055018

Comet exterior water inlet 12v



Complete with plug set for pump cable and sealing cap for water spout. 58mm x 58mm x 55mm 053005

Spare plug set 053006

Pump protector



Attach to the lower awning rail to keep your pump off the ground whilst refilling your water container. 10 per outer **055059**



Beige plastic 12v switch suitable for pump control.

Reich non return valves



With 2 x 12mm push fit connectors 054367

Comet foot switch



61mm Ø **053001**

Reich 12v foot switch



Brown plastic 12v switch suitable for pump control. 57mm x 45mm 054366

Single taps



Comet Novo single tap

Complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Two tone beige 053970 053971 Brown/beige Spare spout beige 053974 Microswitch 053979



Mini deluxe single tap

With a slightly smaller control knob and same spout as standard deluxe. Installation hole 16mm (standard deluxe is 20mm)

Matt nickel 054215 054274 Microswitch



Deluxe single tap

Complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 20mm

Matt nickel 054222 054223 White Beige 054224 Microswitch 054274 Spare spout matt nickel 054067

Fold down mixer taps



Comet Novo mixer tap

Mixer tap complete with microswitches. Cable lengths 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Two tone beige 053972 Brown/beige 053973 Spare spout beige 053974 Microswitch 053979



Style 2005

Single lever mixer complete with micro-switch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 20mm

Chrome 054270 Matt nickel 054271 Microswitch 054274 Spare spout matt nickel 054320 Spare spout chrome 054321



Twist

80

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 43mm. Maximum pressure 6 bar. Installation hole 50mm. Right hand illustrated

Matt nickel left hand 054301 Matt nickel right hand 054296 054302 Chrome left hand 054304 Chrome right hand Microswitch 054303 Spare spout matt nickel 054320 054321 Spare spout chrome



Deluxe mixer tap

Mixer tap complete with microswitch. Cable length 300mm. Overall tap height 40mm. Maximum pressure 3 bar

Matt nickel 054233 White 054234 054235 Beige Microswitch 054274 Spare spout matt nickel 054067



Keramik style

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 33mm

054306 Chrome Matt nickel 054305 Microswitch 054274 Spare spout matt nickel 054320 Spare spout chrome 054321



Twist 90° elbow

Spare spout chrome

Single lever mixer tap complete with microswitch. Cable length 600mm. The spout raises and lowers vertically. Ceramic cartridge. Overall tap height 40mm. Maximum pressure 6 bar. Installation hole 39mm. Left hand Chrome left hand - 90° elbow 054297 Microswitch 054303 054321



Trend A

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 27mm Chrome 054260

Microswitch 054274



Smev / Comet Florenz

Single lever mixer complete with microswitch. Cable length 600mm. Overall tap height 40mm. Maximum pressure 3 bar. Installation hole 33mm 091240



Keramik deluxe

Note: will fit Smev sinks. Single lever mixer. Same features as Twist but has ceramic sealing and regulating discs instead of a ceramic cartridge.

Chrome 054307 Microswitch 054274



Spare spout Chrome 054321 Matt nickel 054320



'0' ring Spare 'o' ring for spout 054247

WOW More Reich tap spare parts can be found in the spares section of the catalogue

Mixer taps caraflo

WOW All Caraflo taps are supplied without tails to enable the customer to select which tails they require - see page 82. They are designed for a pressure-switched system. *Spout length is measured from the front of the tap to the centre of the flow of water along the horizontal.



Single lever basin mixer tap. Installation hole 30mm

Spout length* Colour Part No. 120mm Chrome 054400 160mm 054403 Chrome 054406 180mm Chrome 180mm Nickel 054409 054412 240mm Chrome



Kami

90mm

Single lever basin mixer tap and 120mm solid metal extension for tails. Installation hole 30mm ø Spout length* Colour Part No.

Chrome

054421



Keramik concept S

Single lever mixer tap with a flat spout that avoids dripping of residual water. Spout swivels 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 33mm

Chrome **054313**Microswitch **054287**



Keramik cascada

Single lever mixer tap with a height of 162.5mm. Generates a very soft water jet ideal for hand wash basins. Maximum pressure 6 bar. Comes with microswitch. Cable Length 600mm. Spout length 110mm. Installation hole 33mm

Chrome **054308**Microswitch **054311**



Modesta

Single lever basin mixer tap. Installation hole 30mm

Spout length* Colour Part No. 160mm Chrome **054415**



Charisma

Single lever mixer tap with a 160mm outlet spout that rotates 360°. Complete with microswitch. Cable length 600mm. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 30-35mm

Chrome 054293 Microswitch 054295



Kama

Single lever mixer tap complete with microswitch. Cable length 600mm. Ceramic cartridge.

Installation hole 33mm Chrome **054275**

Installation hole 27mm
Chrome 054279
Microswitch 054287



Trend S

Single lever mixer tap featuring premium plastic parts for lightness and brass lever and spout for the highest quality finish. Spout rotates 360°. Comes with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length 315mm. Installation hole 33mm

Chrome **054266** Microswitch **054311**



Anzia

Single lever basin mixer tap. Installation hole 30mm.

Spout length* Colour Part No. 90mm Chrome **054418**



Pelikan

Single lever mixer tap complete with microswitch. Cable length 600mm. Spout rotates 360° for versatility. Ceramic cartridge. Maximum pressure 6 bar. Installation hole 33mm

Chrome **054290** Microswitch **054311**



Trend E

Single lever mixer tap with a brass lever and a lightweight plastic body. Ceramic cartridge can be replaced without removing the tap. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Spout length 134mm. Installation hole 33mm

Chrome 054268
Spout chrome 054269
Microswitch 054311



Trend B

Single lever mixer tap supplied with a 360° swivelling metal spout. Spout length 200mm. Folds down into bowl to a height of 40mm Comes with microswitch. Cable length 600mm. Maximum pressure 3 bar. Installation hole 27mm

Chrome 054263 Microswitch 054274

Shower taps





Elisa Single lever pull out mixer tap. Installation hole 40mm Chrome 054430



Mila
Single lever shower mixer tap.
Installation hole 30mm
Chrome 054427



Moda Single lever shower mixer tap. Installation hole 30mm Chrome 054424

Comet Novo



Shower mixer tap complete with microswitches. Cable lengths 300mm. Overall tap height 40mm. Maximum pressure 3 bar Shower tap only.

Brown and beige **053975**

Shower tap, 1.5 metre hose, adjustable shower head for jet or spray and a wall bracket. As illustrated. White **053977**



Kama with Julia shower

Single lever mixer shower tap complete with microswitch with 600mm cable. Can be used as a normal tap or shower tap. Maximum pressure 6 bar

Chrome **054285**Microswitch **054287**





Twist - table top

Twist - under table top

Single lever mixer tap that can be used with a variety of shower sets. Any stardard $\frac{1}{2}$ " hose will connect to the outlet. Complete with microswitch. Cable length 600mm. Maximum pressure 6 bar. Installation hole 39mm

Table top version 054299
Under table top version 054298
Microswitch 054303

Tap accessories



Caraflo tails

Model Connection Length Part No. SP200 054440 12mm male nylon 350mm 12mm cone (1/2) SS 12mm female nylon SP210 220mm **054443** SP220 350mm 054446 SP230 15mm female nylon 390mm **054449**

Adaptor plates



Useful plate when replacing other taps with Reich, or to neaten any installation

Single (as illustrated) 113mm x 55mm Chrome 054315 Matt nickel 054316 Double 163mm x 55mm Chrome 054318 Matt nickel 054319

Turbo spray plus



Designed to reduce water used by improving the power of the spray. Ideal for caravans. Improves the flow

of the water jet without costly new pumps. Screws into the rosette of most caravan taps.



cartridge Caraflo 35mm Ø 054452



Ceramic cartridge Reich 35mm Ø 054312 Reich 25mm Ø 054312A

Shower heads and accessories



Carisma

Chrome **054283**

Plastic lever shower head 054325

O ring for Carisma shower head



Duett swivelling shower set

Includes the duett shower spout, a 1.5m

high quality shower hose and a swivelling konus bracket. Maximum pressure 3 bar. Installation hole for bracket 33mm



Sun



Konus 054331



Wall bracket



Kama julia

054323

054510

Plastic shower head

Shower head & hose Chrome single setting plastic shower head with 1.5m hose







Shower head & hose

Chrome three settings plastic shower head with 1.5m hose 054512



Metal shower hose 1.5m

Standard 1/2 054328 1/2" to 3/4" 054329





Sun shower rail set

Riser rail, 1.5m hose, and Sun shower head plastic 054459




Wall bracket, 1.5m hose, and Sun shower head plastic

054462

Sun shower hose

Double lock 1.5m metal shower hose 054475



Ecocamel shower heads

Water and energy saving shower heads. Patented technology increases the water flow from the showerhead. You get the same powerful shower as a full flow shower, but you use up to 45% less water. Using less water means you automatically use less energy to heat it - so you can help save the environment, whilst cutting your bills in the process. Fantastic for caravans and motorhomes!

- Reduce the need to refill water tanks, or to empty waste tanks.
- With typical 10-14L water heater tank capacity in leisure vehicles, the Ecocamel range makes this equal to a 14-20L tank.
- Less power consumption means fewer gas bottles purchased.



Sinks

Corner bowl

11" corner bowls are pre-drilled to take any 3/4" sink wastes, 14" bowls are pre-drilled to take 11/4" sink wastes (not supplied)

White 11" 050816 11" 050818 Ivory

14" 050860 14" **050861**



Vanity bowls

Pre-drilled to take any 3/4" sink wastes Dimensions: 508mm x 286mm lvory **050777** Beige **050773**



Vanity bowl

Sink waste not pre-drilled Dimensions: 520mm x 356mm x 138mm

White **050770**



Vehicle bowl

12" x 10½ " Stainless steel with lip. Bowl 9½" tapering to 7" ø base. Depth 5" 050523



Stainless steel sink and drainer

213/4" x 14" 050534



Thetford Kitchen centre

Brushed stainless steel. W470mm x D360mm x H153mm. Sink bowl 11 litres. Weight 3.2 Kg with lid. Chinchilla glass - toughened, heat resistant cutting surface. Optional extras plastic bowl insert, plastic drainer, chopping board, cutlery rack (as illustrated). Prices on application **091160**



Thetford Rectangular bowl

Stainless steel. W400mm x D445mm x H145mm. Weight 2.9 Kg. Takes 11/4" sink wastes. Pre-drilled tap hole 33mm.

091158



Thetford Triangular bowl

Stainless steel. WxDxH: 400 x 445 x 145mm. Weight 2.9 Kg. Takes 11/4" sink wastes. Pre-drilled tap hole 33mm. Left hand 091155 Right hand 091156 as illustrated

Smev sinks with lid

WOW All smev sinks come with an integrated heat-resistant safety glass lid, AC 540 siphon, rubber seal and a predrilled tap hole (39mm)

8006 WXDXH: 420x440x145mm Built in dimensions W405 x D425mm 091232



8005 WXDXH:

420x370x145mm Built in dimensions W405mm x D355mm 091234





Integrated heat-resistant safety glass, stainless steel drainer, tap fitting inside, AC 540 siphon, rubber seal. W680mm x D440mm x H150mm **091233** Optional tap 091240



Right hand 091152

Stainless steel. W630mm x D470mm. Sink bowl 146mm deep. Weight 5.5kg. Chinchilla glass - toughened, heat resistant cutting surface Left hand 091153 as illustrated







Optional tap 091240

Vanity units

Perfecto wall unit



A contemporary design suitable for use in caravans, motorhomes & pleasure boats amongst others. Space saving design, with split level storage and door hinge option. Incorporates an inset mirror and stylish brush metal handle.

Size HxWxD: 540 x 520 x 150 mm (excludes handle) Silver **050893**



Perfecto tip up sink



Space saving design with removable bowl and tip to empty mechanism. Incorporates moulded shelf for tap installation.

Size HxWxD: 660h x 520 x 135 mm



Shower mats

Perfecto pedestal

Silver **050647**

White **050645**

fantastic in any toilet or shower.

Dimensions: 750 x 300 x 90mm

Ideal for tap mounting, hides pipework and looks



Square shower mat 45cm square. Available singly or 24 per outer 050940



Vanity unit

Manufactured from high impact polystyrene. Features a twin mirror sliding door with travel lock and useful shelf with retainer Size HxWxD: 550 x 515 x 100mm 050899

Shower trays

Tip up basin Size HxWxD:

Open: 345 x 500 x 170 mm Closed: 200 x 500 x 320 mm 050630



Rectangular bath mat

70 x 40cm. Available singly or 12 per outer 050941



Apollo shower tray

Dimensions: 584mm x 584mm x 127mm lvory **050930**



C200 shower trays

Moulded to fit the C200 range of cassette toilets Left hand as shown. Dimensions:1030 x 670mm 050932 Right hand. Dimensions: 1020 x 700mmm 050933

E: sales@groveproducts.co.uk

W4 Concept accessories



Towel ring

Designed with the confined space of caravan and boat washrooms in mind yet still large enough to hold a bath towel. Complete with screw covers and stainless steel screws. Available singly or 10 per outer **095596**



3 way towel grip

Complete with screw covers and stainless steel screws. Available singly or 10 per outer **099041**



Toilet roll holder

Plastic holder with special mechanism to prevent roll unravelling whilst towing. Large self adhesive fixing pad. Available singly or 10 per outer 060351



2 way robe hook

Complete with screw covers and stainless steel screws. Available singly or 10 per outer **099040**



4-way toothbrush holder

Compact 4 way toothbrush holder complete with screw covers and stainless steel screws. Available singly or 10 per outer **050916**





Soap holder

Keeps the soap bar in place when on the move, comes with clip on drip tray. Complete with screw covers and stainless steel screws. Available singly or 10 per outer **050915**



Fiamma Dispenser

Elegant - Practical - Useful 200ml refillable liquid dispenser (100 doses) ideal for soap or shampoo. Dimensions: 15 x 8 x 5.5cm 050913



Washroom beaker and holder

Invert beaker for storage or transit. Complete with screw covers and stainless steel screws. Available singly or 10 per outer 050914



Mini loo brush 2

A compact brush and holder designed for use with caravan/boat toilets. The brush easily clips into the wall mounted holder to keep it secure in transit. Available singly or 10 per outer 060346



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips 060347



Shower curtain

White. Superior quality. Waterproof. Size 71" square. 6 per outer 050945



Gripstrip hang it all

Brush type towel holder. 12 per outer **095603**



Hold steady

Stops tins, jars, bottles, aerosols from rolling around. Can be used vertically or horizontally **095883**



Ring portable shower 12v or drycell

Ideal for camping and leisure activities features an electric pump. Operates with 4 x D cell batteries (not included) or via 12V power source. Adjustable water flow. Includes handy storage bag, suction cup and hanging hook. Available singly or 12 per outer 050920

THETERD Aqua products

WOW Thetford Aqua products suppress unpleasant smells, reduce gas build up, stimulate the breakdown of solids and toilet paper making it easier to empty, keep the waste tank pure and clean, and protect moving parts to extend the lifespan of the toilet.

Aqua Kem blue

Thick non-drip toilet fluid, use 120ml per 20 litre holding tank capacity

• Lasts 4-5 days with average use



1 litre Non-dosage

1 litre Dosage

2 litre



One sachet per 20 litre

060295 12 per outer 060292 12 per outer

060301 6 per outer

- Easy to use: sachets completely dissolve in water
- Suitable for winter camping
- One dose lasts 4 to 5 days with average use

060307 15 per pack, 6 packs per outer

Aqua Kem green

Biological toilet fluid, use 150ml per 20 litre holding tank capacity

- Safe to empty in septic tank (Test ISO 11734)
- 4 days with average use
- It remains liquid up to -20°C and remains active after defrosting



375ml **060304** 24 per outer



Aqua Rinse plus

New improved formula. Use 100ml per 15 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh and clean. Septic tank safe.


- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close



400ml **060275** 24 per outer



Aqua Kem sachets



- Highly concentrated

Aqua Kem green sachets



Biological action. Environmentaly friendly. Safe for use in septic tanks. One sachet per 20 litre holding tank capacity

- Easy to use: sachets completely dissolve in water
- Highly concentrated
- Suitable for winter camping
- One dose lasts 4 days with average use

060306 10 per pack, 6 packs per outer

Aqua Soft tissue

THETFORD



clogging Easier to

empty wasteholding tank Prevents malfunctions

or damage to the wasteholding tank Super-soft

wow

Please speak to your sales contact

on current special

offers on Thetford Aqua

products. Eg. Duo packs

060298

060312 4 per pack, 12 packs per outer

THETERD

Maintainence products





Seal Lubricant

- Protects, lubricates, ensures pliability
- For periodical care and maintenance
- Developed for safe lubricating of Thetford toilet parts
- Absolutely safe for plastics, no colouring on plastic parts
- Ensures smooth operation of valve blades and other items 200ml **060355** 12 per outer



Removes hard water and soil

- deposits while safe for plastic and toilet seals
- Descaling qualities ensure a smooth surface of the toilet bowl, preventing build up of soil Provides optimal hygiene and
- creates shine and brilliance Thick concentrated formula coats the bowl for better cleaning and targets hard to reach areas
- Thoroughly cleans leaving a lovely fresh scent behind 750ml **050037** 9 per outer

Bathroom cleaner

- Powerful cleaning agent for dailu maintenance
- Safe for all plastic surfaces, including the outside of the toilet
- Guarantees perfect hugiene
- Active foam removes calcium deposits
- Gives a lovely shine 500ml **098320** 9 per outer

Cassette Tank cleaner

- Thoroughly cleans the inside of the waste-holding tank
- Easily removes stubborn calcium deposits
- No scrubbing required
- Prolongs life span of wasteholding tank
- Pleasant fresh scent 1 litre **060325** 12 per outer



Tank Freshener

50ml per 25 litre tank capacity

- Reduces deposits and grease contamination in your waste water tank and tubing.
- Prevents unpleasant smells
- Improves hygiene
- Promotes trouble-free discharge of your tank
- Safe for all plastics 1.5 litres **050038** 6 per outer

Elsan chemical toilet products



Elsan Organic toilet fluid

Elsan Organic has been developed with biological technology which works in a completely different way to conventional toilet fluids. By dissolving waste and removing odours naturally, with no chemical smell it has a delightful mild fragrance. It can be used in both flush and waste tanks. And because it is biodegradable and free from harsh chemicals, it can be safely emptied into a septic tank.

400ml **060356** 24 per outer 2L 060359 4 per outer - each with a FREE 750ml Toilet bowl cleaner



Elsan Septic Tank Care

12 Months treatment in 12 water soluble sachets

Add one sachet each month into a toilet and flush to the septic tank, this will help to keep your system working at its best whilst preventing unwanted build-up

060385 12 per outer



Elsan Septic Tank Care Professional

Ideal for rural caravan parks and owners of large septic tanks, Elsan's new Biological micro-organisms effectively degrade fat and solid deposits helping to ensure a smooth running system. Supplied in a 1 kilo pot of granules complete with measuring scoop, Septic Tank Care Professional is adaptable for both regular maintenance, emergency renovation and restarts

1Kg granuals 060386 10 per outer



Elsan Blue

Elsan Blue's powerful anti-bacterial formula kills germs and eliminates odours. British Standard 2893:2005

2 litre 060362 8 per outer 4 litre 060373 4 per outer



Elsan Blue bags

Quickly dissolves in water, kills the bacteria and eliminates odours whilst imparting a pleasant fragrance. And because each sachet contains an exact dose, no measuring is required. Clean, safe and easy to use, Blue Bags provide the ultimate in performance and reliability. 060332 18 per pack,

12 packs per outer





Elsan Pink

Elsan Pink keeps the toilet fresh and removes bad odours when the toilet is flushed. It is anti-bacterial so it prevents algae build-up in your flush tank. It also lubricates and cleans the bowl.

2 litre 060365 8 per outer



Elsan Toilet Bowl cleaner

Leaves toilet bowls fresh and clean. Concentrated power to remove scale deposits. Especially made for caravan and motorhome toilets.

750ml **060381** 12 per outer



Elsan Boatkem

Specially formulated for canal and marine boat toilets. Fast acting, long lasting, formaldehyde free formula that also has no chemical smell. Safe for the aquatic environment.

2 litre 060387 8 per outer



Elsan Tank clean

Leaves the fresh water tank free from micro-organisms and black spot. It also removes calcium and other deposits that can eventually clog the system. Tank Clean contains no chlorine

1 litre **050035** 12 per outer



Double concentrated to give you the same Elsan performance and reliability on which you've always relied. Now however you only need to use half the quantity giving you a big saving on each dose. British Standard 2893:2005



Double Blue

1 litre **060378** 12 per outer



Double Rinse

400ml **060376** 24 per outer 400ml **060377** 24 per outer 1 litre 060379 12 per outer



Double BOGOF

2L blue double concentrate and 2L rinse double concentrate fluid **060375** 4 per outer

Assorted chemical toilet products



ActiV by (



WOW Manufactured by Thetford, the economical Activ range has the same advantages as the Thetford Aqua products, use a similar dose, but are effective for a slightly shorter period.



Activ rinse

Use 70ml per 10 litre of flush tank capacity. Provides a more effective flush, and keeps the flush water fresh.

- Leaves a protective film in the bowl that prevents deposit from forming
- The lubrication action makes the blade of the waste-holding tank easier to open and close

2 litre **060245** 6 per outer



Activ blue

Thick non-drip toilet fluid, use 60ml per 10 litre holding tank capacity

• One dose lasts 3-4 days with average use

2 litre **060246** 6 per outer



Activ green

Biological toilet fluid, use 60ml per 10 litre holding tank capacity

- Safe to empty in septic tank
- One dose lasts 3 days with average
- It remains liquid up to -20°C and remains active after defrosting

2 litre **060247** 6 per outer

B-Fresh toilet chemical

WOW Three year shelf life for great value.



100%

B-Fresh pink

Multi purpose flush water tank additive for chemical toilets. Keeps your flush water fresh, takes care of a smooth flush, prevents scale and lubricates the seals. Also improves your toilet hygiene with a floral scent.

2L 060251 4 per outer





B-Fresh blue

Waste tank additive for chemical toilets. Stops unpleascent smells with citrus scent, reduces gas build up and quickly breaks down toilet waste.

2L 060253 4 per outer



Toilet Bowl Liners

1. THEY'RE HYGIENIC
2. THEY'RE BIODEGRADABLE
3. THEY REDUCE WATER USAGE

4. THEY REDUCE ODOUR WITH A FAST FLUSH

5. THEY WORK



Happy bowl liners

Biodegradable toilet bowl liners. Use them to line your caravan, motor home, or portable toilet. Simply flush the toilet after use, and the bowl liner and contents are flushed away, leaving your bowl clean and fresh. **060311** 50 per pack, 10 packs per outer

Assorted chemical toilet products

ADVANCED CARAVAN CARE



Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it easier to use and more economical. 2.5 litres **060266** 8 per outer



Citrus fresh toilet cleaner

"Fresh coat" helps prevent marks and stains. Helps maintain seals, improves flush action and sanitises.

1 litre **060265** 15 per outer



Waste pipe & tank cleaner Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours. 1 litre **097063** 15 per outer







Fiamma Super Kem blue

The most powerful detergent fixed and portable chemical toilets. Disintegrating, deodourising, sanitizing, pleasantly scented fluid. Contains anti-freeze to work at temperatures down to -20°C 2 litres **060389** 6 per outer

Fiamma Super Kem blue sachets (15)

Powder version in sachets. Place sachet in the lower tank and it will dissolve quickly 15 sachets per tub **060392** 6 per outer

Fiamma Super Rinse

Scented anti-mildew bactericide for chemical toilet fresh water tanks. Effective against algae, cleans and protects.

1 litre **060393** 10 per outer

Fiamma soft toilet tissue

It won't clog up tanks or waste valves. Special 2-ply soft toilet tissue, formulated for chemical toilets. Stronger and softer tissue dissolves quickly in water. 300 sheets per roll.

060388 6 per pack, 10 packs per outer



Mini loo brush 2

A compact brush and holder designed for use with caravan/boat toilets. The brush easily clips into the wall mounted holder to keep it secure in transit. Available singly or 10 per outer **060346**



Fiamma toilet brush

Toilet brush with container for all types of toilet. Complete with self-adhesive strips 060347



Toilet roll holder

Plastic holder with special mechanism to prevent roll unravelling whilst towing. Large self adhesive fixing pad. Available singly or 10 per outer **060351**

FIAMMA Bi-Pot

Bi-Pots are simple, self-contained fresh water flush portable toilets. A very simple system that is both strong and easy to clean. Compact, it can be completely dismantled, including the valve for thorough and total cleaning. Sturdy and solid handle for easy transportation. Large waste cap: no drainpipe, emptying is easy and hygienic, no clogging. Each tank is electronically tested for a perfect seal. Handy side clips to connect the upper and lower tanks.

- Sturdy piston pump guarantees 3 powerful rinsing jets
- Comfortable and wide seat for adults
- Scratch-resistant tank built in only one piece without seams to support more weight
- Sliding watertight valve with anti-odour seal
- Large and handy charge and discharge openings with semi-transparent lid for better level control
- No leakage and watertight



Small Bi-Pot 30

HXWXD 300X345X435mm Flush tank 10 litres Waste tank 11 litres





Medium Bi-Pot 34

HxWxD 340x360x435mm Flush tank 15 litres Waste tank 13 litres **056949**



Large Bi-Pot 39

HxWxD392x360x435mm Flush tank 15 litres Waste tank 20 litres **056950**



Fits neatly into all Bi-Pot types, also adapts to Thetford Porta Potti, and Cassette 1, 2, 3 and 4 toilets **056953**

Bidet 200

Fits neatly into Thetford Cassette C200, C250, C260 $\,$ and Dometic CT3000 toilets $\bf 060100A$



Elsan bristol toilet

Near in height to a household toilet, the Bristol is made from high grade easy-to-clean plastic. It features a removable inner container with close-fitting anti-spill lid, a strong, full size seat and lid together with quick release floor fixings, and strong nylon coated carrying handle. HxWxD 432x362x437mm Capacity 21 litres **060205**



Dometic 966 portable toilet

Full size seat and lid provide comfort and support. Sturdy construction with an easy to clean matt finish. Double sealed valve prevents leaks and odours. Large discharge opening.

Flush tank 9.8 litres Waste tank 19 litres HxWxD 394x419x368mm Available singly or 10 per outer **056965**

Portable toilets

Porta Potti range - 3 year warranty. Integrated cover lock for easy transportation, with recess for opening. The smooth lines and subtle curves are not just important to the appearance of the toilets, but also provide optimum comfort and ease of use. An improved blade opener. A new more comfortable handle on the waste holding tank.



gube	145

Qube 165

Qube 335

Qube 345

Qube 365

Part no.	Porta Potti Model	Body Colour	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank	Flush Tank	Pack size
056966	Qube 145	White	330 x 383 x 427	Bellows	No	12L	15L	
056968	Qube 165	White	414 x 383 x 427	Bellows	No	21L	15L	All Porta Potti
056970	Qube 335	White	315 x 342 x 382	Piston	Waste	1OL	10L	toilets are available
056971	Qube 345	White	330 x 383 x 427	Piston	Waste	12L	15L	singly or 5 per outer
056973	Qube 365	White	414 x 383 x 427	Piston	Waste	21L	15L	





Part no.	Porta Potti Model	Body Colour	Dimensions H x W x D	Pump Type	Level Indicator	Waste tank	Flush Tank
056980	Excellence	White	458 x 388 x 450	Piston	Waste/flush	21L	15L
056981	Excellence	White	458 x 388 x 450	Electric	Waste/flush	21L	15L

Porta Potti Excellence floor plate

Floor plate to enable you to mount the Porta Potti Excellence to the floor. Helps to prevent accidental movement of the toilet. The toilet simply detaches from the floor plate for emptying. Ideal for boats or home use

056983

Fresh-up sets





Each fresh-up set contains a cassette holding tank, toilet seat and lid in white, cassette tank cleaner 1 litre, 2 x sample additives, flip chart manual for converting holding tank to left or right hand. Available singly or 5 per outer

C200 swivel type C250/260 swivel type C2/3/4 bench type 060089 C400 range bench type

Holding tanks only



Cassette toilets THETERD



Bench model toilet for caravans and motor homes.

- Flectric touch button flush
- Waste holding tank on wheels with retractable hande
- LED display indicates when waste tank is full
- Flush tank capacity: 15L
- Waste tank capacity: 19.3L
- Dimensions (HxWxD mm): 512(847 with lid open) x670x400

As you look at the front of the toilet, if the waste tank is removed from the right it is a left hand toilet and vice

Right hand 060093 Left hand 060094



WOW For professional vehicle convertors and manufacturers please ask about the range of OEM toilets stocked by Grove. These are packaged for manufacturers and sold as individual parts to tailor the product to your individual needs.





C200 shower trays

Moulded to fit the C200 range of cassette toilets Left hand as shown.

Dimensions: 1030 x 670mm **050932** Right hand.

Dimensions: 1020 x 700mm 050933





C200 CS

This version is designed to fit in vehicles with an on-board tank

- Electric flush
- Waste level indicator.
- No flush tank
- Waste tank capacity 17L
- Dimensions (HxWxD mm): 538 (822 with lid open) x 353 x 570 060095



WOW The C260 Cassette Toilet is the ultimate sanitary solution for your caravan or camper. With its contemporary design, the C260 has several exciting new and improved features.

C260 CS

This version is designed to fit in vehicles with an on-board tank.

- Flectric flush
- Waste-holding tank level indicator
- Waste-holding tank with integrated wheels and with easy pull-out handle
- No flush tank
- Waste tank capacity 17.5L
- Optimal use of space: 2 x 90 degrees rotating toilet bowl
- Dimensions (HxWxD mm): 750 (847 with lid open) x 417 x 603 Plastic bowl 060061

C200 CW

Features a swivel bowl to free additional space when not in use. It is the most compact cassette type toilet on the market.

- Manual flush
- Waste level indicator.
- Flush tank capacity 7L
- Waste tank capacity 17L
- Dimensions (HxWxD mm): 728 (822 with lid open) x 353 x 570 060100



C260 CWE

This toilet is also available with a full ceramic bowl for a true domestic sanitary experience.

- User-friendly control panel
- Electric flush
- Waste-holding tank level indicator
- Waste-holding tank with integrated wheels and with easy pull-out handle
- Flush tank capacity 8L
- Waste tank capacity 17.5L
- Optimal use of space: 2 x 90 degrees rotating toilet bowl
- Dimensions (HxWxD mm): 750 (847 with lid open) x 417 x 603

Plastic bowl 060060

Ceramic bowl 060064

Service doors **THET**

A comprehensive range of high grade UV resistant quality plastic doors suitable for cassette toilets or as service doors for gas bottles and water tanks. They can all be mounted vertically or horizontally

- Incorporate double seal to help waterproof locks and assist insulation
- Integrated hinges
- Suit wall thickness 24mm to 40mm



Door 3 Standard cassette toilet door. Aperture: 330 x 280mm. Overall dimensions: 385 x 335mm Cream 060102 White 060105



Door 4 Gas and water tank door. Aperture: 630 x 330mm. Overall dimensions: 700 x 395mm Cream 060098



Door 5 Water tank and general luggage door. Aperture: 730 x 280mm. Overall dimensions: 785 x 340mm 060099 Cream



Door 6 General luggage door for large objects. Aperture: 980 x 400mm. Overall dimensions: 1038 x 465mm Cream 060097



Door 7 General luggage door for large objects. Aperture: 1051 x 282mm. Overall dimensions: 1108 x 346mm Cream 060106



Lock mkll door 2 060159



Lock door 3, 4, 5 060164



Lock cover 060162

Door 3/4/5 hinge pins

Popular replacement parts



Dump Cap Yellow **060113**



Measuring Cap Yellow **057200** White **057201**



Autovent 060110




Porta potti dump cap White 060167



Cassette lip seal





WOW A complete range of Thetford spare parts are

Porta potti lip seal 060134



Cassette vent seal 060127



Cassette seat & lid 060130



Blade opener 060084



Slide cover 060141



Glass fuse 3amp 060132



Cassette switch 060119



LED indicator light C200 060082



Cassette mechanism C2, C3 060114



Manual pump C200 060085



Bezel/ switch assembly C200CWE 060086



Cassette Pump Except c250 060118



C250 Pump 057169



Porta potti bellows White 060123



C200 drain plug 060174



Waterfill funnel Cap 060158

Fixed regulators

truma



Truma fixed regulators

M20 x 1.5Kg/h, 30mbar with pressure protection, integrated 90° elbow and test point

8mm outlet **070520** 10mm outlet **070525**

WOW Cavagna fixed regulators are on 98



Elbow for Truma regulator 070526




Truma gas filter

Helps to prevent blocked regulators by filtering any oily residue in the gas.

Filter and housing **070555** Replacement filter **070556**

Fixed regulator equipment



BS3212:1991/2/6.3 Cavagna 500mm Cavagna 750mm Truma 450mm Truma S/steel 450mm BS3212:1991/2/6.3 Cavagna 500mm 070514 Cavagna 750mm 070517 Truma 450mm 070533 Truma S/steel 450mm 070539



Pigtail washer W20 070535



Truma pigtail washer green

10 per outer **070532**



21mm butane clip-on adaptor

Truma **070542** EN1949 **070545**



27mm butane clip-on adaptor With 90° elbow

Truma 070531



Campingaz adaptor

Truma **070541** EN1949 **070548**

DuoControl CS

The DuoControl can be retrofitted, and has a built in crash sensor (CS) and integrated test point. **Not** for use in commercial vehicles.

- Automatic changeover from empty to full gas cylinder.
- Visual display indicating the status of the operating cylinder (empty/full)
- Manual selection of operating cylinder using control knob
- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- For vertical installation
- Crash sensor activation value: 3.5g +/- 0.5g
- Models available on request for horizontal installation

30 mbar 10/8mm **070377** 50 mbar 8mm **070378**

MonoControl CS

This safety gas pressure regulation system is ideally suited to ensuring safe heating whilst on the move. The MonoControl can be retrofitted, and has a built in crash sensor (CS) and integrated test point. Also for use in commercial vehicles in accordance with BGV D 34



- Inlet M20
- Regulator capacity 1.5kg/h
- Crash sensor is easy to reset
- For vertical installation
- Crash sensor activation value:
 3.5g +/- 0.5g
- Models also available on request for horizontal installation

WOW Can be upgraded to a 2 cylinder system by using the Truma DuoComfort changeover valve

30 mbar 10/8mm **070373** 50 mbar 8mm **070374**

For special gas tank mounting applications (not illustrated)

30 mbar 10/8mm **070371**

DuoComfort

The addition of a DuoComfort turns any Truma single cylinder system into an automatic changeover system. Use with other brand regulators is not permitted. Also for use in commercial vehicles in accordance with BG-V D 34



- Compliant with all directives governing heating whilst towing (when used with a MonoControl CS)
- Visual display indicating the status of the operating cylinder (empty/full)
- Manual selection of operating cylinder using control knob



Caravan / Motorhome regulators

30mbar double stage regulator with 1.5kg/h flow capacity. "UDS" is the standard built in safety device. With integrated test point. W20 inlet

 Straight 8mm outlet
 070399

 Straight 10mm outlet
 070400

 90° 8mm outlet
 070395

 90° 10mm outlet
 070396



Caravan / Motorhome auto changeover regulator

The Reca automatic changeover gas regulator (30mbar) with 1.5kg/h flow capacity. It combines an automatic changeover with a double stage regulator and an integrated "PRV" safety device. Therefore it is the most compact gas regulation system in Europe. W20 inlet

8mm outlet **070415** 10mm outlet **070416**

Standard regulators



Butane regulator

Outlet pressure 28mbar 1.3Kg/h. EN 12864 approved. Available singly or 10 per outer 070323



Clip-on regulator

21mm - Outlet pressure 29mbar 1Kg/h. EN 12864 approved. Available singly or 10 per outer **070350**



Propane regulator

Outlet pressure 37mbar 1.5Kg/h. EN 12864 approved. Available singly or 10 per outer **070336**



Propane handwheel regulator

Outlet pressure 37mbar. 1.5Kg/h. EN 12864 approved. Available singly or 10 per outer **070337**



Gaz regulator

For use with Campingaz cylinders. Integral control valve. Outlet pressure 29mbar 0.8Kg/h. EN 12864 approved. Available singly or 10 per outer **070342**



Campingaz regulator

To operate campingaz® refillable cylinders. Simply screws onto 901, 904, & 907 cylinders **109919**



Patio gas regulator

27mm clip on regulator for Calor patio gas. Outlet pressure 37mbar. EN 12864 approved. Available singly or 10 per outer **070345**



BP Gas light regulator

Outlet pressure 37mbar. 1.5Kg/h. **070543**



Butane regulator & hose pre-pack

4.5Kg butane regulator comes pre-packed with 1m of HP hose and 2 hose clips. Available singly or 10 per outer **070324**



Propane regulator & hose pre-pack

Propane regulator comes pre-packed with 1m of HP hose and 2 hose clips. Available singly or 10 per outer **070335**



Regulator washers(5)

10 per outer **070227**



Regulator spanners

Light weight loose Heavy duty Truma

Gas manifolds



Straight quick acting valve 8mm **823110**



3 way manifold valve 8mm **824131** 10mm 824132



2 way manifold valve 8mm **824111**



4 way manifold valve 8mm 824151 10mm 824152

WOW A full list of Truma gas fittings are shown in the spares section!

Gas fittings ALL GAS FITTINGS AND ACCESSORIES SHOULD BE FITTED/CHECKED BY A QUALIFIED TECHNICIAN

5 packs per outer unless otherwise stated



Copper tube

Supplied in 30m rolls 1/4"O.D. 070290 %"O.D. 070295 %"O.D. 070300



Gas hose BS3212

Composite low pressure black gas hose %" bore x %" 50m **070234**

High pressure orange gas hose %" bore 50m 070236 HOSES NOT SUPPLIED ON A REEL



Carded 10 per outer

Bulk 100 per bag



000 (2) W4 000 (2) carded 000 Bulk 00 (2) carded 00 Bulk



Copper olives (5)

1/4" 070267 070269

070273



Straight couplings

070004 1/4" 5₁₆' 070006 38" 070008 8mm 070010 10mm 070012 15mm 070014

Reducers

5/6" - 1/4" 070045 %" - %" 070055 10-8mm **070057** 15mm-%" 070059

bulkhead coupling

070180

070181 070175

Elbow reducers

8-10mm **070144**

Elbows

10mm **070177**

10-8mm **070179**

5/6"

8mm



Tee pieces

1 x 2 x 3 1/4" X 1/4" X 1/4" 070068 %" x %" x %" %" x %" x %" 070074 070079 %" X %" X ¼" 070081 070080 8 x 8 x 8mm 8 x 10 x 8mm 070083 10 x 10 x 8mm 070085 15 x 15 x 10mm **070087**

15 x 15 x 8mm **070089**

Line taps

1/4"

%"

Available singly

070196

070194 070198

Floor mounted

070185

control tap

Available singly



Copper nozzles

070099 5%° 070102 %" 070105 15mm 070146



Male nozzle 070120



Female nozzle



Three way nozzle 10 per outer 070174



Stop end 1/4" 070170



Blank nuts 1/4" 070183



Gas level indicators



Truma LevelCheck

Gas cylinder level indicator for all (LPG) steel or aluminium gas cylinders with a diameter of 200 to 350mm. The device measures whether there is liquefied gas in the cylinder at the measuring point (by horizontal connection) and indicates this.

- Reliable ultrasonic measurement
- Easy to use with 9v battery supplied
- Integrated LED torch with On/Off switch
- Status LED (green/red/orange) green
 Gas, red = no gas, orange = indicates measuring process (also with audible tone)
- Under voltage display
- *Not suitable for tank gas cylinders or fillable gas tanks

070560



Dometic GasChecker GC100

Indicator for identifying the fill level of all standard propane and butane gas bottles

- Reliable ultrasonic measurement
- Easy to use
- Suitable for all steel bottles 200-350mm 0 070562



Gas Genie

Gas level indicator with audible warning alarm and flashing LED's

- No installation required
- Powered by 2 x AA batteries (included)
- Usuage instructions included
- Clips magnetically to steel gas cylinder body
- Weighs only 127g

070565

Gas servicing equipment



Truma leak test device

For workshop use. Complete kit Volumiser canister Leak test hose



Universal thermocouple

Thermostatic sensor device which will fit almost all gas appliances. 900mm length **070215**

Gas box equipment



Truma BBQ gas point

Enables external gas appliances to be connected. The only additional equipment you need is a gas pipe with an 8mm diameter White **070536** Ivory **070537**



Reich gas supply box with lock and valve

Supply connection for gas, with safety valve and lock. 10mm inlet. Installation dimensions: 157x67mm **070465**



Gas outlet box and lid

Fits on outside wall of caravan for easy connection of BBQ. Cut out -60mm Ø 60mm depth. Finished - 90mm x 85mm

070463

Lid only **070461** Nozzle only **070462**



W4 compression lock for gas locker

WD barrelled compression lock with lever attachments. As used by manufacturers including Explorer, Bailey and Coachman. Supplied with 2 keys **070318**



Gas bottle holder

Keeps gas bottle fixed while in transit. Available singly or 10 per outer **070320**



W4 gas bottle retaining kit

Gas bottle retaining kit secures up to 7kg gas bottle when travelling. **070321**



W4 gas locker key

Replacement steel key for gas lockers (070319). Available singly or 10 per outer **070322**



W4 gas bottle locker lock

Lock supplied together with necessary fittings to enable easy installation into a variety of locker types. Supplied without keys **070319**

Fuel



C206 Pierceable. Contains 190g of butane/propane mix. 36 per outer 109964

Propane non-

Thanks

refillable cylinder

to

properties of Propane,

every last gram of gas

in the cylinder is used to

operate the appliance. It is

also a cleaner combusting

fuel, producing less carbon

dioxide and as a result,

less pollution. Coleman®

Contains 465 g of propane.

Size: 0 195 x 100 mm.

Weight: 935 g. 12 per outer

Travel safety

physical



CV 300 Plus

High security selfsealing valve. Can be disconnected easilu and reconnected even when not empty. Contains 240g of butane/propane mix. 24 per outer 109966



CV 470 Plus

High security selfsealing valve. Can be disconnected easilu and reconnected even when not emptu. Contains 450g of butane/propane mix. 12 per outer 109967



Coleman 250

Contains 220g of 70/30 butane/propane mix in threaded self-sealing cartridges with safety valve. Size: Ø 105 x 90 mm. 24 per outer 109970



Coleman 500

Contains 445g of 70/30 butane/propane mix in threaded self-sealing cartridges with safety valve. Size: 0 105 x 160 mm. 12 per outer 109971



CP250

Contains 250g Of Isobutane. For use with Bistro® type stoves. 12 per outer 109965



Cadac gas canister

190g Pierceable **070450** 36 per outer 500g Resealable **070456** 12 per outer



Refil for gas

lighters 250ml. 12 per outer 070480



Coleman camp fuel

Coleman fuel is a liquid petroleum fuel (100% hydrotreated distillate). It has an octane rating of 50 to 55 and a flammability similar to petrol. 1 litre 12 per outer. 109974



Stove cartridge

Cellophane wrapped economical 4 pack of gas for camping stoves and heaters. Resealable, can be removed when part full for convenient and safe storage. 250g cartridge. 6 per outer 109945



CG 1750

Taymar cartridge, for use with blowlamps and blowtorches. 175g. 12 per outer **109969**



Alcosense French single use breathalyser kit

It is a legal requirement when driving in France to carry a breathalyser kit in your vehicle. It has to have NF approval, therefore a UK breathalyser kit is not suitable for use in France. Alcosense meets NF approval, but also meets the level of 0.05%BAC which is adopted by most European countries.

Available singly or 100 (singles) or 36 (twin) per outer



AA high viz vest

Reflective vest conforms to EN471 high visibility clothing. Wipe clean only 070602



Emergency hooded poncho (3)

Light weight réusable emergency rain ponchos. 2 Adult and 1 child. 24 per outer **070603**

Alcosense UK single use breathalyser kit

Drink 4 pints up to 11pm and you could still be over the limit at 11am the next morning. 1 in 2 have unintentionally drink driven the morning after. Protect your life and license. Results in under 2 minutes. Single use breathalyser kit meets the UK level of 0.08%BAC

Available singly or 12 per outer Single pack 070594



AA euro travel kit

Euro travel kit includes: AA Glovebox Atlas Europe, AA Driving in Europe Guide - Essential Travel Information, hazard warning triangle, headlamp beam converters, magnetic GB plate, reflective emergency jacket, first aid kit 070621

Gas safety





Dual sensor gas alarm

Specially designed for Home, Boat, Caravan & Motor home installation. HxWxD: 11.5cm x 7.5cm x 4cm

Detects:

- Carbon Monoxide (CO)
- Diethyl-ether ("knock-out" Gas)
- Butane and Propane LPG
- Coal gas
- Ultra compact design
- 12v DC or 230v AC
- Low current consumption (50mA @ 12v DC)
- Built in loud siren (90db @ 1M)
- Status LED's for power, triggering and sensor malfunction
- Test button with auto reset Available singly or 6 per outer 070660



FireAngel smoke alarm

Built-in nuisance alarm silencer, comes complete with battery. 5 year guarantee. NCC approved. Available singly or 10 per outer **070650**



Kidde carbon monoxide alarm

Comes complete with 3 x AA batteries, 5 year guarantee. Available singly or 12 per outer 070668



singly or 5 per outer 070665

Sleepsafe CO detector

• Colour change Carbon Monoxide detector

FireAngel carbon monoxide alarm

Comes complete with 2 x AA batteries. 7

year guarantee. NCC approved. Available

- Ideal for use in homes, offices, hotels, bedsits, caravans, boats and aircraft
- Reacts to low level Carbon Monoxide (<50ppm)
- Easy to use 070656



It is important to choose the right fire extinguisher as specific extinguishers are designed for different types of fire. The UK recognizes six fire classes:

Class A fires involve organic solids such as paper and wood.

Class B fires involve flammable or combustible liquids, including petrol, grease, and oil.

Class C fires involve flammable gases.

Class D fires involve combustible metals.

Class E fires involving electrical appliances (no longer used as when the power supply is turned off an electrical fire can fall into any category). Class F fires involve cooking fat and oil (use blankets)



Firemax foam extinguisher 1L with gauge

Domestic, comercial vehicle use

- Rating A & B
- Do not use on live electrical fires
- Rechargeable
- 5 year warranty Available singly or 10 per outer 070631



Anaf powder ABC extinguisher plus gauge

Ideal for caravan, car, boat, home, motorhome

- Rating A, B, C & electrical
- Fire Rating 34AB 5A 34 BC CEN EN3 approved
- Marine approval 1kg 6 per outer 070635



Fire blanket with holder

Manufactured to BS6575. Supplied in rigid plastic container which can be hung on the wall. 1 m² blanket. Available singly or 10 per outer 070627



Fire blanket

Manufactured to BS6575. Supplied in wallet which can be hung on the wall. 1 m² blanket. Available singly or 10 per outer



Fire bucket and lid

28cm tall. 22cm ø base. 26cm ø lid. Available singly or 20 per outer 070672

First aid kits

Grove camping first aid pouch



Contents:

- 1 x Guidance on first aid leaflet
- 5 x Skin closure strips 75 x 3mm 2 x 20ml Eye/wound wash solution
- 1 x Roll-on insect repellent
- 1 x Medium powder free vinyl gloves
- 1 x Microporous tape 1.25cmx10m
- 5 x Sterile gauze swabs 8ply 5cm²
- 3 x Burnshield hydrogel 3.5ml sachet
- 1 x Foil survival blanket 56 x 84"
- 1 x Sterile eye pad dressing
- 1 x Triangular bandage 90x90x127cm with 2 pins
- 1 x Sterile medium dressing 120x120mm
- 1 x Sterile No. 16 Eye pad dressing
- 1 x Resuscitation face shield foil pack
- 4 x Alcohol-free moist wipes
- 1 x Small scissors green handle 4"
- 20 x Assorted transparent plasters

070607

Grove caravan & motor home first aid kits



Contents:

- 1 x Guidance on first aid leaflet
- 10 x Assorted transparent plasters
- 10 x Children's plasters
- 1 x 20ml Eye/wound wash solution
- 1 x Triangular bandage 90x90x127cm
- 2 x Safety pins
- 2 x Sterile medium dressing 120x120mm 1 x Sterile large dressing 180x180mm

10 x Alcohol-free moist wipes

- 1 x Medium powder free
- vinyl gloves
- 1 x Scissors 1 x Plastic tweezers

Box **070605** Pouch 070606



Grove first aid pouch



Contents include: Alcohol-free wipes, plasters, dressings, bandages, gloves, tape, scissors, emergency blanket, safety pins 070612



Thetford Argent sink

- Stainless steel
- W630 x D470mm Sink bowl 157mm deep
- Weight 5.5 Kg
- Chinchilla glass toughened, heat resistant cutting surface

Left hand 091153 as illustrated Right hand 091152



- Brushed stainless steel
- W470 x D360 x H153mm
- Sink bowl 11 litres
- Weight 3.2 Kg with lid
- Chinchilla glass toughened, heat resistant cutting surface
- Optional extras plastic bowl insert, plastic drainer, chopping board, cutlery rack (as illustrated) Prices on application 091160



Smev 8306 sink & drainer

Integrated heat-resistant safety glass, stainless steel drainer, pre-drilled tap hole 39mm, AC 540 siphon, rubber seal. W680 x D440 x H150mm **091233** Optional tap 091240



Smev 8005 sink & lid

Integrated heat-resistant safety glass, predrilled tap hole 39mm, AC 540 siphon, rubber seal. W420 x D370 x H145mm **091234** Optional tap 091240



Smev 8006 sink & lid

Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, pre-drilled tap hole 39mm

W420 x D440 x H145mm. Built in dimensions W405 x D425mm. Weight 3.4 Kg **091232** Optional tap 091240



Smev VA7306 round sink & lid

Tap for

091240

Integrated heat-resistant safety glass lid, tap fitting inside, AC 540 siphon, rubber seal, pre-drilled tap hole 39mm W420 x D148mm. Built in dimensions 400mm. Weight 3.4Kg 091231 Optional tap 091240



Thetford triangular bowl

- Stainless steel
- W400 x D445 x H145mm
- Weight 2.9 Kg
- Pre-drilled tap hole 33mm
- Waste takes 1¼" outlet Left hand 091155

Right hand (as shown) 091156



Thetford rectangular bowl

- Stainless steel
- W400 x D445 x H145mm
- Weight 2.9 Kg
- Pre-drilled tap hole 33mm
- Waste takes 11/4" outlet

Combination units



Smev 9222 combi sink & lid

Supplied with hole for optional tap (39mm)

- Voltage 12v DC (electric ignition)
- Power rating Output 1x1kw, 1x1.8kw
- Gas consumption 204g/h
- Gas supply pressure 30 mbar
- 2 burners
- W900 x D370 x H152mm
- Built in dimensions W793 x D307mm
- Weight 5.8 Kg
- Test Mark CE

Left hand Right hand (as shown) Optional tap 091240

091224 091223





Supplied with hole for tap (39mm)

• Voltage 12v DC (electric ignition)

- Power rating 2.8kw (2 burner) 3.8kw (3 burner)
- Gas consumption 204 g/h (2 burner) 227 g/h (3 burner)
- Gas supply pressure 30 mbar
- W680 x D440 x H142mm Built in dimensions W666 x D426mm
- Weight 5.6 Kg
- Test Mark CE

Smev 8322 2 burner 091225 Smev 8323 3 burner 091226 Optional tap 091240

Smev combi sink & lid

Lid made from safety glass, piezo ignition. Supplied with hole for optional tap (39mm)

- Output 1.0 kw
- Gas consumption 73 g/h
- Gas supply pressure 30 mbar
- 1 burner
- W525 x 421 x H152mm
- Test Mark CE

Left hand 091222 Right hand (as shown) 091221 Optional tap 091240



Tap for **Smev** sinks 091240

Hobs



Thetford rectangular hob

- 12V electric spark ignition
- Stainless steel
- 2 x 1.5Kw burners
- 1 x rapid burner 2.5Kw
- 40mm black knobs
- W540 x D445 x H98.2mm
- Weight 5.6 Kg

091149



Smev 8063 hob & lid

- Voltage 12v DC
- Output 4.6kw
- Gas consumption 335 g/h
- Gas supply pressure 30 mbar
- 3 burners
- W560mm x D440mm
- Test Mark CE
- 091219



Smev 8062 hob & lid

- Voltage 12v DC
- Output 2.8kw
- Gas consumption 204g/h
- Gas supply pressure 30 mbar
- 2 burners
- W480mm x D370mm
- Test Mark CE
- 091215



Thetford triangular hob

- 12V electric spark ignition
- Stainless steel
- 3 x 1.5Kw burners
- 40mm black knobs
- W480 x D480 x H100.5mm
- Weight 4.1Kg

Left hand (as shown) Right hand

091146 091147



Thetford Argent 4 burner hob

- 12V electric spark ignition
- Gas hotplate 4 x 1.5Kw
- Stainless steel
- W470 x D570 x H110mm
- Weight 6.5 Kg
- Chinchilla glass-toughened, heat resistant cutting surface

Left hand 091162 Right hand (as shown) 091161



Thetford Topline 160 hob

No rattle design can also be surface mounted.

- 12V electric spark ignition
- Flame failure device
- Sealed, metal cast burners
- 2 x 1.5 kW, 1 x 2.5 kW burners
- Chinchilla glass lid
- 2 year limited warranty
- W546 x D482 x H105mm
- Weight 10.7 Kg

091164

Ovens with hob & grill



Thetford Triplex oven, grill and 3 burner hob

- 36 litre capacity
- Total heat input grill 1.6 KW
- Total heat input oven 1.6 KW
- Total heat input hotplate 2 x 1.8 Kw + 1 x 2.4 Kw burners
- Flame failure device
- External: W463 x D500 x H468mm
- Weight 21.5 Kg



Thetford Caprice Mk3 oven, separate grill & 4 burner hob

- 36 litre capacitu
- Stainless steel
- Total heat input grill 1.6Kw
- Total heat input oven 1.5Kw
- Total heat input hotplate 3 x 1.5 Kw +1 x 1 Kw burners
- Flame failure with automatic gas shut-off on all hotplate burners
- W513 x D500 x H844mm
- Weight 27.5 Kg

091181



Thetford Aspire oven, separate grill & 4 burner hob

- Capacity 42 litres 9.74W
- Total heat input grill 1.6 KW
- Total heat input oven 1.6 KW
- Hob: 2 x 2Kw, 1 x 1.5Kw & 1 x 1Kw burners
- Flame failure with automatic gas shutoff on all burners
- W517 x D535 x H920
- Weight: 31.5 Kg

Oven only



Thetford Cara oven

- 34 litre capacity with 3 shelf positions
- Thermostatically controlled oven
- Grillbox compatible with Spinflo hobs
- Flame failure device
- Total heat input 1.5 KW
- W480 x D450 x H550mm. Excludes open door
- Internal: W375 x D360 x H252mm
- Operating pressure: Propane 37mbar, Butane 28mbar 091170

Ovens with grills



Smev 30 litre oven & grill F0311GT

- Voltage 12v DC (electric ignition)
- Oven output 1.2kw
- Gas consumption oven 87g/h
- Grill output 1.6kw
- Gas consumption grill 116g/h
- Gas supply pressure. 30 mbar
- Total output 2.3kw
- Total consumption 203 g/h
- Oven capacity 30L
- Stainless steel
- Thermostatically controlled
- Interior lamp
- Overall: W530 x D415 x H430mm
- Built in: W500 x D460 x H410mm
- Weight 19.5 Kg
- Test Mark CE

091203

Thetford Midi Prima oven & separate grill

- Stainless steel
- Independent oven & grill
- Oven Capacity 36 litres
- Total heat input grill 1.6 KW
- Total heat input oven 1.5 Kw
- Flame failure device
- W445 x D490 x H826mm
- Weight: 19.5 Kg

091185

Oven shelves



Oven shelf guard

Withstands temperatures up to 300°C. Supplied in pairs **091195**



Smev 20 litre mini oven & grill F0211GT

- Same specification as 30 litre
- Oven capacity 20L
- Overall: W530 x D410 x H310mm
- Built in: W504 x D460 x H283mm
- Weight 13.2 Kg

091200



Stoves oven shelf 355mm x 308mm 091193



Thetford Duplex oven & grill

- 36 litre capacity
- Total heat input: grill 1.6 KW
- Total heat input oven 1.6 KW
- Flame failure device
- External: W456 x D440 x H408mm
- Built in: W445 x D505 x H424mm
- Weight: 13.5 Kg

091172



Thetford Duplex oven & grill with sliding door

As 091172 except that the door slides back into oven when open.

- Oven Capacity 32.4 litres
- External: W527 x D530 x H408mm
- Built in: W525 x D460 x H424mm
- Weight: 14.5 Kg

091174



Universal oven shelf

- Adjustable shelf
- •Suitable for most ovens and fridges
- Min 350mm, max 560mm 091190

Henry water heater



Henry water heater

An ideal replacement for the old Carver Cascade. With the same space requirements this tidy heater will replace the Carver Cascade without unecessary extra labour 070773



	Spares	
1	Burner module and wall switch	070774
2	Exterior flue cowl	070775
3	4 pin molex harness	070776
4	2 pin 12v feed lead	070777
5	Drain plug and o-ring	070778
6	Non return value and o-ring	070779
7	Fulham hot water connector and o-ring	070780
8	Pressure relief valve and 2 o-rings	070781







Instantaneous water heaters



See table below.



Morco G11E

See table below.





Flue cowl Flue Pipe D61 070728 070730 G11 **070710**

WOW A full range of spares for Morco water heaters are available in the spares section

Model Number	D61B	D61E	G11E
Hot water delivery @ 25°C temperature rise	6 litres/min	6 litres/min	11 litres/min
Ignition type	Piezo	Electronic	Electronic
Gas type and pressure	All models - Propan	e 37 mbar / Butane i	28 mbar
Minimum inlet water pressure required for operation with hot tap open	1 bar	1 bar	1 bar
Maximum inlet water pressure	10 bar	10 bar	10 bar
Maximum heat input	11.1KW	11.1KW	22.8kW
Maximum heat output	9.4kW	9.4kW	19.2kW
Dimensions (mm) Height	573	573	680
Width	266	266	350
Depth including controls knobs	225	225	265
Excluding knobs	190	190	230
Grove Part Number	070703	070705	070707

Combination water and space heaters



WOW A full range of spares for

Truma water heaters are available in the spares section



Truma Combi 4 (E), Combi 6 (E)

Heat air and water with 98% efficiency.

The Combi family hallmark is its incredible flexibility. Be it heating operation without water, or water heating without heating, you can enjoy double comfort with just one unit with the Truma Combi. All of the energy types are available – always with maximum efficiency and all of the technical advantages for your wellbeing. You are therefore not only looking after the battery, but also your wallet.

- Constant comfortable temperature
- Optimum distribution of warm air through four warm air outlets
- Short water heating time, but no need to cut your shower short enjoy!
- Durable stainless steel water tank
- The most lightweight and compact combination heater
- Interior installation provides protection against environmental influences
- Comes with FrostControl, the current-free safety drain valve featuring frost monitoring, as standard
- 10 litre capacity
- High heat output of 4000 W (Combi 4) or 6000 W (Combi 6)
- With integrated 1800 W heating elements
- Combined gas/electrical operation possible on 4E and 6E
- Straightforward connection to the existing gas system
- Environmentally friendly and maintenance-free
- Boiler heating time in accordance with EN 15033: approx. 20 min
- Extremely low power consumption of heater + boiler: on average approx. 1.2 A, 0.2–5.6 A (12 V), 3.9–7.8 A (230 V 4E and 6E)
- Low gas consumption: 160-320 g/h (Combi 4), 160-480 g/h (Combi 6), 80 g/h at 1000 W of heat output on average

Heater (excluding exhaust duct) comes complete with room thermostat, control panel with 3 m cable, mounting parts, current-free frost control safety/drain valve and elbow fittings for 10 mm 0 water hoses. Models with water connections for semi-rigid piping (John Guest System) available on request.

Combi 4 833700 Combi 4E 833710 Combi 6 833800 Combi 6E 833810

WOW OEM versions available to manufacturers only are held in stock

Storage water heaters Truma Therme TT-2



Water container **801500**

Heating element **814200**

Drain valve 800400 Control panel 819900 The proven Truma Therme warms water up using heat from the heating system - a warm air duct runs directly through the device. The Therme also features an electric heating element (300w) so water can be warmed up even if you do not have the heating on.

- Heating time (electrical operation) from approximately 15°C to approximately 60°C -50minutes
- Power supply 230v 50Hz
- Power consumption 1.3Amp (300w)
- Temperature limit 65°C
- W220 xD370 x H230mm
- Water capacity 5 litres
- Operating pressure (maximum) 1.2bar
- Weight 2Kg

842012







Replacement water container for the Truma Therme in stainless steel made by Kronings **070766**

Storage water heaters

WOW A full range of spares for Truma and Propex water heaters are available in the spares section

Truma Electroboiler 14 Litre





Electric 14 litre capacity boiler using innovative insulation which maintains the temperature of the hot water for longer periods of time making it extremely energy efficient.

- With control panel, 2.5m connecting cable and safety drain valve
- Minimal heat loss (approx 1.1°C per hour) due to EPP foam insulation
- Short heating time from 15°C to 70°C in just 70 minutes
- 230v power supply
- 850w heating element (230v / 3.7A)
- Water pressure of up to 2.8bar
- Weight 3.0kg
- 40.5cm wide, 29.5cm in height
- Max water temp 70°C

871200



Truma Ultrastore



- Stainless steel water tank
- Space saving 10 litre tank only measuring 26cm in height
- Powerful 1.5kw gas burner
- Heating up time 35 minutes for 10 litres 50 minutes for 14 litres
- Reduces to 20 minutes with the gas and electric version (10 litres)
- Closed combustion system with wall flue
- Easy to operate temperature selection approximately 30°C 70°C
- Low battery load 12v ignition 0.17A heating up 0.08A stand-by 0.04A
- Suitable for all submersible and pressure pumps up to 2.8 bar

Four different models available:

871300

871552 Rapid GE Gas and electric (450w)
871512 Gas only
871632 Rapid GE Gas and electric (450w)
871612 Gas only

Gas only
Ultrastore accessory pack stand

10 litre capacity Complete with control panel 10 litre capacity Complete with control panel 14 litre capacity Complete with control panel 14 litre capacity Complete with control panel



Malaga E water heater



- Capacity 13.5 litre
- Efficient gas burner for faster warm up
- 750W element use on its own or with the gas burner for speed
- Small flue terminal neat appearance outside the van
- Safe combustion products are completely sealed from the caravan interior
- Easy to fit and service
- Electronic control
- Resettable cut out
- Dimensions H250 x W325 xD445mm

070741



Malaga flue terminal 070736



Cascade/ Malaga adaptor plate

For use when replacing a Carver Cascade water heater with a Malaga 070742

Propex water heater 10 Litre



The mounting bracket has range of securing options and can be screwed to the wall or floor. Supplied water hose connectors gives options of 12mm push fit female fitting or adapter to 12mm barbed hose connector

- Voltage: 220v
- Power: 900w
- Rated frequency: 50Hz/60Hz
- Current: 4.1A
- Pressure: 0.8MPa (116psi)
- Minimum start-up pressure: 0.05MPa (7psi)
- Water temperature: 75°C
- Fitted socket: 250V, 16A
- Heating efficiency: >90%
- 5 Year tank guarantee
- Dimensions 378 x 276 x 280mm
- Weight 6.5kg

Blown air space heaters

kronings



HEAT 1500+

Mains electric heating system with 100% thermostatically controlled blower. Ceramic heating elements with 180m³ per hour low volume blower. Temperature range 10°C to 30°C.

- 230v electric heating system
- Fully thermostatically controlled
- Can be combined with the vehicles original heating system or used as a stand alone system Dimensions:

090110



Propex heatsource

- The smallest of this type of heater on the market.
- One of the quietest combustion heaters in production
- Designed for reliable, maintenance-free operation
- Fast warm-up time

2800W **090028**

- Airflow sensing detects blocked or restricted flue pipes
- Self-diagnostic fault finding 2000W **090016**

Ducting 60mm per metre 090018 Outlet (no reducer) 090019 Reducer **090017**

Blown air heaters

*Gas and current consumption is calculated on a 'continuous running' basis

	5	
Model	Heatsource 2000	Heatsource 2800
Average gas consumption	128g/hr	225g/hr
Heat Input	2kW	3kw
Heat Output	1.8kW	2.8kw
Voltage	12v or 24v	12v or 24v
Current consumption	1.2A	1.9A
Air throughput	50 C.F.M.	85 C.F.M.
Dimensions (mm)	312x168x95	415x210x120

Truma heaters



Trumatic \$2200 gas heater

With 1850 watts of power, this compact heater is the ideal solution for heating a small caravan quickly.

- Extremely cost-effective
- Compact dimensions
- Option of current-free operation without a fan
- Gas consumption: 50-170 g/h
- Auto ignitor or piezo ignitor

S2200 Auto - Left hand installation 831111 Rear panel for left hand installation 830190 S2200 Piezo - Right hand installation 831132 Rear panel for right hand installation 830191

Gas/Electric heaters





Titanium Grey (aka Titan Grey)



Pearl Grey



Trumatic \$3004 gas heater

Designed for use in average sized caravans

- Automatic ignition or piezo ignition
- Thermostat and installation box as standard
- Choice of colour on casing
- Uniform heat distribution with the addition of a Trumavent fan
- Exhaust duct via the roof
- Thermal output 3.5kW
- Gas consumption 30 280 g/h
- Please note cases to be ordered separately \$3004 gas heater with auto ignition 831380
 \$3004 gas heater with piezo ignition 831390
 Front case Titanium grey 830060TG
 Front case Pearl grey 830060PG

WOW A contemporary new design for the Trumatic range of gas heaters from Truma. Please order the heater

and front casing

separately.

Ultraheat electric heater

Additional electric heater with thermostat, control panel and 3 metre connecting cable. Installation is between the heat exchanger and installation box

IMPORTANT!! Installation must be carried out by an expert

- Power supply: 230v/50Hz
- Power consumption at power rating; 500w: 2.2A, 1000w: 4.5A, 2000w: 8.5A Suitable for use with Trumatic \$3002, \$5002, \$3002(P) after July 1981, Trumatic \$5002 after April 1998 (with semicircular front design) and with the new Trumatic \$3004 and \$5004. Installation is between the heat exchanger and installation box

830401

Trumatic S5004 gas heater

For large caravans and motor homes

- With automatic ignitor
- Exhaust duct via the roof
- Thermostat and installation box as standard
- Even heat distribution and full utilisation of the high heating capacity with the addition of a Trumavent fan
- Thermal output 6kW, gas consumption 60 480 g/h
- Please note cases need to be ordered separately \$5004 heater **831570**

Front case Titanium grey **830070TG**Front case Pearl grey **830070PG**

Common Trumavent spare parts

Motor for TEB 2 **842000**

Cable for TEB 2 control panel (case control) 800mm **845000** Control panel (case control) TEB 2 **846000**

PCB for TEB 2 857100

Blown air accessories

Trumavent fans

For use with Trumatic S heaters circulates not air throughout the vehicle.

- In all Trumavent fans a flap enables you to individually regulate the air output between the two warm air outlets to suit the room division
- On the TEB-2 / 3 with automatic speed control the air output adjusts to the respective thermal output
- High air flow rate of over 200,000l/h

TEB 2 TEB 2 TN-2 TEB 3 TEB 3 TN-3 Multivent Power 12v 12V 230v 12v 12v 230v 12v Supply Current 0.3 - 1A 0.3 - 1A 0.5A 0.3 - 1A 0.3 - 1A 0.5A 0.23 - 0.5A Power 4 - 13W 4 - 13W 65W 4 - 13W 4 - 13W 65W 3 - 6W S2200 / For use S3002 S5004 S3002 S5002 S3004 S3004 with Extractor Case Wall Wall Case Wall Wall Control control control control control control control 841251 841122 841140 Part no. 841121 841222 841241 841242

Awning warmer

For guiding the warm air from the existing caravan heater directly into the awning. Contents:

- Warm air outlet with cover
- 1 metre of ducting
- 65mm diameter straight connector
- T-pipe TS and duct shut-off SP2

White **840365**







Awning warmer TEB 2 TN 3 Multi-vent

Mobile heating



WARNING USE GAS CABINET HEATERS ONLY IN A WELL **VENTILATED** ARFA



Mini Radiant heater with clip-on regulator

- 4.2 Kw of heat output
- Full anti-tilt safety device & oxygen analyser
- Peizo/pulse ignition system
- Gas type LPG
- Fully CE approved BS EN449
- Easy rolling swivel castors
- Suits up to 7kg gas cylinders
- W403x D367 x H625mm
- Weight 6.8 Kg
- 090088



Mini radiator 700W

- 7 Fins
- 700w heat output
- Thermostatically controlled
- Dimensions: 35 x 41 x 13cm
- Weight: 4kg

090092

Radiant heater red with clip-on regulator

- 4.2 Kw of heat output (1.4Kw per plaque)
- Full anti-tilt safety device
- Consumption 100g/h per plaque
- Comes with Butane clip on regulator
- Fully CE approved BS EN449:2002
- Easy rolling swivel castors
- Suits up to 15kg gas cylinders
- W420x D280 (exc. bottle) x H720mm
- Weight 9 Kg

090084

Mini radiator 1KW

Thermostatically controlled

• Dimensions: 43 x 41 x 13cm

• 1Kw heat output

• Weight: 4.5kg

9 fin

090094



Oscillating halogen heater Quartz heater

- Instant heat
- Voltage 230v 50Hz
- On/off oscillating facility
- 3 heat levels 400/800/1200w
- Safety cut off feature
- Thermofuse cut off

Available singly or 6 per outer

090066



Radiant heater black with clip-on regulator

- 4.2 Kw of heat output (1.4Kw per plaque)
- Full anti-tilt safety device
- Consumption 100g/h per plaque
- Comes with Butane clip on regulator
- Fully CE approved BS EN449:2002
- Easy rolling swivel castors
- Suits up to 15kg gas cylinders
- W403x D367 x H625mm
- Weight 6.8 Kg

090085



- Instant heat
- Safety cut off feature
- 2 heat settings 400/800w
- Voltage 230v 50Hz
- Easily cleaned
- Simple controls
- Carry handle
- 090065

Ceramic fan heater 1.5KW

- 230v heater
- Instant heat
- Thermostatic control
- 4 Levels: Off, Fan only, Low heat and High heat
- H 285 x W 185 x D 150mm 090070



Holiday home heating **WIDNEY**



Modena gas fire

- 3.8 kw heat output
- Suitable for use on butane 28 mbar or propane 37 mbar
- Contemporary design compliments latest mantel/marble settings
- Simple fixing
- Radiant heat output

090105



Frost watcher 500w

- 230v heater
- Ideal for caravans to protect against frost over winter
- Thermostatic control
- H 230 X W 250 X D 105mm Available singly or 6 per outer 090069



Ring car heater 12v

Compact design with hidden foldable handle to provide directional heating and defrosting. Fitted with fused 12V cigarette lighter plug 150W. Cooler fan and heater selector switch. LED light. 360° angle swivel base. Available singly or 6 per outer 090071

Portable outdoor gas heater

- Compact & lightweight
- Variable heat control
- Consumption 100g/hr
- Heat Output 1.3 KW Piezo safety ignition
- H 265 X W 265 X D 200mm

WARNING OUTDOOR USE ONLY

refrigerators - other models available for manufacturers only

N3080E - Absorption refrigerator with electric ignition and wheel arch cut out. Manual power source selection. White door bins and vegetable bin. Light grey framed door and control panel. Power cables and gas inlet tube are at the rear base of the

refrigerator



089068



089071

Gross capacity 81 litre with freezer compartment 10 litre freezer compartment

230v AC / 50Hz **Energy supply**

12V DC

LPG 28 mbar butane, 37 mbar propane

Consumption 230v/12v 2.4 kWh / 24h Gas 240 g / 24h

Dimensions W x H x D 486 x 821 x 543mm

Wheel arch model Yes Display LED Weight 22.5 Kg

N3100E - Absorption refrigerator with electric ignition. Manual power source selection. White door bins and vegetable bin. Light grey framed door and control panel. Power cables and gas inlet tube are at the rear base of the refrigerator

> Gross capacity 97 litre with freezer compartment 11 litre freezer compartment

Energy supply 230v AC / 50Hz

12V DC

LPG 28 mbar butane, 37 mbar propane

Consumption 230v/12v 2.8 kWh / 24h **Gas** 330 g / 24h

Dimensions W x H x D 525 x 821 x 543mm Wheel arch model No

Display LED Weight 27 Kg

N3112A - Absorption refrigerator with electric ignition. Automatic power source selection. White door bins and vegetable bin. Black frameless curved door and control panel. Wheel arch cut out. Power cables and gas inlet tube are at the rear base of the refrigerator



089069



Gross capacity

Energy supply

113 litre with freezer compartment 14 litre freezer compartment

230v AC / 50Hz

12V DC

LPG 28 mbar butane, 37 mbar propane

230v/12v 2.6 kWh / 24h Consumption **Gas** 270 g / 24h

Dimensions W x H x D 525 x 821 x 628mm

Wheel arch model

Display LCD / Touch control

Weight 24 Kg

N3145A - Absorption refrigerator with electric ignition. Automatic power source selection. Redesigned interface with touch control. Fade-in interior light. White door bins and vegetable bin. Black framed door and control panel. Power cables and gas inlet tube are at the rear base of the refrigerator



089073



Gross capacity

Dimensions W x H x D

118 litre refrigerator compartment 23 litre freezer compartment

525 x 1245 x 543mm

230v AC / 50Hz **Energy supply**

12V DC

LPG 28 mbar butane, 37 mbar propane

Consumption 230v/12v 4 kWh / 24h

Gas 420 g / 24h

Wheel arch model No

LCD / Touch control Display

Weight 37 Kg


Absorption refrigerators **Dometic**

Dometic provide the most comprehensive range of absorption refrigerators available in the caravan and motorhome market. These virtually silent appliances are more efficient and lighter than ever!

WOW Many more models available on request please speak to your sales contact for details.

How absorption cooling works

A concentrated ammonia solution is heated in a boiler and expelled as vapour. The pressurised ammonia gas is then liquified in a condenser. Supplied with hydrogen, it evaporates and extracts heat from the storage container. The ammonia gas then enters the absorber where it is re-absorbed in a weak solution of ammonia. Finally, the saturated solution flows back to the boiler where the whole cycle starts again.




ABSORPTION MODELS	RM122 ●	RM123E ●	RF60 ●	RM5310 ●	RM5330 ●	. RM8401 •	. RMS8401 ●
Grove part number	088040	088042	088046	087995	087996	088006	088007
Ignition system	Piezo	Reignitor	12v battery	Battery	Battery	MES	MES
Gross capacity (L)	31	31	Approx. 60	60	70	90	- 80
Includes freezer compartment of (L)	-	-	-	5	5	8*	8*
Input rating 230V (Watts) 12V (Watts) Gas (g/h)	- 75 8.6	75 75 8.6	110 110 14.8	125 120 18.3	125 120 18.3	135 130 18.3	125 120 18.3
Consumption /24h 230V (kW/h) 12V (kW/h) Gas (g)	- 1.3 140	1.3 1.3 140	1.9 1.9 325 / 375	2.5 2.5 270	2.5 2.5 270	2 to 2.2 2 to 2.2 250 to 270	2 to 2.2 2 to 2.2 250 to 270
Cooling capacity Refrigerator/freezer temperature at ambient temperatures up to 32°C	Refrigerator +7℃	Refrigerator +7°C	Up to 30°C below ambient temperature	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C	Refrigerator +7°C Freezer up to -12°C
Insulation (PU foam all around)	No	No	Yes	Yes	Yes	Yes	Yes
Dimensions (W x H x D mm)	380x585x440	380x585x440	486x615x490	486x618x474	486x821x474	486x821x569	486x821x569
Stepped model to allow installation over a wheel arch	No	No	Not designed for installation	No	Yes	No	Yes
Weight	15	15	26	20	22	27.5	25
*These models have removable freezer compartments to allow increased refrigerator volume. In doing so the gross volume is increased by 5 litres							

Compressor refrigerators WEED

Premium built-in refrigerator in stainless steel finish for motor homes, caravans, yachts and boats. Interior light. Double lock door with magnetic seal. CRP40 has a detachable cooling unit (saving 182mm depth when installed separately)

How compressor cooling works

Compressor units operate using a refrigerant that changes from a liquid to a gaseous state in the evaporator. The evaporation extracts heat from the interior of the cooling unit - the temperature drops. The compressor draws in the refrigerant, compresses it and passes it on to the condenser. Here, the absorbed heat is released to the atmosphere. The refrigerant liquifies again and flows to the evaporator, where the cycle begins again.



COMPRESSOR MODELS	CRP40 ●	CR50 ●	CR80 ●
Grove part number	087090	087091	087095
Gross capacity (L)	39	48	80
Includes freezer compartment of (L)	5.3	5	7,9
Energy supply	12/24V	12/24V	12/24V
Average power consumption (Watts)	40	40	48
Consumption (Ah/h) at +25°C +32°C With interior temperature at +5°C	0.77 1.77	1.4	1.8
Weight	18	19	23
Dimensions (W x H x D mm)	380 x 536 x 310 (+182)	380 x 534 x 500	475 x 640 x 528

Coolpower EPS100

Mains rectifier for hassle free connection of 12/24V cooling appliances to 230V mains. Suitable for Waeco CR range.

- Input voltage: 230 volts AC
- Output voltage: 25 volts DC
- Output power: 100 Watts
- Battery voltage: 12/24 volts DC
- Output current: 4 Amps
- Switch mode, automatic priority for mains operation



RM122

Compact 31 litre refrigerator. Excellent size for small campervans. 12V and gas operation. Thermostatically controlled on gas **088040**



RM123E

Same specification as RM122 with addition of 230V operation with thermostatic control, and an electronic re-ignitor to re-light the flame if it blows out **088042**



RF60

High performance cooling.
Not designed for permanent
installation this 12V, 230V and
gas model is ideal for use in well
ventilated areas such as trailer
tents, awnings or anywhere
where permanent installation
is impractical. MUST BE WELL
VENTILATED! 088046

WOW Please be aware that the 8 series fridges are not designed to have the hinge side swapped (other series are). The 8 series are supplied with a hinge on the left. Right hand can be supplied by special order.



RM5310

New look 5-series 3 way refrigerator. Under the counter model with user-friendly control panel and separate freezer compartment. Replaces RM4210 and RM4211 LM **087995**



RM5330

New look 5-series 3 way refrigerator. Wheel arch cut out model with userfriendly control panel and separate freezer compartment. Replaces RM4230 L **087996**



RM8401

8-series 3 way refridgerator with easy to remove 8 litre freezer compartment giving excellent versatility and comfort **088006**



RMS8401

8-series with same space requirements and similar specification to the RM8401 but with wheel arch cut out **088007**



CRP40

Ideal where depth of installation is an issue, this compressor refrigerator has a cooling unit that can be installed separately **087090**



CR50

Compact model compressor refrigerator, ideal for small campervans and conversions 087091



CR80

Under the counter model compressor refrigerator **087095**

Absorption chest coolers Dometic

Combicool RC range

Absorption chest coolers, 12v, 230v and gas operation. Piezo ignition, thermostat regulation in 230v mode, 3 stage flame regulation in gas mode. Vertical space for 1.5 and 2 litre bottles. Recessed integrated handles, includes ice cube tray. PU foam all around insulation

WOW Competitively priced 3 way absorption chest coolers

- 12v supply in the vehicle
- 230v mains supply at home or at the campsite
 - Gas operation for remote locations

	RC1200	RC2200
Pat number	089190	089192
Gross Capacity (litres)	41	41
Input rating 230v (watts)	85	85
Input rating 12v (watts)	85	85
Input rating gas (g/h)	10.6	10.5
Temperature range (max cooling below ambient temperature °C)	25	33
Material	Coated sheet steel	Aluminium
Colour	Silver/grey	Aluminium/black
Dimensions (H x W x D mm)	441 x 500 x 508	444 x 500 x 487



12v / 230v Coolers MOBIO

MOBICOOL Our Name is our Mission

B40 12v / 230v hybrid cooler/freezer

Maintenance-free, fully hermetic cooling system, reinforced insulation, blue coated steel case, pale grey lid and cover, with all-round rubber seal and magnetic lock, quick-chill functionality thanks to the powerful AC compressor.

- Cooling maximum 20°C below ambient temperature
- 230v compressor for AC operation, cooling from +12°C to -15°C
- 40 litre
- Coronet blue
- H x W x D mm: 450 x 520 x 510mm
- Weight 21 Kg

Available singly or 5 per outer 089200

WOW The powerful compressor means the B40 can also be used as a freezer at a competitive price



W40 12v / 230v cool box

Car and indoor use with dual voltage system, two sturdy wheels and multifunctional pull-out handle, fold-away side handles, split lid to minimise cold loss, cable compartment in lid, fits 2 litre bottles standing, 2 removable divider grids, double fan system.

- Cooling up to 18°C below ambient temperature
- 40 litre
- H x W x D mm: 420 x 560 x 380
- Weight 8.4 Kg

089157



Q40 12v / 230v cool box

Car and indoor use with dual voltage system, sturdy, unbreakable aluminium housing, fold-away side handles, split lid to minimise cold loss, cable compartment in lid, fits 2 litre bottles standing, 2 removable divider grids, double fan system.

- Cooling below ambient temperature -12v DC: up to 22°C below 230v AC: up to 20°C below
- 40 litre
- H x W x D mm: 440 x 580 x 390
- Weight 9.6 Kg

089159



V25 12v / 230v cool box

Car and indoor use with dual voltage system, carrier handle serves to either fix or support the lid, cable compartment in lid, fits 2 litre bottles standing, double fan system

- A peltier cell with 12v direct feed or 230v built in adaptor
- Cooling up to 18°C below ambient temperature
- H x W x D mm: 395 x 396 x 296
- Weight 4.0 Kg
- Capacity 24L

12v / 230v Coolers

CAMPINGAZ

Powerbox® 28L Deluxe



Cools to 16°C below the ambient. temperature but it also heats to 65°C. An additional lightweight lid is also provided for extra convenience.

- Operates from 12v dc (or mains adaptor sold separately)
- Holds 2 x 1.5 litre bottles
- Handy drinks container in lid
- Comes with spare passive lid
- Brushless motor and battery control
- Cable storage compartment
- Integrated battery control system prevents car battery from draining
- Detachable and reversible plug for cooling or heating
- Capacity 28 litre
- Weight 4.3kg

089147

Passive coolers




Powerbox® 24L Classic



Cooling to 16°C below the ambient temperature.

- Cable storage compartment
- Operates from 12v dc (or mains, adaptor sold separately)
- Capacity 24 litre
- Weight 3.5kg

089145



50 Quart Xtreme® wheeled cooler

- Large wheels for easy manoeuvrability
- Telescopic handle
- Moulded handles for easier lifting and storing
- Capacity: 48L
- Dimensions H x W x D cm: 47.5 x 66 x 42

70 Quart Xtreme® cooler

- Two way handles for flexibilty
- Capacity: 66.2L
- Dimensions H x W x D cm: 46 x 74 x 37

089176



Cool box accessories



Freez'Pack®

Can be used in any cool box or soft cooler to keep food and drinks cooler for longer. Simply freeze them, then put them inside the cooler with the food or drink. They're available in a range of sizes and the bigger they are the longer they stay cool.

M10 duo pack 12 per outer 089187 M20 18 per outer **089181** M30 12 per outer 089183



Dometic rectifier 230/12v

Running most 12V coolers from the 230V mains is no problem at all with this 230V AC to 12V DC adapter. 5amp - 60w. Available singly or 12 per outer 089152



Coleman Campingaz rectifier 230/12v

Running most 12V coolers from the 230V mains is no problem at all with this 230V AC to 12V DC adapter.

5amp - 60w **089140**

Ventilators and flue kits

Dometic ventilation system







Dometic turnbuttons for vent cover White 089014 Cream 089015

The Dometic ventilation and extraction system ensures optimal performance from your absorption refrigerator. Includes: Upper and lower mounting frames, 2 x grilles (upper with flue insert), upper and lower winter covers and 4 x turn buttons. The mounting frames fit 451mm x 156mm apertures in the outer wall. The flue (not supplied) is integrated into the upper grille for a tidy appearance. Rainproof grilles are secured to the mounting frames by turnbuttons.

White **089010** Cream **089011** A1620 Vent System A1620 Winter Cover (2) White 089012 Cream 089013 White 089017 Cream 089018 A1620 Insert







Thetford winter cover large

Used on some Lunar, swift and Explorer

caravans and mortorhomes. 480 x 233mm

Thetford fridge vent

Supplied singly with frame, vent and flyscreen. 448 x 158mm White 089074 Cream 089075







Thetford winter cover

436 x 130mm White **089097** Cream **089098**



Dometic Flue Kit

White **089101**

MPK vents

Designed for aperture 342mm x 117mm. Vent colour white.

Surface mounted vent 089031 Recessed vent 089032 Vent cover (blushtone) 089033



Direct leisure vent kit Bianco white 384mm x 203mm Vent 089000 Cover 089004





089063

Helps prevent movement of contents whilst travelling. 40cm closed. Extending to 75cm. 8.5cm high 089065



Thetford ventilation kit

Fits all models. Extra cooling performance for your Thetford fridge **089300**



Fridge fan with auto heat sensor

Improves fridge performance. Fully automatic. Easy installation. Maintenance free. Uses only television/ amps. No radio interference. 10,000 hour continuous rated motor 089005



Double cupboard bar

Useful addition to stop items falling if door opens in transit. 25cm closed. Extending to 45cm. 8.5 cm high 095689

Common refrigerator spares







Dometic Premium Awnings

This new motor home awning eclipses its competitors by eliminating inconvenient support struts, just like your canopy at home. This means you can use the entire space in front of your recreational vehicle. It completely eliminates the awkward, time-consuming setup of conventional camping awnings. You're bound to use your Dometic Premium Awning even during short stops by the roadside thanks to it extending in only a few seconds. Particularly convenient and safe is the electric version with remote control and wind sensor.



- Comprehensive UV protection
- Scratch-resistant
- Non-bleaching colours
- Stain-proof
- Available in three housing colours white, silver and anthracite
- Fabric made of highly resistant vinyl with a transparent acrylic coating
- Fabric colours blue or silver

Arm Joint - made of forged steel, extremely strong, essential for convenient use without vertical struts

Tilt angle - the factory-set tilt angle of approximately 10° can be adjusted to approximately 17° at the arm joint

Comfort features

- Premium Awning
- Simply extend and enjoy no awkward setup
- No inconvenient struts, the entire space in front of the vehicle is yours to use
- Electric version comes with remote control and wind sensor
- Sturdy awning fabric with pattern on both sides
- Two tilt angles possible
- Top cover features integrated brush
- Additional accessories for both awning variants





Wind Sensor

Remote Control

Standard with Electric Version only Wind Sensor

As standard for the electric version. Awning automatically retracts in strong winds

Remote Control

As standard for the electric version. Convenient retraction and extension as well as stopping in any position at the touch of a button.

Sun Sensor

Optional for electric version: for optimal shade depending on sunlight; wall-mounted radio remote control for convenient operation at the location of your choice.

Electric version

Casing: Anthracite Colour: Silver

Casing: Anthracite Colour: Blue

Size	Part Number
3.1m	108130/A/S
3.5m	108131/A/S
4m	108132/A/S
4.7m	108133/A/S

Casing: Silver Colour: Silver

Size

3.1m

3.5m

4m

4.7m

Size	Part Number
3.1m	108130/A/B
3.5m	108131/A/B
4m	108132/A/B
4.7m	108133/A/B

Casing: Silver Colour: Blue

Part Number

108130/S/B

108131/S/B

108132/S/B

108133/S/B

Size

3.1m

3.5m

4m

4.7m

Casina:	Silver	Colour.	Rlı ıp
casii iy.	SIIVEI	COloui.	DIUC

Size

3.1m

3.5m

4.7m

4m

Size	Part Number
3.1m	108134/S/S
3.5m	108135/S/S
4m	108136/S/S
4.7m	108137/S/S

Casing: Silver Colour: Silver

Manual version

Size

3.1m

3.5m

4m

4.7m

118

Casing: Anthracite Colour: Silver

Part Number

108134/A/S

108135/A/S

108136/A/S

108137/A/S

Size Part Number 3.1m 108134/S/B 3.5m 108135/S/B 4m 108136/S/B 4.7m 108137/S/B

Casing: Anthracite Colour: Blue

Part Number

108134/A/B

108135/A/B

108136/A/B

108137/A/B

Casing: Polar White Colour: Silver

Casing: Pola	ar White Colour: Blue
Size	Part Number
3.1m	108130/P/B
3.5m	108131/P/B
4m	108132/P/B
4.7m	108133/P/B

Casing: Polar White Colour: Silver

Size	Part Number
3.1m	108134/P/S
3.5m	108135/P/S
4m	108136/P/S
17m	108137/P/S

Casing: Polar White Colour: Blue

Size	Part Number
3.1m	108134/P/B
3.5m	108135/P/B
4m	108136/P/B
4.7m	108137/P/B

Part Number

108130/S/S

108131/S/S

108132/S/S

108133/S/S

Size	Part Number
3.1m	108130/P/S
3.5m	108131/P/S
4m	108132/P/S
4.7m	108133/P/S

Melamine tableware

Contemporary designs and colours to complement the latest vehicle interiors





Black Onyx

Dinner set 16 piece Singly or 6 per outer 081089 Dinner plate 6 per outer 081086 081081 Side plate 6 per outer Soup/cereal bowl 6 per outer 081082 Mug 4 per outer 081080 Salad bowl 081088 Singly or 6 per outer Rectangular platter Singly or 6 per outer 081087



Dinner set 16 piece Singly or 6 per outer 081097 6 per outer Dinner plate 081094 081092 Side plate 6 per outer Soup/cereal bowl 6 per outer 081093 Mug 4 per outer 081091 081096 Salad bowl Singly or 6 per outer Rectangular platter Singly or 6 per outer 081095













Zen

Dinner set 16 piece Singly or 6 per outer 081167 081163 Dinner plate 6 per outer Side plate 6 per outer 081161 Soup/cereal bowl 6 per outer 081162 081160 Mug 4 per outer Singly or 6 per outer 081166 Rectangular platter Singly or 6 per outer 081165

Cappuccino

Dinner set 16 piece	Singly or 6 per outer	081177
Dinner plate	6 per outer	081173
Side plate	6 per outer	081171
Soup/cereal bowl	6 per outer	081172
Mug	4 per outer	081170
Salad bowl	Singly or 6 per outer	081176
Rectangular platter	Singly or 6 per outer	081175











CORELLE

High quality tableware coming soon



Ribbons

	Pebbles	Pansy	Navy Pinstripe	Ribbons
Dinner set 16 piece Singly or 6 per outer	081188	081214	081148	081195
Dinner plate 6 per outer			081145	
Side plate 6 per outer			081143	
Soup/cereal bowl 6 per outer			081144	
Mug 4 per outer	081185	081211	081142	
Salad bowl Singly or 6 per outer	081187	081213	081147	
Rectangular platter Singly or 6 per outer	081186	081212	081146	



Swirl White melamine tableware. All available 12 per outer. Dinner plate **081352** Side plate **081353**



Summer acrylic tableware

All available singly or 36 per outer Dinner plate 21cm Dinner plate 25cm Salad bowl 14cm

080352 080351 080354

High quality heavy weight melamine with embossed olive pattern.

Dinner plate 300x210mm **Bowl** 160x142x65mm **Mug** Printed not embossed Salad plate 255x165mm Salad Bowl 300x195x125mm Round Platter 470x325mm

12 per outer 12 per outer 12 per outer 12 per outer Singly 081345





Round platter





Salad bowl Bowl

Linea 16 piece dinner set

Consisting of 4 x dinner plates, 4 x side plates, 4 x soup/cereal bowls and 4 x mugs. Available singly or 6 per outer 081300

Children's melamine

Dinner sets

Consists of a plate, a bowl, a tumbler, a fork and a spoon. Available singly or 12 per outer



080300 Oscar's kitchen

080307 Charlie & friends



080304

Tumbler sets

Harry & friends

Consists of 4 different named acrylic tumblers.

Available singly or 12 per outer Charlie & friends 080314

citronella candles



Citronella rustic pillar

75 hours burn time **086134** 6 per outer



Citronella garden light

45 hours burn time **086133** 6 per outer



Tealights (30) 4.5 hours burn time **086143** 10 per outer



Maxi tealights (12)

10 hours burn time **086145** 6 per outer





XXL novelty citronella torches

8 hours burn time 24 per outer 086157





Garden torches citronella

2 hours burn time. 2 per pack 24 packs per outer 086155



Tray with drainer

3 Assorted designs

Small 13.5" x 10" Available singly or 24 per outer 081380

Large 17" x 13" Available singly or 12 per outer 081381



Hands free glass holder

Holds wine glasses on the grass or beach, made in the UK from 100% recycled polycarbonate. 4 per pack.

24 per outer 080162

Hands free glass holder stand 080163

Melamine cleaner



Thermo Clean The ultimate way to

remove stains and odours. 30 per outer 081410



Melamine soak

Supplied in a tub of 20 tablets. 12 per outer **081409**



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank. 10 per outer 095575

Drinkware



Polycarbonate wine goblet boxed

2 per display carton. Available singly or 12 per outer Small **080119** Large **080116**



Acrylic wine goblets

080100 Small 12 per outer Large 6 per outer 080102



Wine goblet grey

10oz wine goblet with grey base. 4 per display carton. Available singly or 12 per outer 080141



Alfresco wine goblet

4 per display carton. 8 per outer 080139



Bella goblet grey

14oz goblet with grey base. Supplied in display carton of 4 pieces. Available singly or 12 per outer 080146



Bella goblets

14oz goblet suitable for wine, beer or juice. 4 per display carton. Available singly or 12 per outer 080089



Stackable goblet

2 per display carton. 24 per outer 080122



Stackable tumbler

2 per display carton. 24 per outer Low **080126** High 080128



Alfresco tumblers

4 per display carton. 8 per outer Short **080138** as illustrated



Acrylic tumblers clear

Available singly or 24 per outer Tumbler 080090 Available singly or 12 per outer Tall tumbler 080092



Soda glass

Assorted Colours 12 per outer 080148



Slim jim tumblers grey With grey base. 4 per display carton.

Beer mug 12 per outer

12 per outer.

Clear **080098** Dimpled **080099**



Nonic beer tumbler

Inexpensive 1pt tumbler. 24 per outer 080095



Pilsner glass

Ideal for large gatherings where glass is dangerous. 500ml.

Available singly or 12 per outer 080096



Beer stein 6 per outer 080097

Outdoor lanterns

Lumostar plus lantern



New Easy Clic® Plus connection. Ingenious detachable globe system. Easy access to mantle. Durable. Operates from Campingaz CV Plus cartridges. Power 80 Watt Weight: 247g Available singly or 10 per outer 109946

Mantles(3) 070425 Globe **109961**

Powerhouse 2 mantle lantern



unleaded petrol or Coleman® liquid Run time: Up to 14h Weight: 1.72 kg 109884

Mantles (3) 109960

Operates from

Northstar fuel lantern



Operates from unleaded petrol or Coleman® liquid fuel. Electronic ignition. Run time: Up to 14h. Weight: 1.8 kg 109886 Mantles (3) 109959

WOW Other torches and lanterns can be found in section C Gas canisters can be found in section G

Campingaz mantles



Small mantle (3) Fits Bleuet CV 270L, Bivouac, Camping 206L, Lumostar C, M and plus, and

Stellia R 070425

Medium mantle (3)





Large mantle (3)

Fits Belvedere, GP 470, Lumogaz 270, N206, T206, R, RPZ, 470, RS180 and 900RL 109957

Instaclip (3)

Fits Single, Double and Powerhouse unleaded lanterns 109960

Instaclip tube (3)

Fits Northstar unleaded lanterns 109959

Fuel burning stoves Sportster Stove



The stove is efficient and robust, and as it runs from either Coleman© fuel or unleaded petrol, you will never be hungry wherever you are.

 Operates off unleaded petrol or Coleman® liquid fuel

- Power: 2500 W
- Run time: Up to 8 h 30 min
- Size: 15 x 12cm
- Weight: 1185g

109880

Generator for Sportster Stove 109881

Coleman camp fuel

Coleman fuel is a liquid petroleum fuel (100% light hydrotreated distillate). It has an octane rating of 50 to 55 and a flammability similar to petrol. 1 litre 10 per outer **109974**

WOW More gas stoves and BBQs can be



Camp Bistro

- Power: 2200 watt
- Size: 35cm x 28cm
- Automatic piezo ignition
- Cartridge safety locking system
- Enamelled pan support
- Aluminium burner
- Convenient plastic carry case
- Operates off CP250 cartridge

109941



Campingaz CP250

Contains 250g Isobutane. For use with Bistro® type stoves 12 per outer 109965





Unleaded 2 burner Stove



- Operates off unleaded petrol or Coleman liquid fuel
- Power 4225 watt
- Run time up to 2h
- Boil time 4 min
- Size 46 x 29 x 12cm
- Weight 5.3kg

109882



Portable outdoor gas heater

- Compact & lightweight
- Variable heat control
- Consumption 100g/hr
- Heat Output 1.3 KW
- Piezo safety ignition
- H 265 X W 265 X D 200mm

WARNING OUTDOOR USE ONLY 090081


Stove cartridges (4)

For use with portable gas stoves 6 per outer 109945

Outdoor dining

Grilling - Cooking - Baking

For indirect barbecuing and baking, the upper funnel is placed inside the kettle with the large opening pointing upwards. The heat from the gas burner rises up along the sides of the kettle, distributing an even, indirect heat on all sides. With the lid on, there is no need to turn the food at all throughout the cooking process.



Cooking - Roasting

For grilling at very high temperatures or with the cast-iron griddle, the upper funnel is placed in the kettle the other way round . This creates high, concentrated heat in the middle of the cooking grid or the cast-iron griddle. The kettle lid is not absolutely necessary for this method of cooking.





The Outdoorchef City gas kettle barbecue has a flip funnel inside the kettle that eliminates flare-ups and unpleasant smoke emission. It unites incredible barbecuing versatility and precision with healthy and delicious results. Positioning the funnel allows you to grill, roast, bake, or stir-fru.



City gas BBQ

The world's most compact Gas Kettle BBQ. Piezo ignition. Lid thermometer for perfect cooking temperatures. 4.3kW output. 315g/h consumption

With tripod legs H70cm 086001 With cradle H41cm 086002 Optional tripod legs 086003





City charcoal 420 BBQ A charcoal version of the City Gas Grill. Approximate cooking height 70cm 086007



Cocochef briquettes

2kg box made from coconut husks. Renewable, gives even heat distribution and lights auicklu. 086008





Aluminium protection foils (3)

Protects the heat reflector. For use with City Electro only. 6 per outer 086012



Accessories



Cast iron griddle 086009



Gourmet set

Consists of a deep enamelled 18cm diameter pan and a pizza type grid **086011**



City Gas bag 086010

BBQ Cleaning



Outdoorchef BBQ cleaner

Dissolves burnt on food. Quick reaction time. Swiss quality product. 500ml. 12 per outer **086014**

Portable Stoves







Campingaz fold 'n' go

Folding 2 burner stove.

- Independently adjustable 2 burners
- Compact with handles
- Large cooking area
- Aluminized steel cook top
- Power: 1375 W per burner
- Weight: 3.65 kg
- Operates from CV470 plus cylinders 109901





Camp Stove Oven

- Interstart piezo igniton
- Large oven (can fit a 30cm pizza) 370 x 340 x 140mm
- Oven: 900W/250°C

Stove: 2 x 1800W (fully adjustable)

- Operates from Campingaz® and other Butane cylinders
- Run Time: Oven 42 h (R907)

Stove 10 ½ n (R907)

Oven & stove 8h 20min (R907)

- Boil time: 7min
- Overall dimesions: 690 x 470 x 380mm
- Weight: 18.5kg
- 109920

Portable Stoves



Twister plus stove

New twister with new design and Easy Clic® plus connection.

- Power: 2.9kW
- Weight: manual 263g Piezo 274g Available singly or 10 per outer

Manual 109938 Piezo (PZ) 109939



Super carena

Designed to take large heavy pans, it has an integrated windshield and carrying handle.

- Power: 3kW
- Weight: 600g

109937



Party grill stove and pouch

Piezo grill, griddle or stove, with detachable legs and a lockable lid.

- Non stick cooking area
- Includes carry bag
- Bowl to collect fat
- Power: 1.35kW
- Operates from CV plus cylinders
- Weight: 2.3kg

109915



Camping chef

2 burner stove and grill, packs into a briefcase for easy storage.

- Push and turn child safety knobs
- Power: Stove = 2x 2.3kW; Grill = 1.1kW
- Operates from Campingaz® and other butane cylinders
- Dimensions: L52.5 x W31 x H22cm
- Weight: 5.8kg 109909



Base camp with lid

2 burner with lid.

- Operates from Campingaz® and other butane cylinders
- Convenient lid for easy and clean storage
- Dimensions: 430 x 240 x 80 mm
- Weight: 1.9 kg

109911



Camping chef vario grill

2 burner stove and grill, packs into a briefcase for easy storage. With piezo

- Dimensions: L56.5 x W32.5 x H11 cm
- Operates from Campingaz® and other Butane cylinders
- Weight: 4.5 kg

109903



2 Burner carry bag

Carry bag to store and carry Campingaz® and other 2 burner stoves.

• Dimensions: L57 x W35 x H14cm 109912



Bistro 300

One burner stove and case with piezo ignition

- Operates from Campingaz® CV300 plus cylinders
- Power: 2.6kW
- Dimensions: 33 x 22 x 12 cm
- Weight: 1.5 kg



Optional vario leg set

Raise your Camping Chef Vario to the perfect cooking height with the telescopic leg set. Clips into the base unit of the stove. 109904

Microwave ware

WOW Polycarbonate is a superb material for microwave cookware. Tough, non stick, odour resistant and non staining. Completely transparent to cook faster and more evenly. Dishwasher safe.



Microwave saucepan and lid

Capacity O.6L. Available singly or 10 per outer **093039**



Microwave rice and veg steamer

The perfect design for cooking rice and steaming vegetables that retain flavour, vitamins and texture. Available singly or 6 per outer **093048**



Microwave set

Set includes 1 litre saucepan with a whisk and a mini pot with sealable lid for storage. Available singly or 12 per outer 093041



Microwave mini pots (2)

Each mini pot has side handles which stay cool in the microwave for easy handling. The lid is vented for safety and gives better results than simply resting a storage lid on top. Cook two foods at the same time using Minipots. Available singly or 12 per outer 093054



Microwave omelette pan

The hinged design makes folding omelettes easy. Available singly or 10 per outer 093043

Microwave multi-

Designed to raise food so

that it cooks more evenly and

allows any fat or liquid to drain

away. Has an extremely low

thermal conductivity. It also

stays much cooler than glass

and ceramics. Available singly

or 10 per outer 093050

purpose tray



Microwave egg poacher

The first microwave egg poacher designed to cook eggs in water to give traditional taste and texture. Available singly or 10 per outer 093045



Microwave plate cover

Designed to keep your microwave oven clean when re-heating or cooking. Available singly or 10 per outer 093052

Cutlery



Cutlery set Coconut

16 piece set. Available singly or 6 per outer 095133



Cutlery set Huckleberry

16 piece set. Available singly or 6 per outer 095134



Cutlery set Lino

24 piece set and stand Available singly or 12 per outer Black 095137

Cream 095140



Cutlery set Loop

24 piece set and stand Available singly or 12 per outer

095141



Venice

16 piece cutlery set 24 per outer 095131



Translucent Green 16 piece cutlery set

Available singly or 8 per outer 095128



Dessert spoon (4) 095155



Fork (4) 095154



Teaspoon (6) 095152



Knife (4) 095153

Grill pans





094019

Grill pans

Complete with trivet and detachable handle.

27 x 27 x 5cm Spare trivet 24 x 21cm 094021 27 x 22 x 3cm Spare trivet 21 x 18cm Handle only



Stainless steel grill pan

Supplied with trivet. Dimensions: 28cm x 23cm. Available singly or 12 per outer **094016**



Folding handle grill pan

Vitreous enamel grill pan, durable non stick wire rack. Handle folds easy for storage. Dimensions 32cm x 20cm. Available singly or 10 per outer 094017



Spatter screens

Diameter: 29cm

Non stick coated mesh

Available singly or 12 per outer 095009

Mesh

Available singly or 10 per outer 095005



Non stick grill pan

29cm². Available singly or 8 per outer **094051**



Cast aluminium griddle

Non stick interior and exterior, folding handle, deep ridged base. 20cm square 5mm gauge. Available singly or 12 per outer **094050**



Egg pan 14cm

Non stick egg pan. Cream Available singly or 6 per outer 093020

Pots, pans and cooking accessories



Stainless steel pan set

Good quality 3 piece set with one each 16, 18 and 20cm pans with lids in a full colour display box 093017



3 tier steamer

20cm. Stainless steel with glass lid. Available singly or 6 per outer 093037



Milk pan and frying pan

Non stick aluminium 2mm gauge PTFE silver exterior. Available singly or 12 per outer Milk pan 14cm 093032 Frying pan 20cm **093033**



- Quickachips basket allows hot air to circulate to give your oven chips, garlic bread and pastries that perfect all-round
- Allows more even contact with the heat of the oven and therefore avoids soggy foods.
- Great for BBQ's and gives you control over your cooking

095013

Roaster bags



- Self basting oven bag
- 2 bags extra large size 45cm x 55cm approx with tie closures
- Suitable for microwaving, re-heating, boiling, freezing and storing meat and vegetables
- Helps meat to brown without having to baste
- Prevents fats from splashing helping to keep oven clean

095012

Toaster bags



- No fuss No mess!!
- Use each bag up to 50 times simply wash and re-use
- A tasty hassle free snack in just a few minutes
- 2 bags per pack

Kitchen gadgets



Colander collapsible 20cm

Silicone. Available singly or 12 per outer

Black 095200 Purple 095201



Silicone spatula

12 per outer 095212 Black Purple 095213



Silicone spoon rest

Available singly or 24 per outer

Black 095228 095229 Purple



Colander collapsible 22.5cm

Silicone. Available singly or 12 per outer

095208 Black Purple 095209



Silicone turner

12 per outer 095214 Black Purple 095215



Silicone trivet 17cm²

12 per outer 095230 Black 095231 Purple



Colander collapsible 20cm with handle

Silicone. Available singly or 12 per outer

095204 Black 095205 Purple



Silicone spoon

12 per outer 095218 Black Purple 095219



Silicone tongs

12 per outer 095220 Black Purple 095221



Cushion Grip Scissors

3 piece

12 per outer **095424**



All purpose scissors

8". Available singly or 12 per outer **095459**



Kitchen tongs

12 per outer **095452**



Cutty vegetable knife 24 per display **095423**



Corkscrew

Chrome plated Available singly or 12 per outer **095396**



Butterfly can opener Available singly or 12 per outer



Sidewinder can opener 18 per display **095421**

Quick peeler 48 per display **095403**

Kitchen gadgets



2 in 1 salt 'n' pepper mill

Twist one way for salt the other for pepper. 12 per outer White 095428 095429 Black



Sink strainer

Stainless steel. 12 per outer 095454



Mug holder

Free standing. 6 per outer Purple **095501**



Pop Up food cover

Weight 120g Dimensions 30 x 20cm

10 per outer **095462**



Fiamma omni stop

An innovative yet simple accessory, ideal to keep plates and items in place as you travel. Securing bar made from anodized aluminium 095697



Sauce bottles

Set of 2.12 per outer 095453



Sink mats

Can be trimmed to size for a perfect fit White 26 x 31cm **095535** White 32cm round 095536 Available singly or 6 per outer



Bottle stoppers 12 per outer **095301**



Daisy food cover

12 per outer 30cm square Weight 100g 095463

48cm square Weight 200g 095464



Double refrigerator bar

Helps prevent movement of contents while travelling. 40cm closed. Extending up to 75cm. 8.5cm high **089065**



Rotary grater

12 per outer 095451



Tablecloth clip (4)

Available singly or 12 per outer 095640



Curtain/tablecloth

4 per pack. Available singly or 10 per outer 095632



Gripstrip hang it all

Tea towel holders Set of 2 - colours may vary

12 per outer **095458**

12 per outer **095603**



Adjustable kitchen roll holder

Fits the majority of sizes available. 6 per outer 095461



Chef Aid food cover 095457



Kitchen towel holder

12 per outer **095460**



Double cupboard bar

Stop items falling if doors open in transit. 25cm closed. Extending up to 45cm. 8.5cm high 095689



Kitchen towel holder

Free standing. 6 per outer Purple **095506**

Crockery and bottle holders



Stepped cup and plate rack 535mm x 90mm. Beige **095695** Ivory **095701**

Free standing cup and plate rack

525mm x 180mm x 90mm. Beige 095682 Ivory 095684

Cutlery trays

Three slot tray 370mm x 190mm x 50mm Beige **095752** Ivory **095759**



Glass and bottle holders

Manufactured from coated sprung steel Available singly or 10 per outer

Three glass 095850 Six glass 095858
Single bottle 095862 Two bottle 095872
Three bottle 095880

Drying racks and drainers





O CLOSE DISHUTREAT

Mini dish drainer

Nylon coated wire measuring 30cm x 20cm
White 095520
Chrome 095510

Available singly or 10 per outer

Wire plate wrack

Can be secured for safe transportation of plates. Measures 27cm wide x 20cm deep x 12cm high. White **095521**

Chrome **095521**

Available singly or 10 per outer

Wire mug holder

Can be secured for safe transportation of mugs or cups.Measuring 9cm square x 19cm high

White **095527** Chrome **095517**

Available singly or 10 per outer

40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank for up to 7 days. 10 per outer **095575**



Folding plate rack Open dimensions (LXWXH): 37x27x27cm Chrome 095512

Available singly or 20 per outer

Dish drainer rack

- Very practical and functional
- Folds out. Can be used in two sizes according to need
- Complete with cutlery slots
- Space saving when folded
- Folded (LxWxH): 36x28x7cmOpen (LxWxH): 36x49x7cm
- 6 per outer **095488**



Cutlery caddy cream
Available singly or 12 per outer
095740

Laundry and ironing



Drying rack

Hooks over the edge of the caravan window providing 6 metres of drying space. Folds flat when not in use. Manufactured from medium gauge steel wire, nulon coated 4.5mm thick. Folded dimensions (WXD): 58 X 48cm

Available singly or 10 per outer 095477



Mini drying frame

Ideal for small washes, suitable for all radiators, baths, balconies. Dimensions 23" χ 5.5". 10 per outer **095479**



Adjustable drying frame

Multipurpose frame for drying clothes. Designed for small wash loads. Closed dimensions (WxDxH): 50 x 24 x 5 cm. 4 per outer **095478**



Fiamma Easy Dry

Additional drying rack suitable for use on the folding rail of the Fiamma Carry-Bikes and other brands with a tube diameter of 35mm. You can also travel with the Easy Dry in situ. Complete with plasticized ropes and adjustable handles. Manufactured from anodized aluminium. Weight 095480



Magic hanger

- Increases your wardrobe capacity by 100%
- Provides optimal use of all space
- Holds up to 5 hangers **095610** 10 per outer



Multihanger non-slip

- Multiple hanger with revolving hook
- Non-slip revolving bars with clips

095612 12 per outer



Laundry bag

Available singly or 10 per outer 095486



Twist washing line

Removes the need for clothes pegs. Available singly or 10 per outer **095483**



Folding Rotary Airer

Adjustable in height with plastic adjusting screws and pre-drilled securing points. Four aluminium arms. Weighs 2.3kg with a max load of 25kg. Comes with carry bag. Dimensions:

Open 158 x 158 x 143cm Closed 79 x 21.5 x 15cm 095469



095485

pegs

Sock dryer

With 13 pegs,

useful for drying

any small item. Available singly or 24 per outer

36 per pack Assorted colours, 24 per outer 095487





230V. 750W. Available singly or 6 per outer 095097



Folding ironing board

Folding legs, quality fabric cover, pressed wood top, chromewire iron rest. Folds in half for compact storage in re-usable storage bag. Surface area 81 x 30cm **095095**



Twister washing machine

powered washing machine. 4L capacity. Perfect for camping, caravanning, power cuts or simply to use at home when you just need to soak, prewash, rinse or spin a small load.

- Use anywhere
- Waste less water
- No energy costs
- Pedal powered
- Portable

Available singly or 12 per outer 095099



outer **095620**

B-Line kitchen accessories

All available singly or in outer quantities for a more competitive price.





Washing up bowl

Round 26cm. 12 per outer Beige **095556** Silver **095561** Blue 095558 Black 095557

Plum 095562





Washing up bowl

Square 29cm. 12 per outer Beige **095540** Silver **095544** Blue 095542 Black 095541

Plum **095545**





Studio drainer

Slim and compact, holds cups, plates and cutlery. 12 per outer

Beige **095490** Silver **095495** Blue 095492 Black 095491

Plum **095496**



Studio caddy

Cutlery drainer and holder 10 per outer

Beige **095745** Silver **095750** Black **095746**

Blue **095747** Plum **095749**






Dimensions: 357 x 242 x 45mm. 12 per outer

Beige **095775** Silver **095779** Blue **095776** Black **095778**

Plum **095780**



Sink mat

Plum **095650**

Can be cut to size 33cm x 26cm. 12 per outer

Beige **095530** Silver **095534** Blue **095532** Black **095533**





Waste bins



Garbina waste unit

Easily fixed to any vertical surface with bags held in place by a rubber strap **095920** Spare bags (25) **095935**



Bag bin

Wall fixing unit from which you suspend carrier bags 12 per outer **095995**



B-Line tip top bin

10 litre capacity
Beige 095980
Blue 095982
Silver 095984
Black 095983
Plum 095985
Available singly or 5 per outer of one colour



Cupboard door bin 4 per outer 095939







Assorted kitchen items

Best of British



Tea towels

Set of 3 24 per outer **095250**



Apron

Available singly or 24 per outer **095252**



Single oven glove

Available singly or 24 per outer **095251**

Fiamma Pack waste

Folding dustbin when closed takes up very little space. With 2 hooks that can be dismantled and 2 fix organizer 106404



Recycle bags set 3

Each bag: 315 x 315 x 435mm. Available singly or 20 per outer **095999**



Dust pan and brush

Grey. Available singly or 12 per outer **096080**

Dust pan and brush long handle
Available singly or 48 per outer



Kettles



2 litre with fixed whistle

Available singly or 6 per outer of one colour









1.5 litre with separate whistle

Available singly or 6 per outer of one colour



1.5 litre with separate whistle.

Handle folds for easy storage Available singly or 6 per outer of one colour



2.5L Whistling kettle Available singly or 6 per outer



Stainless steel whistling kettles

Available singly or 12 per outer 2.2 litre is suitable for use on gas, electric, halogen or ceramic hobs.





Gas Lighters



Piezo lighter





Refill for gas lighters 250ml 12 per outer 070480



Gas cooker lighter

Assorted colours. Not supplied with gas. Packed in display outers of 24

070491



Refillable gas lighters

Also used for lighting pilot lights, gas stoves, Each pack fires. contains one short and one long reach lighter with adjustable flame. 12 per outer **070497**



Cooker lighter bendable Assorted colours. Packed in display outers of 24

070496



Gas safety lighter

Long reach flame lighter 12 per outer 070498



Teapot steel 320Z

Available singly or 10 per outer 094067



Teapot 900ml

Stainless steel. Available singly or 12 per outer 094069

230v kettles



Kingavon travel kettle

- 0.5Ltr capacity
- ON/OFF indicator light
- 230v
- Automatic switch off

095063

12/24v kettles



Kingavon cordless travel kettle

- Boil-dry protection
- ON/OFF Indicator Light
- 1Ltr capacity
- 900 watt, 230volt
- Automatic Switch Off 095064



Cafe-tea-er maker

- 230v
- 350w
- Complete with washable filter
- Includes 2 ceramic mugs 095080





Waeco one cup 12V coffee maker. 150ml capacity WxHxD 135 x190 x 110mm

095087



Car/truck jug kettle Compact design with water level gauge. Fitted with cigar lighter plug. 6 per outer 12V **095086** 24V **095091**



Waeco car kettle

12V Kettle. 750ml capacity. WXHXD 190 X 205 X 125mm 095083



Coffee maker

- 12v
- Complete with washable filter
- Includes 2 ceramic mugs 095090



Beverage heater

- Ideal for camping, picnics & emergency use
- 12v plugs directly into cigar lighter socket
- For use with glass or ceramic containers

095089

Other 12v appliances



12v Hairdryer

- Plugs directly into cigar lighter socket
- Useful for defrosting windscreens
- Folding handle and hang loop for easy storage
- 8' power cord
- 14 amps
- Rotating air vent outlet for better air flow

095100

Other 230v appliances



230v Travel steam iron

230V. 750W. Handle folds flat for easy storage. Available singly or 6 per outer **095097**

Organisers and utility pockets



Pocket M



Pocket L



Pocket XL



Multipurpose pocket made of scratch resistant plastic easy to install with the screws provided.

Pocket M White 106412
Pocket L White 106414
Pocket XL Grey 106416



Pack organiser S



Pack organiser L

Folding container with multiple pockets, it can be easily hung on doors and walls. They are made of strong waterproof material. Adjustable straps or eyelet installation. Practical handles for easy carrying. Can be folded when not in use

S 50 x 84cm **106405 L** 88 x 39cm **106406**



Pack organiser Shoes 106407



Pack organiser seat Attaches to seat back giving extra storage 106409



Pack organiser toiletry

Numerous pockets and large storage compartment for transporting your bathroom essentials. Made from waterproof polyester complete with hanging hook. Dimensions: Open 30 x 118 x 11cm Closed 30 x 37 x 11cm 106410

WOW Pack Organizer S, L and Shoes can be fixed in 3 different ways:

1) using the rail - 2) using the eyelets (screws not supplied) - 3) with Fix Organizer (optional 106408).





Fix organiser

The easy way to hang your organiser 106408



Stack 'n' store box

Capacity 30 litres. 450 x 355 x 250mm. 6 per outer **095895**



Folding storage box

32 litre capacity. Measures 475 x 345 x 240mm (43mm when closed). Assorted colours. Available singly or 10 per outer **095892**



W4 elasticated storage pocket

Can be attached to the inside of cupboard doors. Ideal to store magazines, maps, toiletries etc. Dimensions 30cm x 17cm 095882



Folding boot cart

- Folds flat when not in use
- Lightweight, durable, rustproof with smooth rolling rubber wheels
- Extendable aluminium handle
- Dimensions: 380 x 330 x 360mm
- Capacity 25Kg 6 per outer **095888**

Moisture absorbers



Dry-Bag

An effective and economical product that is both simple and safe to use, eliminating condensation and damp problems. Protects interior fittings, fabrics, clothes, leather, electrical equipment from corrosion, rot, mould, mildew and odours. The Dry-Bag is manufactured using a cloth bag with lanyard and vertical window for hanging and monitoring, the colour will change from light brown to dark brown as it absorbs moisture. Each 1Kg bag can dehumidify an area of approximately 6-10 cubic metres

- Re-usable, simply dry out contents as per instructions
- Can be stored for up to 2 years
- 100% environmentally friendly
- Absorbs up to 75% of its dry weight
- Will not drip even when saturated
- Activated by removing from plastic bag

Dry-Bag 2 x 250g 110025 24 per outer Dry-Bag 2 x 500g 110050 12 per outer Dry-Bag 1 x 1000g 110100 15 per outer



3 21 LE







Pingi drying bags

The Pingi moisture bags are easy to recharge in the microwave oven. When the patented indicator changes from blue to pink, full saturation has been reached and Pingi is ready to be recharged. Good for the environment and for your wallet. Within a few minutes, Pingi is ready for use again.

250g 100cc 110115 Available singly or 12 per outer 450g 180cc 110117 Available singly or 12 per outer

Pingi iDry

These incredibly durable and easy-to-use moisture absorbers remove damp without electricity or batteries. Time to recharge? It only takes a brief stay in the 230V power point.

iDry L 120cc 110121 Available singly or 6 per outer 200cc 110124 Available singly or 6 per outer iDry XL



It's the one that works.







Slimline moisture trap

Allows significantly more Air Flow than other traps in which the crystals sit very low and restricts air exposure

- Works immediately
- Suitable for all rooms
- No electricity or batteries required
- Easy fill top lid
- No spill sides
- Refill indicator

110170 12 per outer

MINI MOISTURE TRAF

Mini moisture trap

- Absorbs moisture
- Helps protects against damp
- Combats musty odour
- Improves air quality
- Last 6-8 weeks.

110180 12 per outer

Moisture crystal refill

- Ideal for kitchen, caravans, boats and many more places where you need to keep the atmosphere dry
- Should be sufficient to dehumidify a closed room measuring up to 40 cubic metres (8ft x 12ft x 12ft)
- Excess moisture can cause mildew, wet rot, musty odours and other problems

500g **110172** 12 per outer 1kg **110175** 8 per outer 2.5kg 110177 4 per outer

Gel safe moisture trap



Damp is the main cause of damage to materials in the home, this regulates excess humidity, keeping it at the optimum level. This helps prevent damp, mould, mildew, bacteria and musty odours, improving overall air quality and comfort. The gel residue cannot be spilled, this makes it ideal for multi-purpose use i.e.: wardrobes, cupboards, caravans and boats.

- Absorbs 400ml moisture and turns it to gel
- Controls excess humidity for 6-8 weeks
- Protects against damp
- Improves air quality
- Quick and easy to use
- Non spill and non leak 110185 16 per outer

WOW Turns moisture into a gel, stored in a paper bag. By placing the bag in the bin, it makes disposal safe and easy.



Gel safe refill

Extremely easy to replace

110187 12 per outer

FENWICKS Cleaning and proofing products



WOW Manufactured and designed in the UK

The whole Fenwick's range has been designed with the needs of the caravan, motor home and car owner in mind. Many products have been created from specific requests by satisfied customers.



Please ask your sales contact for details 098062L



Caravan cleaner

Safe and economical to use one bottle will clean up to 40 average size caravans. It will safely remove black streaks, algae, moss, fungus, road and traffic film. Safe to use on acrylic windows, aluminium, rubber, decals, mastics, sealants etc.

1 litre **098056** 10 per outer 25 litre 098061



Motor home cleaner

Improved formula for use on motor homes. Contains corrosion inhibitors to protect steelwork. Power washers are often used so cleaning activity has been increased

1 litre **098057** 10 per outer



Bobby dazzler

A unique finishing product for caravans, motor homes, cars, vans and lorries. Provides a protective coating and enhances shine. Simply applied in the rinse water it protects against road traffic film, salt spray, acid rain, rust and air borne pollutants and it contains an algae and mould inhibitor to slow their return.

1 litre **098058** 10 per outer



Waste pipe & tank cleaner

Cleans shower and sink drains, toilet cassettes, and eliminates unpleasant odours. Formerly known as Fendox concentrate. Dilute to a 10:1 solution to clean work surfaces, cookers, fridges, sinks, wash basins, showers and toilets. Fully biodegradeable and food safe, kills e-coli, salmonella and other germs. Also removes nicotine. limescale. egg, formaldehyde, and other hard to remove stains

1 litre **097063** 15 per outer



Overwintering

Superb product to make spring cleaning easy. Simply coat the caravan or motor home with a dilution of over wintering to protect the surface from tree sap, bird droppings and general grime which accumulates over the winter months. Simply rinse with Fenwicks caravan or motorhome cleaner in the spring. Supplied in 1 litre bottles - enough to cover the average caravan twice **098054** 10 per outer



Windowize

An effective product to remove scratches from acrylic and plastic windows. When applied by hand it will remove scuff marks caused by trees as well as light scratches caused by dirt and grit.

100ml **098052** 10 per outer



Awning & Gazebo reproofer

Quickly restores waterproofing qualities to synthetic and canvas awnings, tents and gazebos. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions, 1L covers up to 30m². Far safer than solvent based products, due to the biodegradeable and environmentally friendly properties.

108405 10per outer



Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula.

1 litre 108401 10 per outer



Black streak remover

A 10 to 1 solution of caravan cleaner in a handy trigger spray for removing black streaks between washes

098055 10per outer 1 litre



Multi-surface cleaner

Ideal for cleaning and sanitising plastic and hard surfaces.

1 litre **098051** 10 per outer



Citrus fresh toilet cleaner

"Fresh coat" helps prevent marks and stains. Helps maintain seals, improves flush action and sanitises 1 litre **060265** 15 per outer



Fenwicks top & tail

A unique toilet fluid designed for use in both top and bottom tanks which makes it easier to use and more economical.

2.5 litre **060266** 8 per outer

The revolutionary and ecological way to clean, shine and protect your caravan, motorhome, boat or car, in minutes. No need for water, no mess and it can be used anywhere, you need to use it to believe it.



Starter kit

Kit contains: 1 x 500ml 1drywash with trigger 2 x microfirbre cloths Available singly or 10 per outer 098075



Upholstery cleaner

1drwash Upholstery cleaner is a natural ecologically friendly upholstery cleaner for carpets, fabric, leather and vinyl. It is free from acids, bleaches, solvents, corrosives or abrasives and is odour free and totally biodegradable. 10 per outer 098082



Kit contains: 1 x 500ml 1drywash with trigger 2 x microfirbre cloths Available singly or 10 per outer



Tyre & Trim Dressing

1drywash tyre & trim dressing renovates and restores tyres and plastic trims without the use of silicone.

Simply spray or wipe on and leave to dry. Spray once for a matt finish and twice for gloss. Can be used inside on plastics as well as out.

098081A



1 litre refill kit

Kit contains: 2 x 500ml 1drywash with trigger Available singly or 10 per outer 098077



Trial kit

Not tried 1drywash yet? Give it a go with our trial kit. Everything included with clear instructions. The kit contains 100ml which is enough to clean, shine & protect an average sized family car or caravan. 098073



Valeting pack

Each pack contains all you need to valet your caravan or motorhome.

2 x 1 Litre jerry cans of 1drywash, 1 x pressurised dispenser and six of each blue and green micro fibre cloths 098069



Valeting refill kit

Kit contains: 10 x 1 litre 1drywash jerry cans 098068



Wheel brush

An ideal tool to make cleaning your wheels with 1drywash much easier. 098081E







WOW Manufactured and designed in the UK

7-Shot

Save money and the environment - Buy concentrate - *This simple idea provides 4.5L of cleaning solution* - Supplied with 650ml of ready made solution and 120ml of concentrate that allows you to recharge the bottle a further 6 times. With the easy to use measuring device, you avoid over-dosing.





7-Shot Interior multiclean

Anti-bacterial multi-surface formula, with added antistatic agent. Leaves interior surfaces, showers, sinks, fridges and acrylic windows sparkling, and prevents mould and mildew build-up in your bathroom too!

10 per outer **098042**

7-Shot Upholstery cleaner

Cleans curtains, carpets and sofas, with built-in water softening agent to maximise performance in hard water areas. A great spot remover for cleaning up those accidental spillages.

10 per outer **098043**

7-Shot Avocado oil Polish

All in one dilutable multifunctional avocado oil based formula for polishing smooth and porous surfaces.

Suitabkle for use on bodywork and trims, furniture, leather, wood, floors, plastics and class.

10 per outer **098041**

7-Shot Black streak remover

Anti-static, multi-purpose spot remover for stubborn stains, black streaks and winter algae. Leaves a waxed showroom finish.

10 per outer **098048**



Sticky stuff remover

The modern answer for removing paint, oil, grease, adhesive, tar, sticker residue etc. 250ml 098095 6 per outer

250ml **098095** 6 per outer 50ml **098096** 12 per outer



Silky cream

A cleaner for all painted and synthetic surfaces. Non abrasive. 480ml **098063** 12 per outer



Wash+

Elsan anti-bacterial screen wash plus This has been specificially designed to attack legionnaires disease in the windscreen

Legionnaires disease in the windscreen washer system and help eradicate this risk. It is also effective against other water bourne bacteria to sanitise the system and avoid all unnecessary risks.

5 litre **097050** 4 per outer

Dometic Seitz window cleaner setAll you need for appropriate cleaning of acrylic

All you need for appropriate cleaning of acrylic glass surfaces.

Includes: Acrylic glass cleaner - Antistatic cleaning and care product. Ideal for pre-treatment of acrylic glass surfaces prior to polishing. Acrylic glass polish - Effectively removes blind spots and scratches. Contains no wax. Special polishing cloth - Extremely soft and hard-wearing. Elastic, fluff-free and washable up to 40°C **098107**



40 Shot Dish & treat

Low foaming washing up liquid that also acts as a tank cleaner. Just wash the dishes and let the washing up liquid clean and protect your pipes and tank.

10 per outer **095575**



Melamine SOAK Supplied in a tub of 20 tablets. 12 per outer 081409

Cleaning apparatus



Kent telescopic brush

Flow through brush with long reach handle. Measures 105cm

when closed extending to 170cm 12 per outer

097058

Display stand





Telescopic brush

Flow through handle with heavy duty brush head. Measures 100cm when closed extending to 170cm 18 per outer

097057



Telescopic brush

Budget flow through brush with long reach handle. Measures 100cm when closed extending to 170cm

12 per outer **\$00136**



Extra long 3 section brush

Flow through handle with heavy duty brush head. Measures 130cm when closed extending to 330cm **097060**



Heavy duty bucket

14.5 litre. Available singly or 12 per outer **097070**



Super jumbo car sponge

Available singly or 6 per outer **097005**



Rolson 4 piece cloth set

4 microfibre cloths. 12 per outer **097025**



Car wash glove

Microfibre mitt. Ideal for dusting, polishing and washing **097010**



Microfibre duster

- Microfibre attracts and lifts dirt whilst protecting surfaces
- Soft and scratch free
- Works best on dry surfaces
- Machine washable

097045 6 per outer



Chamois leather

Wholeskin approximately 5sq ft. Available singly or 6 per outer **097040**



Bug & tar remover sponge

Available singly or 12 per outer 097022



Microfibre cloths

- Made from microfibre
- Cleans without chemicals
- Lint and streak free results
- Machine washable
- Environmentally friendly
- Magnetic to dust 12 per pack

097046 20 per outer



Kent cleaning cloths

- Made from microfibre
- Cleans without chemicals
- Lint and streak free results
- Machine washable
- Environmentally friendly




Demister pad 24 per outer 097030







Kitchen cloth 097041 10 per outer







Multi purpose cleaning cloth 097043 10 per outer

Bathroom cleaning cloth 097044 10 per outer



Cleaning wipes



Glass wipes

Contains 50 large wipes which cut through grease and dirt on plastics, glass and other modern surfaces

098109 16 per outer



Bathroom wipes

Contains 50 large wipes which help combat the build up of limescale

098115 16 per outer



Toilet wipes

Contains 50 large wipes, helps combat salmonella, listeria and E coli; ideal for cleaning toilet lids and seats

098121 16 per outer



Auto interior wipes

Contains 50 large wipes which are ideal for cleaning all surface including glass, seats and dashboards

098135 16 per outer

Air fresheners



Plug-in-air fresher assorted

Orange blossom, Freesia & Jasmine and Fresh linen

098153 12 per outer



Scented candles assorted

Candles in 11 assorted fragrances. Each candle has a burn time of up to 30 hours **098159** 24 per outer

Hand care



W4 handies

One size disposable latex gloves, powdered for easy fitting. 6 pairs per pack **098150** 10 per outer



Latex gloves 10 pairs per pack

10 pairs per pack **098149** 50 per outer

Vacuums and sweepers



Ring handyvac rechargeable

Mains rechargeable wet&dry vacuum cleaner

- Ideal to pick up small wet and dry spills in the home, car, garage and caravan
- Wall mounting charger base
- 4.8 volts/45 watt 230v
- CE approved

Available singly or 4 per outer

096091



Everyday cordless sweeper

Removable handle/visor for effective stair cleaning

- Easy empty dust tray
- Dynamic steering joint
- Low profile and long reach
- Run Time: up to 20 minutes (depending on floor surface)
- Power: 4.8V rechargeable batteries
- Weight: 1.3kg

096094



Deluxe cordless sweeper

From cleaning hard floors to removing stubborn pet hairs from carpets and upholstery, its multipatented design features an edge cleaning wheel, responsive steering and long reach telescopic handle. Weight: 1.6kg

096095



Waeco Powervac PV-100

Wet/dry vacuum cleaner with rechargeable battery. Includes hose, attachments for upholstery, rugs and narrow gaps, carrying strap, mains adapter, 12-volt charging cable and operating instructions.

Holds charge for 18 minutes of uninterrupted operation. 2.15kg, HXWXD 270 X 320 X 198mm

096093

Mini Vacuum cleaner 2 in 1

- Compact and Lightweight
- Quick to disassemble for easy storage
- With a click of a button it goes from an upright vacuum to a hand held vacuum
- Bagless
- 800 watt, 0.6L dust capacity, 220-240V, 50Hz Available singly or 6 per outer

096098

Mats and runners



Rimini runner

- Machine washable to 40°C
- Latex backing and anti slip 57cm x 180cm, assorted colours **096029** 12 per outer



Door mat

- Ribbed pile
- Suitable for many locations
- Easy to keep clean with brush or vacuum

40cm x 60cm, assorted colours **096046** 10 per outer



Carpet mat stand
Please ask your representative for
details 096049



Marled barrier mat

- Mixed fibre barrier mat
- Washable at 40°C
- Flexible non-slip backing
- Extremely durable, absorbs dirt and moisture
- Suitable for outdoor use60 x 90cm096027 10 per outer



Ideal barrier mat

- Hardwearing polyproylene pile.
- Machine washable at 40°C
- Vinyl backing

40cm x 60cm, assorted colours **096025** 16 per outer



Camco 12' x 12"



Suitable for many applications. Supplied in 12" wide rolls. Available singly or 10 per outer



Rimini mat

- Machine washable to 40°C
- Anti slip latex backing40cm x 57cm, assorted colours

096028 24 per outer



W4 mini mat extra

Ridged door mat With non-slip backing. 49 x 33cm **096044** 10 per outer



Rolson 125cm x 45cm

Rolson non slip matting

Supplied in 45cm wide rolls. 30 per outer 125cm Black heavy duty 096020



Stick'n'Guard

Self adhesive protective carpet film - ideal for use in high traffic areas where carpets need temporarily protecting. Supplied in 10m x 60cm retail packs.

6 rolls per outer **120125** 100 metres x 60cm **120126**

WOW Stick 'n' Guard is often used to protect sales vehicles when on display not just by workshops when working inside customers vehicles



Carpet protector 30m roll

Plastic carpet protector 68cm wide 30 metres per roll **120124**

Carpet protector pre-cut retail

- Suitable for use on carpets
- Supplied in carry home polybag 68cm x 175cm. Available singly or 17 per outer **120121**

Hooks, hangers and tape

WOW Hang, organise, decorate, fix until you want to take it down. Command™ Adhesive removes cleanly without damaging walls



Mini hooks Holds 0.225kg 6 per pack 099049

6 packs per outer



Small hooks Holds 0.45kg

2 per pack 099050

6 packs per outer



Medium hooks

Holds 1.36kg 2 per pack 099051

6 packs per outer



Large hook

Holds 2.25kg Packed individually 099052

6 packs per outer



Jumbo hook

Holds 3.40kg Packed individually 099053

6 packs per outer





Small oval hooks

3 per pack White **099011** Beige 099012 10 per outer





Large oval hooks

2 per pack White **099015** Beige **099016** 10 per outer



Tea cloth holder 099034

10 per outer



Double sided tape

Length 6ft 099000

10 per outer





Small square hooks

4 per pack White **099019** Beige 099020 10 per outer



Large square hooks

2 per pack White 099023 Beige 099024

10 per outer

10 per outer



Cup hook white

4 per pack 099027



Suction hook 099030

10 per outer



 $\mathsf{Velcro}^{(\mathbb{R})}$ velcro counter display unit 099439



Velcro® in handy dispensers

10 metre length, 20mm wide Stick 'N' Stick Ecru 099412 Stick 'N' Stick White 099413



Velcro® heavy duty tape 50mm x 5mtr

Extra Strong. Weather resistant adhesive. For Indoor and outdoor use 099415



Velcro® stick on coins

Self adhesive discs with many uses. 16 per pack **099423** 12 per outer



Velcro® heavy duty strips retail pack

Weather Extra Strong. resistant adhesive. For Indoor and outdoor use 099420 12 per outer



Velcro® sticky foam

Double sided sticky foam pads for permanent fixing, quick & easy to use

099429 12 per outer



Velcro® self-grip ties 30mm x 5mtr

Perfect for organising bulky heavyweight cables **099427** 6 per outer



Hang tabs

Repairs euro hook slots when damaged. 500

per box (10 x 50) 099080

F: 0161 367 7303

W: www.groveproducts.co.uk

Personal grooming



Nilaqua's no rinse bathing products allow you to wash safely and effectively without using any water whatsoever! This range of no rinse liquid soap shampoo's leave your body clean and fresh from head to toe

Simple, fast and effective.

These amazing products are liquid based and leave no sticky residues. Simply apply the liquid directly and generously to your body, massage to release dirt and grease, and then to remove simply thoroughly towel dry.

The perfect alternative to traditional bathing.

Nilaqua has many uses: e.g. for busy lifestyles to freshen up between washes or when there is a lack of water, for example travelling, festivals, camping, hiking, sports (cycling, marathons etc), yachting, truckers, military, etc. Many festival goers prefer to wash from the comfort and privacy of their tent, rather than queuing up for showers.

wow

- Paraben and alcohol free
 - Kind to the skin
- Simple and easy to use
- Safe perineal cleanser
- Moisturises as it cleans
- Microwaveable wipes and shampoo caps





Nilaqua body wash

- Ready to use
- No rinsing required
- Leaves skin clean, refreshed, and odour
- No alcohol means no dryness
- Gentle on sensitive skin
- Safe and effective perineal cleaner
- Moisturises as it cleans

65ml **098414** 12 per outer 200ml **098415** 24 per outer



Nilagua shampoo

- Ready to use
- No rinsing required
- Hospital tested and approved
- Completely cleans hair without water Hospital tested and
- Just apply, massage to a lather, towel dry, and style
- No alcohol means no dryness
- Leaves hair fresh, clean, and odour

65ml **098400** 12 per outer 200ml **098401** 24 per outer 500ml **098402** 12 per outer



Nilaqua conditioner

- A wonderful finish for any shampoo
- Ready to use
- No rinsing required, no residue, no greasiness
- Eliminates snarls and tangles while leaving hair soft and easy to manage
- No alcohol means no dryness
- Provides silkiness, softness, and lustre
- Just apply, massage into hair, comb, and style
- Can be rinsed like a traditional conditioner

65ml **098405** 12 per outer 20ml **098406** 12 per outer



Nilaqua shampoo shower caps

- Ready to use
- No rinsing required
- approved
- Completely cleans hair without water
- Just place cap over hair, massage to a lather, towel

 No rinsing required dry, and style
- No alcohol means no druness
- Leaves hair fresh, clean, and odour free

098418 24 per outer



Nilaqua smilesaver toothbrush

waterless disposable The toothbrush with a single dose of toothpaste stored inside the handle. To use simply push the handle into the head to dispense the toothbrush and brush your teeth

- No foam no mess
- Fresh minty flavour

098419 30 per outer



Nilagua pet shampoo

- Ready to use
- No rinsing required
- Bathe your dog without stress or
- Apply massage to a lather and towel dry. No rinsing required
- PH balanced, contains no alcohol
- Recommended by vets and professional groomers
- Removes odours without masking. Lifts the dir up and away from the

098420 12 per outer 200ml **098421** 12 per outer 500ml





Nilagua Travel wash

Ideal for festivals and wild camping.

Kit contains:

- 1 x 65ml Body wash
- 1 x 65ml shampoo
- 8 x expandable wipes

098399

WOW Free counter display box 098425

Rooflights and accessories

MPK rooflights opaque

Multi-directional rooflight with opaque, flexible double skinned dome and frame available in two colours, beige or white. Telescopic arms allow the rooflight to be opened to any side. The dome skins have spacers between to guarantee free airflow that cannot be reduced by snow weight. Comes complete with removable flynet, and the 420 version comes with flynet and integrated roller blind.



MPK rooflight clear

- Large clear dome with snow protection frame
- With free airflow
- With flynet roller and roller blind
- Automatic pressure release locking device
- Covered fixing screws

Measures:

Aperture: 400mm x 400mm,

Dome: 560mm x 560mm.

Free airflow: 150cm

102028



Size mm (aperture)	Dome colour	Interior colour	Grove number
280 x 280 with flynet	Opaque	Beige	102002
280 X 280 With righet	Opaque	White	101972
200 v 220 v ith Shapet	Opaque	Beige	102008
360 x 320 with flynet	Opaque	White	101978
400 v 400 v 6th 6t mat	Opaque	Beige	102013
400 x 400 with flynet	Opaque	White	101983
	Opaque	Beige	102016
MPK 420 400 x 400 with flynet and blind	Opaque	White	101986

MPK replacement domes - opaque Complete with handles

Size mm (aperture)	Dome colour	Handle colour	Grove number
280 x 280	Opaque	Beige	102005
260 X 260	Opaque	White	101975
360 x 320	Opaque	Beige	102010
360 X 320	Opaque	White	101980
	-	VVIIICC	101000
400 x 400	Opaque	Beige	102012

Replacement flynets











280 x 280mm

Beige	102019
White	101989

290 x 290mm

Beige	102020
White	101990

360 x 320mm

Beige	102021
White	101991

400 x 400mm

Beige	102023
White	101993

For MPK 420 400 x 400mm

Beige	102026
White	102024

Replacement roller blind

Beige	102017

Other rooflights



Elixir rooflight

Single glazed unit with one way wind up mechanism. Metal surround. To fit aperture size: 360mm x 360mm White **102033**

Spare dome only White 102037



Rooflight domes

Manufactured from vacuum formed acrylic. The domes are not pre-drilled

14.5" x 14.5" **102055** 18" x 18" **102065**

Stays



MPK rooflight catches

Catch to lock rooflight in open or closed position 420/430. 4 per pack (2 black and 2 grey) 102018



Brevette stays 2 per pack 102162

Dometic Heki rooflights

Heki rooflights

All heki rooflights come complete with inner frame, blind and flyscreen.

	With weather proof ASA frames and PMMA glazing, they are designed to provide excellent protection from the elements												
Model		hickness mm	Dimensions mm (cut out)	Installation area	For caravans or motorhomes	With or without forced ventilation	Glazing	Features	Grove number				
	Standard	Fits	min (cut out)	required mm	Hotornomes	TOI CEU VEITUIALIOIT			Hullibei				
	42 25-42			Caravan	Vent			102080					
Mini Heki		25 12	400 x 400	550 x 510	Motorhome	No vent	Double glazed	Lever opening	102077				
plus	60	43-60	400 X 400	330 X 310	Caravan	Vent		3 position to 50°	102081				
	00	43 00			Motorhome	No vent			102078				
Mini	42	23-42	400 400	500 v 500		Mant	Single	Handle opening	102074				
Heki S	60	43-60	400 X 400	400 x 400 500 x 500	Caravan	Vent	glazed	5 position up to 80mm	102075				
Midi Heki	Midi Heki 30-34 25-34 up to 60 (with additional assembly kit)	25-34 up to 60	700 x 500	880 x 650	Caravan	Vent	Double glazed	Lever opening 3 position to 45°	102084				
WIGHTICK					Motorhome	No vent			102085				
Heki 2	27							Lever opening 3 positon to 55°	102092				
Heki 2 Deluxe	25-32	up to 60 (with additional assembly kit)	ith additional 960 x 655					Caravan	Vent		4 x 5W 12V integrated lights Lever opening 3 positon to 55°	102093	
Heki 3 plus	25-32			960 x 655 1080 x 790		1080 x 790	1080 x 790		1080 x 790	1080 x 790	Motorhome or		Double glazed
Heki 4 plus	25-32				caravan	No vent		2 x 8W 12v integrated lights Electric opening (with remote) variable position to 70° With rain sensor	102097				









Mini Heki S - 2.9kg

Midi Heki - 8kg

Mini Heki plus - 3.3kg

Heki 2 Exterior

Heki 3/4 plus Exterior











Heki 2 - 11kg


Heki 2 deluxe - 11kg Heki 3 plus - 15kg

HEKI 4 PIUS - 15.5kg

WOW Seitz S4 Windows - Dometic Seitz S4 windows are available to order from Grove Products. Usually delivered within 7 - 10 days, please speak to your sales contact for current prices and delivery times.

Rooflight accessories





Insulated vent shield. Keeps your vehicle warmer in the winter and cooler in the summer. Suitable for all 40x40 rooflights. 40cm square 102032



Fiamma rollo kit 40 x 40

Roller blind system suitable for 40 x 40cm rooflights. Easy installation without drilling 102029



Fiamma handle extension 102034



Universal extension kit To suit all Fiamma roof lights 102036




Universal spoiler

A universal aerodynamic roof spoiler, ideal for reducing vibrations and rooflight noise while travelling. Made of UV-ray resistant sturdy PVC material. It can be shortened to adapt itself to the different rooflights with dimension from 110cm to 28cm. Easy to install can be attached with suitable adhesives (Sika), no drilling needed. Dimensions 110 x 20 x 12cm 102039

€₩₩ Rooflights

The Fiamma range of rooflights offers high quality and durability. Aerodynamic, thanks to its elegant external profile top, it does not require the use of the Spoiler. During high-speed testing, noise and vibrations were greatly reduced. Thanks to the new outside cover and exclusive patented rubber seal, a watertight system guarantees rain streams down without the possibility of it coming in. ABE approved. Made with high quality UV-resistant materials. Supplied with permanent airflow



Fiamma Vent

Manually operated opening with permanent air flow ventilation and mosquito screen.

Vent 40

White 102030W Crystal 102030C

Spare dome

For all Fiamma 40 x 40cm rooflights

102031W White 102031C Crystal





Vent 28

28 x 28cm version of the Vent 40 rooflight,

White

ideal for airing small spaces. Installation with sandwich technology with screws tightened inside the vehicle

32 cm

101096 White Crystal 101097

Crystal

Spare dome

For vent 28 White 102033W

102033C Crystal



34,5 cm

Turbo 28

Ideal for small spaces Turbo 28 is equipped with a fan. Max airflow 9m3.

White 101098 101099 Crystal





Turbo-Vent

Manually operated opening with permanent air flow ventilation and a big fan with a 12V DC variable speed motor with 10 blades. It changes and refreshes the air inside

your vehicle within seconds. The electronic circuit allows a rapid, problem-free, change of rotation. The transparent grating permits maximum air circulation

and filtering of light. White 101092 Crystal 101091



Turbo-Vent Premium

Just like the Turbo-Vent but where all functions can be set in motion by a simple finger-touch. Renewed electronic interface with signal LEDs. White 101093A

Crystal 101093B









Fiamma turbo kit


Kit to convert your rooflight into a fan. Turbo kit 12V DC with telescopic hanging system allows installation on any rooflight from 40x40cm to 50x70cm when the vehicle is stationary and the roof is open. 24cm diameter fan with 2 telescopic

hangers adjustable from 36 to 48cm. Comes with 1 cable for lighter type socket and 1 cable for vehicles electric circuit. Can also work on 8 x D batteries not supplied.

- Low consumption: 12 Vdc
- Absorbed power: 4 W
- Electric input: 0.2 to 0.33 A
- Max air flow: 7.2m3/min

101095





WOW Turns any rooflight (40x40cm to 50x70cm) into an extracting rooflight!

Air conditioning units

IDIS A world leading, ultra-low profile roof top air conditioner designed for vans of all types to operate in the most rugged conditions.



SPECIFICATIONS	
Electrical rating (single phase)	240V, 50hz
Cooling capacity	2.8kW
Heating capacity	3.0kW
Maximum rated current cooling	5.4A
Maximum rated current heating	5.6A
Air delivery maximum	140I/S
Installed weight	45kg
Opening dimensions	356 x 356mm
Overall height	220mm
Overall width	825mm
Overall length	1040mm
Plenum height	65mm
Plenum width	555mm
Plenum length	535mm

Dont just have your next van air conditioned, demand the best; have an Aircomman lbis installed. The lbis is the most popular air conditioner in the recreational vehicle industry in Australia. Its proven reliability and excellent performance have become renowned, even in the harshest climate in the world.

- High capacity, 2.8kW cooling and 3.0kW heating, reverse cycle
- Flip-down electronic climate control LED control panel
- Full function remote control with sleep timer and dehumidfying functions
- Heat pump reverse cycle heating and cooling with electronic defrost to allow operation as low as -5°c
- Ultra quiet, high-efficiency three speed fan
- One piece chassis and canopy super strong polyurethane
- Ultra low roof profile less drag and improved clearance
- Potential to evaporate condensation, stopping water running down the side of your van
- Suits van length up to approximately 22 feet

102215

$Sparrow \quad \hbox{ A full-featured, lightweight yet powerful and efficient roof top air conditioner.}$



SPECIFICATIONS	
Electrical rating (single phase)	240V, 50hz
Cooling capacity	2.0kW
Heating capacity	2.2kW
Maximum rated current cooling	3.9A
Maximum rated current heating	4.0A
Air delivery maximum	110I/S
Installed weight	29kg
Opening dimensions	356 x 356mm
Overall height (not incl. gasket)	205mm
Overall width	560mm
Overall length	975mm
Plenum height	65mm
Plenum width	535mm
Plenum length	555mm

The Sparrow is the ideal roof top air conditioner for any small van, from camper trailer through to pop-tops and small caravans. It is light-weight and full featured with electronic remote control and power packed with 2.2kW of heating and 2.0kW. The reverse cycle units also have our unique electronic defrost that allows them to operate at temperatures as low as -5°c

- Flip down electronic climate control LED control panel
- Full function remote control with sleep timer and dehumidifying functions
- Super strong and lightweight UV stabilised polypropylene chassis and canopy
- Ultra low profile less drag and greater clearance
- Suits van length up to approximately 17 feet

102210

AROMAND - Air conditioning units

Heron 2.2 A compact split-system air conditioner, ideal for small vans



SPECIFICATIONS	
Electrical rating (single phase)	240V, 50hz
Cooling capacity	2.2kW
Heating capacity	1.5kW
Maximum rated current cooling	4.0A
Maximum rated current heating	6.5A
Air delivery maximum	110I/S
Installed weight	36kg
Condenser height	245mm
Condenser width	642mm
Condenser depth	450mm
Air handler height	240mm
Air handler width	380mm
Air handler depth	250mm

Minimum cupboard dimensions required: 490mm wide x 290mm high x 310mm deep

caravans. The split system unit will enhance your holidays allowing you to stay warm in the winter and cooler in the summer and can be controlled with simple dial controls.

- 2.8kW cooling and 1.5kW heating element
- Easy to operate knobs to control fan speed and temperature
- Stylish internal air handler provides adjustable air direction horizontally and vertically
- Control panel and air handler available in silver and white
- Its compact design allows greater flexibility for condenser installation under a cupboard, bed
- Heron air conditioners must be connected and commissioned by a trained air conditioning
- Suits van length up to approximately 17 feet

102220

Heron Q A larger split-system air conditioner, suitable for the larger pop-top



SPECIFICATIONS				
Electrical rating (single phase)	240V, 50hz			
Cooling capacity	2.6kW			
Heating capacity	2.5kW			
Maximum rated current cooling	5.OA			
Maximum rated current heating	5.OA			
Air delivery maximum	138I/S			
Installed weight	38kg			
Condenser height	770mm			
Condenser width	455mm			
Condenser depth	295mm			
Air handler height	240mm			
Air handler width	380mm			
Air handler depth	250mm			
Minimum cupboard dimensions required: 490mm wide x 290mm high x 310mm deep				

same electronic features as our roof top units without the additional height on your roof.

- 2.6kW cooling and 2.5kW heating, reverse cycle
- Stylish internal air handler provides adjustable air direction horizontally and vertically
- Control panel and air handler available in silver and white
- Electronic climate control LED control panel
- Full function remote control with sleep timer and dehumidifying functions
- Heat pump reverse cycle heating and cooling with electronic defrost to allow operation as low as -5°C
- Easy to install condenser box fitted from outside the van
- Heron air conditioners must be connected and commissioned by a trained air conditioning technician
- Suits van length up to approximately 22 feet

102225

Dometic Air conditioning units - roof air conditioners for 230V stationary operation



102181

102183

102185



FreshLight 1600 102193

FreshLight 2200 102195





You can control all functions of your Dometic air conditioner easily by remote control. The digital display shows the selected settings, such as temperature, blower speed, battery status, timer etc.



WOW FreshLight - The world's first roof air conditioner with integrated roof window with active ventilation system and single-pleated blackout screen



Allows you to run an air conditioner through the 12V DC circuit whilst the vehicle is running. Travelling occupants of the living area can be air-conditioned and you can enjoy perfect climate inside when you get to your holiday destination. Includes charging current distributer **102170**

	Freshjet 1100 102181	Freshjet 1700 102183	Freshjet 2200 102185	Freshlight 1600 102193	Freshlight 2200 102195
Cooling capacity	1000 watts 3400 Btu/h	1700 watts 5800 Btu/h	2200 watts 7500 Btu/h	1550 watts 5300 Btu/h	2200 watts 7500 Btu/h
Heating capacity (230v mode only)		800 watts	2700 watts	2050 watts	2700 watts
Power consumption (cooling / heating)	430 / - watts	620 / 800 watts	950 / 1200 watts	620 / 800 watts	950 / 1200 watts
Input voltage	230 volts AC 50 Hz	230 volts AC 50 Hz			
Current consumption (cooling / heating)	2.0 / 0 Amps	2.7 / 3.5 Amps	4.1 / 5.2 Amps	2.7 / 3.5 Amps	4.1 / 5.2 Amps
Necessary circuit protection (cooling / heating)	3 / - Amps	4 / 4 Amps	5 / 6 Amps	3 / 4 Amps	5 / 6 Amps
No. of blower speeds	4	4	4	4	4
Remote control	Yes	Yes	Yes	Yes	Yes
External dimensions (W x H x D) mm	562 x 225 x 787	562 x 225 x 787	562 x 225 x 787	758 x 210 x 1105	758 x 210 x 1105
Internal dimensions (W x H x D) mm	480 x 47 x 535	480 x 47 x 535	480 x 47 x 535	550 x 53 x 880	550 x 53 x 880
Roof opening (W x D) mm	400 x 400	400 x 400	400 x 700	400 x 400	400 x 700
Roof thickness mm	25 to 60	25 to 60	25 to 60	25 to 60	25 to 60
Integrated lighting	LED	LED	LED	LED with dimmer	LED with dimmer
Can use DC2 Kit for 12V mobile operation	Yes optionally	Yes optionally	Yes optionally	Yes optionally	Yes optionally
Recommended max length of vehicle	5 metres	6 metres	7 metres	6 metres	7 metres
Weight approx. kg	22	29	32	40	42
Part no.	102181	102183	102185	102193	102195



Air conditioning units - roof air conditioners for 230V stationary operation

Aventa Comfort

Behind the Aventa Comfort air conditioning system are two powerful and efficient units. It cools and dehumidifies the interior on hot days and can be used as a heatsource through an energy saving heat pump on cooler evenings.

- Powerful cooling and exceptionally high air output
- Maximum efficiency in both cooling and heating operation
- Extremely light
- Sleep function for quiet cooling
- Practical timer function
- Retrofitting is very quick and easy

Choice of two interior colours, cream or grey



WOW Easy retrofit through 400 x 400 rooflight, especially with the optional sealing frame 102169



Optional sealing frame 102169

Aventa Eco

The Aventa Eco air conditioning system will provide you with the required temperature quickly with it's high cooling power. It uses such low power that it can be used on camp sites with the lowest fuse protection. Perfect for performance and economy

- Powerful cooling
- Extremely low power consumption
- Extremely light
- Sleep function for quiet cooling
- Practical timer function
- Retrofitting is very quick and easy

Choice of two interior colours, cream or grey

WOW Aventa Eco - Powerful cooling only (no heating function). Why pay for heating when it is already installed in the vehicle.

Save weight, money and power!



- 1. On/off
- 2. Mode
- 3. Fan speed
- 4. temperature selection
- 5. Clock
- 6. Sleep
- 7. Interior lighting
- 8. Timer
- 9. Resend
- 11. Reset



Interior cream



Interior grey

	Aventa Comfort	Aventa Eco
Cooling capacity	2400 watts	1700 watts
Heating capacity	800 watts	N/A
Input voltage	230 volts AC 50 Hz	230 volts AC 50 Hz
Current consumption (cooling / heating)	4.2 / 3.7 Amps	2.8 Amps
External dimensions (W x H x D) mm	650 x 235 x 980	650 x 235 x 980
Internal dimensions (W x H x D) mm	500 x 50 x 560	500 x 50 x 560
Roof opening (W x D) mm	400 x 400	400 x 400
Integrated lighting	Dimmable LED ambient lighting	Dimmable LED ambient lighting
Recommended max length of vehicle	7.5 metres	6 metres
Weight approx. kg	33	28
With air distribution unit cream	102166A	102163A
With air distribution unti grey	102166B	102163B

WOW Now both interior and exterior parts come as a single part number!

Dometic Air conditioning units - under bench air conditioner

Is the under-bench storage space still free? Then there are a number of reasons to house the air conditioner there:

- No roof load, vehicle centre of gravity and height remain unaffected
- 3 separate outlets can be positioned individually



	FreshWell 2000 102197
Cooling capacity	1800 watts / 6100 Btu/h
Input voltage	230 volts AC 50 Hz
Current consumption	2.8 Amps
Dimensions (W x H x D) mm	400 x 286 x 560
Recommended max length of vehicle	6 metres
Weight approx. kg	20
Part no.	102197

Ventilators

Extract and light kit

12v extractor fan complete with an integral downlighter in white surround. Ideal for fitting in cupboard above hot plate or in a toilet compartment. Complete with exhaust ducting and external vent. Supplied blister packed with Euro slot. Can also stand on shelves. Comes complete with a G4 10w halogen bulb 103250

Extract and light loose

12v extractor fan complete with an integral downlighter. Supplied in bubble wrap with no external vent or exhaust ducting. 10 per outer

White **103252** Chrome **103253** Gold **103254**







Dometic GY20 vent

A passive ventilator with easy push/pull closing action. Creates permanent ventilation to cut down condensation and musty smells 103202



Mushroom vent

White dimensions: 110mm 0, Height 50mm, Fits roof depth 22-54mm 103204



Roof cowl Truma AK3

More truma cowls and vents in the spares section of the catalogue



MPK vent 5038 117mm diameter (overall) 109mm (vent) 103200



Hit and miss vent

White 9.5" x 3.5" **103101** Brown 9.5" x 3.5" **103112**



Hit and miss vent and fluscreen

White 9.5" x 3.5" **103123** White 9.5" x 6.5" **103134**



Interior louvre vent

White 6.75" x 3.5" **103038** Brown 6.75" x 3.5" **103047**



Exterior louvre vent

White 9.5" x 6.5" **103029**



Exterior louvre vent and flyscreen

White 9.5" x 3.5" **103083** White 9.5" x 6.5" **103092**



Exterior louvre vent

White 9.5" x 3.5" **103011** Brown 9.5" x 3.5" **103020**



MPK side wall vent

170mm x 50mm - aperture size **103201**



Grille vent

White 6.75" x 3.5" **103145** Beige 6.75" x 3.5" **103156**



3" hexagonal vent -pair

White **103167** Brown **103178** 10 packs per outer

Consumables

WORK SHOP

WOW For workshop consumables please order in units of 1 to receive quantity in brackets.



Brake cleaner 500ml aerosols (6) SAS2 2.5 litre (4) SAS82



Zinc spray 500ml aerosols (6) **SAS24**



Clear fine oil 500ml aerosols (6) **SAS56**



Silicone spray 500ml aerosols (6) SAS8



Tyre foam 500ml aerosols (6) **SAS43**



White grease PTFE Copper grease 500ml aerosol (6) SAS7



500ml aerosols (6) **SAS17**



Clear grease 500ml aerosols (6) SAS18



Silicone grease 500ml aerosols (6) **SAS19**



Multi purpose EP grease 400g cartridges (12) VC181 5Kg tub VC182

Sealant strips W4 sealing strip

WOW New high performance formula in white

Formulated for the sealing and re-bedding of caravan and trailer tent fittings. Suitable for use on aluminium mouldings, overlap joints, awning rails, exterior lights, window surrounds, grab handles and most external trims

Retail packs

19mm x 2.5mm x 5m Grey 107089 White 107092 32mm x 2.5mm x 5m Grey **107090** White 107093 45mm x 2.5mm x 5m White **107094**

Workshop packs

19mm x 2.5mm x 19m Grey 107116 White 107119 32mm x 2.5mm x 19m Grey 107117 White 107120 45mm x 2.5mm x 19m Grey 107118 White 107121





Containers



Chemical

sprayer Not suitable for solvents including brake cleaner. 600ml CAN8



Solvent sprayer Polyamid pump with viton seals.

Polyethylene, 1 litre container. Can be used with brake cleaner CAN12



Pressol chemical sprayer

Heavy duty polyethylene. 750ml capacity. Fully adjustable nozzle. Suitable for use with cleaning fluids, lubricants and penetrating agents **CAN3A**



Solvent sprayer With viton seals. 1 litre

container. Can be used with brake cleaner CAN7



Grease gun metal

Metal bodied with extension pipe and 4 jaw coupler. 1/8" bsp 2.0cc/ stroke. Withstands pressure to 10,000psi. Takes 400g cartridges TL922



Rolson caulking gun

Steel skeleton frame, handle with plunger and release lever. Suitable for most 380-425ml cartridges. Available singly or 12 per outer 107087



Cartridge gun

Heavy duty for 400ml sealant or grease cartridges TL885

Sealants & adhesives

WOW Ask your sales contact about the useful Dekalin application chart shown below







Dekaphon 9735

An under body and wheel arch proctection coating. It does not spray mist when applied, very good resistance to water and abrasion. Can be used on plywood, wood and metal. 500ml aerosol

Black **107038**

Available singly or 12 per outer

Dekaphon 9750

An under body and wheel arch proctection coating, that can also be used as a wood primer. It is a water based product that has very good resistance to water and abrasion, an excellent primer for MS-Polymer. Can be used on plywood, wood and metal.

1 litre Black 107040 Available singly or 12 per outer

Dekapur 2K-90

Flexible polyurethane plastic repair adhesive. Can be used on ABS, PMMA, wood, metals, PVC, Polyester and painted metal. Very fast cure, 5 minutes! Easy and cost effective repair.

50ml Black **107042**

Available singly or 24 per outer

Dekapur 2K-6000 **•**



A 2 part polyurethane construction adhesive. used for bonding sandwich panels. Can be used on wood, plywood, aluminium, polyester and stonu materials. Solventfree, short pressing time of 5 hours,

with high gap filling properties. 5kg tub + 0.85kg tin. Beige 107044 Available singly

Dekasyl MS2

A multi-purpose adhesive / sealant. Based on MS polymer, it's ideal for fitting equipment such as solar panels, satellite systems, etc to vehicle roofs. It has very high U.V. stability and excellent performance with no need for a primer before application. 290ml cartridge

Black **107020** Grey 107021 White 107022

Available singly or 12 per outer

Dekaseal 8936




A permanently slightly sticky, non-hardening, sealant. Surplus amounts can be easily dabbed away, saving time and avoiding the risk of damaging side panels. Common uses are for sealing of windows, sun-roofs and overlaps and joints in vehicle construction. Excellent UV-resistance and ageing properties without any pre-treatment. 310ml cartridge

Black 107025 Anthracite 107026 Light Grey 107027

Available singly or 12 per outer

ENHANCEMENT & PROTECTION 👣 📭 🚫







Globecar PILOTE



sex.Aun

KNAUS (S)

Dekalin products are designed especially for use in the caravan, motorhome and boat industries. Made in Holland and Germany, the range includes adhesives, sealants, protective coatings and more. All products use the highest quality materials and can be used with complete confidence.

- Use Dekaphon for enhancement and protection. Seals under-carriages and wheel arches, protecting againts water ingress from below. Dekaphon 9750 can also be used as a primer for wood.
- Use Dekapur for bonding sandwich panels and plastic repairs.
- Use Dekaseal for sealing any fixture that may have to be removed in the future for repair or replacement such as windows, access doors, rooflights and panel overlaps.
- Use Dekasyl for fitting equipment such as solar panels, satellite domes and TV aerials to vehicle roofs. Extremely high bond strength and elasticity.

Sealants & adhesives



Sikaflex 512 caravan

Multi purpose non-sag elastic one-part sealant. Resistant to UV radiation, ageing and weathering. Bonds well to many substrates. 310ml cartridge White 107082

12 per outer



Sikaflex 221

Fast setting one part polysulphide adhesive and sealant. Hardens to a flexible rubber-like consistency. 310ml cartridge

White **107080** Black 107081 12 per outer



MK40

Polyurethane sealant and adhesive in one. 310ml cartridge White 107079

12 per outer

Adhesives and glues



Evo-stik strong bond

Clear adhesive. Multi purpose 32g 107140 6 per outer



Evo-stik impact

Instant contact adhesive. Multi purpose 30g **107145** 6 per outer



Evo-stik instant

Hard plastic adhesive. Instant bond 3g 107155 6 per outer



trays etc.

310ml cartridge

IDL mastic sealant

15 per outer

White 107015

Cream 107077 White 107078

Available singly or 24 per outer

Hodgsons silfix

White 107066 Clear 107067

Available singly or 25 per outer

Non-drying bedding sealant. 380ml cartridge

Hodgsons seamseal CV sealant

Non-drying bedding sealant. 380ml cartridge

silfix HM

Silicone sealant for many uses in and around the

leisure vehicle e.g. sealing around toilets, shower

Araldite rapid adhesive

2x15ml tubes (2) VC393



Araldite rapid adhesive

24ml syringe VC394



Rolson glue gun

230v 75W. Takes 11mm Ø glue sticks 100mm long. 6 per outer **107160**

Rolson glue sticks (10)

11mm ø glue sticks 100mm long. Glues most plastics, wood, fabric, paper etc





Super glue

20g bottle SAS4950 5g bottles (5) **SAS495/5** 3g tubes (5) SAS401/5



SAS activator

Accelerates bonding of super glues. For use on PVCU, metal, glass and plastic. 200ml SAS325



Loctite 401

Instant adhesive 20g bottle VC906



Bostik super glue

Original strong bond 3g 107150

12 per outer



Super glue 3g. 2 per pack

107152 48 per outer



SAS rapid epoxy

Repair compound for fast bonding of metals, glass, most plastics and other materials 24ml SAS450

Specialist Adhesives



Delamination kit

Floor fix 1.5Kg 2 part low odour epoxy adhesive is supplied with a 2.6ltr bucket for mixing, a pack of 20 (approx.) bungs and a syringe for application 107010



Captain Tolley's Creeping Crack Cure

Multi-purpose liquid sealant that finds and fixes leaks and seals hairline cracks. Compatible with all caravan building materials. Does not dissolve polystyrene

107290

12 per outer



Geocel clear marine sealant

Permanently flexible and waterproof clear silicone rubber sealant 78g tube 107005 6 per outer



AL-KO red sealant

Used for marking the nut position 107008

Tapes and packaging



Stretchfilm pallet wrap

Clear 400mm x 300 metres **203034** Black 400mm x 300 metres **203035**



Airsafe bubble wrap

1.5 metres x 100 metres 203036



Carton sealing tape

50mm x 66 metres 6 per outer 203031



Fragile sealing tape

50mm x 66 metres 6 per outer 203030



Multi-purpose heavy duty tape for indoor or outdoor use. 10 metres silver.

24 per outer 107316



Gaffa tape

Multi-purpose heavy duty tape for indoor or outdoor use. Silver

Available singly or 24 per outer 50 metres 107315



Sealing tape gun

Tape dispenser 203033



PTFE tape (10)

12mm x 12 metres GLU5



Double sided tape

Non-foam type. 12mm x 50 metres **VC406** 25mm x 50 metres **VC408**



Double sided adhesive foam tape

Green backing. General purpose tape. Suitable for interioir and exterior use. 25mm x 10 metres VC404



Advance AT7 (10)

Electrical insulation tape. Black. Flame retardent to BS EN6054, self extinguishing. 19mm x 20 metres EPT7



PVC insulation tape (10)

Electrical insulation tape. Black. Flame retardent to BS 3924 1980 Category 2. 19mm x 20 metres EPT1

Professional surface finishina



WOW Ask your sales contact about the useful Farecla application chart

G mop back plate



6"Advanced back plate with interface pad for use with 6" industrial applicators. 14mm thread size.

AGMPIP

G mop lambswool pad 6"



Hook & loop allows rapid fitting and removal from backing plate. Gives a greater cut than foam. Leaves few swirl marks and polishes to a high gloss **AGMLWP**

Profile 300 can be used to rejuvenate or remove Profile 300 scratches from your caravan windows either by machine or by hand



Directions - By hand. Lightly dampen a lint-free cloth and apply 4 pea-sized amounts of Profile 300 to the cloth. Rub the cloth across the window using a straight back and forth motion starting left to right and then switching to up and down. Apply even pressure and repeat until a desired finish is achieved. Remove residue and buff with a soft dry cloth or microfiber finishing cloth.

Where there is deep ground in dirt such as roofs of the caravan a polishing machine might be required. Profile 300 in conjunction with a lambswool mop will offer a greater cut and high gloss.

Directions - By machine. Using backplate attach a lambswool pad to the polishing machine. Apply a small amount of Profile 300 to the pad and use the pad and polishing machine to spread the product before starting the machine. Then start the machine at low speed and polish the surface using even pressure. Gradually increase the machine speed to 1500rpm. Once the product is used up wipe the surface clean using a microfibre cloth Reapply product if more work is required.

1 litre bottle PR03001400 6 per outer 200ml bottle PR0300200 12 per outer

Workshop cleaning



Hand gel red beaded 5 litres VC505



Paper wipes 280mm x 400 meters, 2 ply blue. VC537

Paper wipes stand VC526

Profile Caravan wash

Profile wash can be diluted or used as a neat product on the surface without any detriment to the surface. The wash leaves no streaks after use.



Directions - Rinse caravan thoroughly to remove excess dirt. Shake bottle well and pour 10-30ml Profile Power Wash into a bucket of warm water. Apply Power Wash with a clean sponge working from the top of the caravan downwards. Rinse thoroughly with clean water and wipe dry with a clean microfiber cloth for a streakfree, high shine finish. Can also be used neat on heavy stains without any detriment to the surface.

1 litre bottle PPW101 6 per outer



Profile Gelcoat restorer & wax Profile Gelcoat Restorer & Wax is the perfect product for rejuvenating faded caravan surfaces by hand.



Directions - Lightly dampen a lint-free cloth and apply a small amount of Profile Gelcoat Restorer & Wax to the cloth. Rub the cloth across the faded caravan surface. using a straight back and forth motion starting left to right and then switching to up and down. Apply even pressure and repeat until a desired finish is achieved. Remove residue and buff with a soft dry cloth or microfibre finishing cloth.

1 litre bottle PGC501 12 per outer

Profile Polymer wax

Profile Polymer Wax is a high gloss water resistant product with an even application. Can be applied either by hand or machine under most conditions.



Directions - Shake bottle well before use. Pour a small amount of Profile Polymer Wax onto a soft lint-free cloth (not directly onto the vehicle) and apply in a circular overlapping motion being careful to avoid contact with plastic trim. Allow to dry to a haze, then using a clean and soft lint-free or microbibre cloth, simply buff off for a beautiful high gloss waterresistant finish. Apply extra layers for maximum shine and protection.

1 litre bottle PPW106 6 per outer

Fenwicks commercial caravan cleaner



One litre will clean up to 40 average size caravans. It will safely remove black streaks, algea, moss, fungus, road and traffic film. Safe to use on acrylic windows, aluminium, rubber, decals, mastics, sealants etc. 25 litres

098061

1Drywash commercial valeting pack



Kit contains: 2 x 1 litre 1drywash, 12 x micro fibre cloths, 1 x pressurised dispenser, 12 x latex gloves 098069

Valeting pack refill

10 x 1 litre 1drywash 098068

Assortment boxes



'O' rings metric 404 pieces AB100



'O' rings imperial 382 pieces AB101



'O' rings metric 325 pieces AB81



Bulk packs

Heat shrink tubing 50mm lengths 172 pieces AB103



Fastener assortment

Includes Zinc high tensile setscrews, steel nuts & flat washers

M5 440 pieces AB163 M6 415 pieces AB128 M8 220 pieces AB129 M10 145 pieces AB130



Machine screws Body screws. Pan head Pozi metric (zinc) 250 pieces AB134



Nylon lock nuts metric 300 pieces AB15



Heat shrink tubing 200mm lengths 30 per pack AP33



Repair washers 240 pieces AB22



Flat washers imperial "Table 4" Heavy 530 pieces AB109 "Table 3" Heavy 1000 pieces

AB20



Rivets aluminium
Black 200 pieces
AB112



Display rackFor 10 assortement boxes
ABR



Split pins 1000 pieces AB32



'R' Clips 75 pieces **AB88**



Insulated terminals
Blue 280 pieces
AB161

Screws and miscellaneous





Self tapping screws

Counter sunk . Pozi- Zinc 200 per pack No.6 ⁵/₈" 16mm HTC6/5 No.6 3/4" 19mm HTC6/6 No.6 1" 25mm **HTC6/8** No.6 1½" 38mm No.8 5/8" 16mm HTC6/12 HTC8/5 No.8 ¾" 19mm HTC8/6 No.8 1" 25mm HTC8/8 No.8 1½" 38mm HTC8/12





Pan head screws Pozi - stainless steel

200 per pack
No.6 x ½" 13mm
No.6 x ¾" 19mm
HTA6/4
No.6 x ¾" 19mm
HTA6/6
No.8 x ½" 13mm
No.8 x ½" 13mm
HTA8/4
No.8 x ¾" 19mm
No.8 x ¾" 19mm
HTA8/6
No.8 x 1" 25mm
HTA8/8

Repair washers



Zinc M6 x 19mm i.d ¼" x o.d. ¾" 200 per pack **HRW14**

Flat washers



Zinc gold "Form C" metric M8. i.d 8.4mm o.d. 21mm.Thickness 1.6mm 500 per pack HFW61

Split pins



500 per pack ³/₃₂"x1½" **HSP4** 250 per pack ⁵/₃₂"x1⁵/₈" **HSP12**

Clevis pins



50 per pack $\frac{3}{16}$ x $\frac{5}{8}$ **HCP1**

Flange nuts



Serrated zinc metric M8 200 per pack **HSN58**

Rivets

Steel rivets



Standard flange 100 per

pack

4.8 x 12mm 4.8 x 16.5mm PRS4 PRS5

Peel back rivets



100 per pack 4.8 x 12mm 4.8 x 19mm

PR47 PR48

Avex (multigrip) rivets



500 per pack 4 x 12mm

PR3

Aluminium rivets

Black large flange 100 per pack 3.2 x 10mm

PRB21

Relaus Electrically operated switch that can be used to isolate the auxilliary battery from the vehicle battery.





Blade fuses

12v 20/30A Normally open contact ERL7





12v 40A Normally open contact ERL11

Fuses and bulbs

Standard blade fuses



50 per pack EFB1 1amp 2amp EFB2 30amp EFB30

Side & tail bulb

BA15s single contact 10 per pack Carlex bulbs

5w **EB207** 10w **EB245** Ring bulbs 10W ER245



Side & tail bulb

BA15d double contact 10 per pack Carlex bulbs 10w **EB209**



Capless bulb

W2 x 4.6D 10 per pack Carlex bulbs 1.2W EB286



50 per pack

3amp EFX3 4amp EFX4

5amp EFX5

7.5amp **EFX7.5**

10amp **EFX10**

15amp **EFX15**

20amp **EFX20**

25amp **EFX25**

30amp **EFX30**

Stop or flasher

bulb BA15s single contact 10 per pack Carlex bulbs 21W EB382



Stop or flasher bulb

BAu15s single contact **Amber** 10 per pack Carlex bulbs

21W **EB581**



Stop/tail & daylight running bulb

BAY15d double contact 10 per pack Ring bulbs 21/5W ER380



Yellow fits 4 to 6mm² ø cable - 📶 fits 1.5 to 2mm² ø cable - Red fits 0.5 to 1.5mm² ø cable



Blue 6.3mm ET7

Yellow 9.5mm ET12



Push-on female 100 per pack



Bullets 100 per pack Blue 5mm ET16



Heat shrink butt connectors

Adhesive lined Blue 5mm25 per pack

ET92



Scotchlok connectors

3M no. 560 100 per pack ESL2



Copper tube terminals

10 per pack 35mm x 8mm 35mm x 10mm

ET73 ET74



insulated female

ET10

100 per pack

Red 6.3mm

Blue 6.3mm

Push-on male

100 per pack Red 6.3mm **ET36** Blue 6.3mm **ET37** Yellow 6.3mm ET38



Receptacle socket

100 per pack Blue 5mm ET19



Ring terminals

100 per pack Blue 6.4mm **ET26** Yellow 8.4mm **ET30** Yellow 10.5mm **ET32**



Terminal blocks

Yellow 5.5mm ET35

12 way 10 per pack 5amp ETB5 ETB15 15amp **ETB30** 30amp



Advance AT7 (10) See p160 for spec 19mm x 20 metres EPT7



tape (10) See p160 for spec 19mm x 20 metres EPT1



Hose clip driver 175mm shaft, 7mm nut

spanner TL923



Trimming knife Metal bodied, heavy duty with snap-off 18mm blade TL675



Trimming knife blades only

Snap-off 18mm for TL675. 10 blades per pack, 10 packs per outer **TL666**



Blade dispenser With 100 heavy duty blades TL658



Crimping pliers Heavy duty **TL934**



Teng Torque wrenches 1/2" drive

- For both tightening and final checking of torque
- Reversible with lever (right hand action for torque checking only)
- Angular gauge for after tightening
- Graduated in Nm and lbs/ft
- Lockable setting
- Accuracy +/- 4%
- Degree scale for after tightening of cylinder heads
- Satin finish with rubber handle

Range 40-200 Nm, 30-150ft.1b. Length 465mm TG1281 Range70-350 Nm, 50-250ft.1b. Length 632mm TG1282



Type TR418. Fits 11.5mm hole. Length 61.5mm. Complete with caps. 25 per pack TY127



Each with detachable ABS handle. Second cut BS498. 4 pieces in wallet - 2 x Hand 8", 1 x Halfround 8", 1 x Round 8" **TL766**



Emery roll Blue twill. 50mm width 80 grit. 50 metre roll WER30

Jobber twist drill bits

Sizes up to 10mm		
10 per pack		
1mm	DRM1	
1.5mm	DRM1.5	
2mm	DRM2	
2.5mm	DRM2.5	
3mm	DRM3	
3.2mm	DRM3.2	
3.3mm	DRM3.3	
3.5mm	DRM3.5	
4mm	DRM4	
4.5mm	DRM4.5	
4.8mm	DRM4.8	

5 per pack	Sizes 10.5mm+ 5 per pack		
DRM10.5	10.5mm		
DRM11	11mm		
DRM11.5	11.5mm		
DRM12	12mm		
DRM12.5	12.5mm		
DRM13	13mm		

5mm	DRM5
5.5mm	DRM5.5
6mm	DRM6
6.5mm	DRM6.5
7mm	DRM7
7.5mm	DRM7.5
8mm	DRM8
8.5mm	DRM8.5
9mm	DRM9
9.5mm	DRM9.5
10mm	DRM10

HSS "sprint" DIN 338



- Fully hardened and tempered.
- Chrome plated for corrosion resistance.
- Micrometer type torque range adjustment with flip reverse ratchet mechanism.

Range 27-200 Nm, 20-150ft.1b. Length 465mm Available singly or 10 per outer 105535

Clips and ties



Hellermann cable ties

Black 100 per pack T30R 150mm x 3.5mm 100mm x 2.5mm ECT81



Cable tie base

Eurolok cable ties Silver-grey 100 per pack 295 x 4.8mm **ECTG53** 370 x 4.8mm **ECTG57**





P clips

4.8mm 100 per pack **EAC405** 6.0mm 100 per pack **EAC406** 9.0mm 100 per pack **EAC409** 12.0mm 100 per pack **EAC412** 19.1mm 50 per pack **EAC419**



'0'-clips OC3 11-13mm 13-15mm 0C4

15-18mm



Cable clips Double ear 25 per pack Self adhesive 50 per pack 8mm EAC2 14mm EAC3

OC5

Tools



WOW Display stand available please ask your sales contact for details 60cm Cardboard 105651



3 function pocket tool

Handy pocket tool that contains two double ended 45mm screwdriver bits (slot 3, 5, PZ1, PZ2). Item is flat on one side and has a built in spirit level. Complete with magnetic bit holder. LED light and pocket clip. 24 per display outer 105520



10" adjustable wrench

Drop forged. Heat treated steel. Fully polished jaw faces. Rubber dipped comfort grip handle.

6 per display outer 105533



Grommet assortment

For use in replacing worn or broken grommets in leaky taps, hoses and more. Black PVC construction. 140 assorted pieces. Includes: 30 x 6.4mm, 30 x 8.0mm, 30 x 9.5mm, 20 x 11.0mm, 20 x 12.5mm, 4 x 15.9mm, 3 x 22.2mm, 3 x 25.4mm. 6 per outer 105564



Mini trifold tool kit (26 pieces)

Contents: 10 x 25mm bit assortment, magnetic tip screwdriver bit handle, mini long nose pliers, mini side cutting pliers, tweezers, 4 x 1/4" Dr sockets, 75mm extension bar, 6 x precision screwdrivers, and hard case. Available singly or 40 per outer 105573



Screwdriver set (4 pieces)

Manufactured from carbon steel, with plastic handles. 1 x 75mm slot 5, 1 x 38mm slot 6, 1 x 75mm crosspoint PH1, and 1 x 38mm crosspoint PH2, 20 per display outer 105510



LED precision screwdriver

Aluminium screwdriver handle with LED straw light, 1500 MCD with pocket clip. Contains 6 x 25mm screwdriver bits (slot 1.5, 2, 3, crosspoint PH1, PH00, PH0). 4 x LR41 cell batteries supplied. 8 per outer 105514



Combination spanner set (5 pieces)

Drop forged, heat treated, and chrome plated (8, 10, 12, 13, 17mm) Supplied on plastic storage rack. 12 per display outer 105560



Tape measure with rubber cover

Automatic blade lock, push button retrieval, and belt clip. 12 per outer 5m x 19mm 105539 7.5m x 25mm

105540



Stubby screwdriver set (38 pieces)

Consists stubby ratchet screwdriver. Sizes include Star T10, T15, T20, T25, T27, T30, T40. Square 1, 2, 3. PZO, PZ1, PZ2 X 2pcs, PZ3. PHO, PH2 X 2pcs, PH3 Hex H2, 3, 4, 5, 6, 1/8", 5/32", 3/16", 7/32", 1/4" Slot 3, 4, 5, 6, 7mm. 6 per display outer 105516



Cushion handle screwdriver set (2 pieces)

Consists of: 1 x 100mm crosspoint PH2 and 1 x 100mm slotted 6. Manufactured with Chrome Vanadium shaft and soft cusion grip. 10 per display outer 105517



Screwdriver tool kit (15 pieces)

Consists of a 2 in 1 screwdriver handle with box, 1 x spirit level, 5 x 25mm bits: PH1, PH2, SL4, SL5 and SL6, 1 x 1m tape measure, 1 x adaptor and 4 x drive socket 7, 8, 9 and 10mm. 8 per display unit 105571



Safety utility knife

Spring activated blade that automatically returns to case after use. 12 per outer 105545



Fill no spill funnel

Simply clip on necks of most commonly used bottles for simple pouring of liquid without spillage. 12 per display unit 105590

Tools and Accessories



9 function multi tool

Manufactured from stainless steel, with rubber inserts on grip. Nine functions include: knife, saw, nail file, bottle opener, hammer head, combination pliers, wire stripper, slotted screwdriver, crosspoint screwdriver. Complete with canvas type carry pouch. 6 per display unit 105523



Mini multi tool set

Contains: Mini multi tool - 6 functions include: knife, bottle opener, saw, cross point screwdriver, pliers, and belt clip carabiner. Mini multi knife - 10 functions include: can opener, knife, scissors, bottle opener, slotted screwdriver, crosspoint screwdriver, corkscrew, nail file/cleaner, and supplied with key ring facility. 7 per display unit 105521



9 in 1 Multi tool with axe

Manufactured from stainless steel, with wooden inserts. Nine functions include hammer, nut holder sizes 16 & 12mm, axe, cross point screwdriver, mini saw, file, ruler, and knife. Folded size 165mm, complete with canvas type pouch. 5 per display unit 105524



Multi function pocket knife

Contains: can opener, saw, scaler, hook, scissors, slotted and crosspoint screwdriver, bottle opener, corkscrew, needle, nail file, bradawl, knife, and canvas type pouch. 6 per display unit 105548



Stoning hammer 1Kg

Fibreglass shaft and rubber handle. 6 per outer **105505**



8" combination plier

Drop forged. Fully polished heads. Double dipped cushion handles. Length 200mm. 10 per display outer **105527**



Mini folding star driver

With LED & D-Ring. T8, T9, T10, T15, 1 LED torch (11000-13000MCD), supplied with 4 x AG1 batteries. Overall size folded 50 x 28×17 mm 105509



Hex key set (10 pieces)

Chemically blackened.
Sizes 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8, and 10.0mm. Available singly or 10 per outer 105550



Stubby claw hammer

Extra strong high grade carbon steel. Soft rubber grip. Magnetized nail holder. Weight 8oz. 12 per display unit 105501



Side cutting pliers

Drop forged. Fully polished heads. Double dipped cushion handles. Length: 180mm. 20 per outer 105531



6 per display outer 105529

Box joint pliers

Manufactured from drop forged

carbon steel. Hardened and tempered.

Insulated grips, with seven position

positive locking head. Length 250mm.

7" eyelet plier set

Designed to punch and secure eyelets into many materials including sheeting, tarpaulins, and cloth. Complete with 100pc x 7mm eyelets. Length 190mm. 10 per display outer 105502



3 LED magnetic pick up tool

Easily retrieves small objects from confined areas. With 3 bright LED's to help retrieve metallic objects. Adjustable length extends from 170 to 545mm. Maximum weight capacity 2.27kg. Supplied with 3 x LR44 button cell batteries. 12 per outer 105588



3.6kg magnetic pick up tool with LED

Adjustable length extends to over 700mm. Maximum weight capacity 3.6kg. Simply twist magnetic end to turn on/off LED. 12 per outer 105584

W4 fixings range

'Pack-it' stand complete with 10 of all 24 items below Part no. **103470** All supplied 10 packs per outer



Self-Tapping Countersunk (5)

-	S	ize	Stainless Steel
1/2"	No.4	13 x 2.9mm	103432
½"	No.6	13 x 3.5mm	103433
3/4"	No.6	19 x 3.5mm	103434
3/4"	No.8	19 x 4.2mm	103435
3/4"	No.10	19 x 4.8mm	103444
1"	No.6	25 x 3.5mm	103436
1"	No.8	25 x 4.2mm	103437
1"	No.10	25 x 4.8mm	103438

WOW All W4 pack-it items can be ordered loose at a preferential rate. Please speak to your sales contact for details.

Self-Tapping
Pan Head (5)





Polytop Pins (10)

3/4" (20mm) plated
3/4" (20mm) plated bulk (500)
1" (25mm) plated
1" (25mm) plated bulk (500)
1" (25mm) s/steel

103428 103428B 103416

103427

013427B



Peel Rivet (5) %" × %". 4.8 × 30mm 103446





Screw Covers (5)
Plastic. To fit screw size 6 to 8,
4.2mm, Beige 103447



Cavity fixer rubber (2) Cavity fixer metal (2)

Catches, hinges and fasteners



Nylon door retainer 104002



Viva door retainer 104004



Plastic door retainer 104011



103429

WOW All packaged with Grove logo10 packs per outer

103430





External catch



Roller catch Brown 104106 White 104107



Turn button, spacer & striker Beige 104030 Wory 104033



Plastic turnbuckle 104037



Metal turnbuckle 104048



Stable door catch beige 104015



Double roller catch (2)



Metal cupboard hinge 104200



Stable door bolt 104176



Metal overhead stay 104202



Flush hinge (2) Bronze 2" (50mm) 104220



Cupboard stay 150mm 104301



Plastic flap hinge (2) 104209



Kitchen flap support bracket 104323



Cranked flush hinge (2) 50mm 104222




Table storage bracket (2) 104187



Sink top clip

Anti rattle fastener (2)

Catches and water 'Pack-it' stand complete with all 48 items below (except *) Part no. 104849 All supplied 10 packs per outer







Nylon door retainer 104801



Plastic door retainer 104802



Veneta door retainer 104803



Viva door retainer Extended Viva



door retainer 104847



Magnetic catch



Magnetic catch heavy duty 104824



Double roller catch (2) Brown



Rocker catch White 104818



Panco catch White 104819



Roller catch Brown 104821



Mini latch 104822



Plastic turnbuckle Metal turnbuckle 104810



104811



Sliding door gliders (tombstone) 104835



Plastic hinge (2) Brown 13/4" (45mm) 104825



Flush hinge (2) 2" Bronze 50mm 104826 11/2" Brass 38mm 104844



Cranked hinge (2) 2" Bronze 50mm **104827**



Push-in vent (2) Beige 104815



Hexagonal vent (2) Beige 104816



Cupboard stay 150mm **104846**



Sink top retainer 104812



Universal tap connector 104845



Pipe clip (5) 1/4" (6mm) 104828 5/8" (16mm) 104829 3/4" (19mm) 104830 1" (25mm) **104831**



Hose clip (2) 000/M00 (8-16mm) **104832** 00 (12-22mm) 104833 OX (16-27mm) 104834 1X (25-45mm) 104836



Gas bottle locker catch plus padlock 104808



Target leveller Adhesive 007297 Magnetic 007298 *



Hose connector Y ½" (12mm) 104839 3/4" (19mm) 104842 28.5mm 051139 *



Hose connector straight 1/2" (12mm) 104838 3/4" (19mm) 104841



Hose connector T ½" (12mm) **104840** 3/4" (19mm) 104843



Combination padlock 104813



Air bed plugs 109480



Hose sealing sleeve 23.5mm 104806 28.5mm 104807



Hose connector elbow 1/3" (12mm) **104805**



Hose connector reducer 3/8" x 1/2"(10 x 12mm) 104837

W Door retainers



Lever release Black 104797 Grey 104796 White 104795



Quick release barrel Black 104798 Grey **104798G**



W4 metal barrel To fit door thickness 27-31.8mm 104799



W4 plastic barrel To fit door thickness 27-31.8mm 104800

Catches and fittings 2



Double roller catch Metal 104857



Pegaline catch 104856



All supplied 10 packs per outer

Decmo catch 104860



'Pack-it' stand complete with 10 of all 24 items below Part no. 104898

Table support catch Lock cover (2) 104855



104854



Flush hinge Brass 2" (50mm) 104862



Cranked flush hinge (2)Bráss 2" (50mm) 104863



Flush hinge with finials (2) Brass 2" (50mm) 104864



Flush hinge with finials (2) Bronze 2" (50mm) 104865



Nylon hinge (2) 2" (50mm) 104868



Concealed hinge (2)



Barrel hinge (2) 104867



Metal cupboard stay 140mm **104853**



Locker stay (1) 130mm **104861**



Wardrobe rail support end (2) 5/8" (16mm) 104850



Turnbuckle set 104870



Turnbuckle spacer 104869



Single turnbutton (2) 104852



Brass bolt 2" (50mm) 104872



Brass necked bolt 2" (50mm) 104873



Identitags (4) 001135



Cupboard door stops (12) 104871



Suction cup and hook 2 per pack 104859



Cord locks (2) 109479

Push Locks



Push lock Single

With one side opening. Cupboard catch opens from outside only White 103500

Brown 103502 Matt Nickel 103504

Button and rose

Button 23mm x H 19mm Rose 38mm x H 7.5mm Chrome 103528 Brown 103530 103532 Brass Matt Nickel 103534



Mini push lock single Push lock double

With one side opening. Cupboard catch opens from outside only

White 103522 Brown 103524 Matt Nickel 103526



With dual side opening. Toilet door catch opens from both sides White 103512 Brown 103514



Push lock with rod

3 point locking. For long cupboards, use single side opening. For toilet doors, use dual side opening.

Single sided

Includes fittings. Rod length 2m White 103506 Single Sided White Double sided 103518 Brown Single Sided 103508 Brown Double sided 103520



Mini button and rose

Button 16mm x H 16mm Rose 24.5mm x H 7mm Matt Nickel 103536 Brown 103538



REMIS Blind and rooflight spares



Remis clip grey

Closing clip for Remismart 105200



Remis clip grey

Closing clip for Remistar



Remis end cap

Left **105202** Right 105204



Matt Nickel

Remis end cap covers

105206



103510

Remis spring mechanism 105216



Remis

insert

type 1



Type 2



Remis additional Remis repair kit spare parts 105220

105214



Remis mechanism end supports 105218



Remis mechanism (2) 105208



Remis

insert

type 2

Window blind spares



Retaining knob 105224



Long handle 105226



Blind lock long 105232



Blind lock 105254



Retaining hook Guides 105252



Left and Right 105234



End cap cover Left 105228

Right 105230



Rail end Left 105248 Right 105250




End piece 105240



Clip beige 105244



Mechanism (end) 105236



Spring 295mm 105246

Spring 360mm 105238

Window fittings and accessories

All polyplastic window fittings are available in either a 'standard' screw-on fitting or the more recent variant of the slide-on 'Polyfix' design.

The slide-on 'Polyfix' design are easily recognisable by the deep groove moulded into the back of the window fitting. It is this that slides over the adaptor fitted to the window.



Moulded groove

How to measure

Stay lengths are found by measuring between points A and B as shown here.





Blister packed All Polyplastic window stays are sold blister packed in pairs unless otherwise stated.







Size Polyplastic no. 9.00.152.00.00. 200mm 9.00.154.00.00. 300mm

Tube stays with perma-fix end

*Right hand stay only no fittings

Polyplastic no.

9.00.751.00.00.

Grove no. 105300 105303

Grove no.

105310

Size 200mm 300mm

140mm

Size

230mm

200mm

Polyplastic no. 9.05.152.00.00. 9.05.154.00.00.

Polyfix slide on fitting supplied in pairs of stays only - no fittings

Grove no. 105350

105353

End detai

Tube stays with perma-fix end

Tube stays with lever lock



Polyplastic no. 9.05.751.00.00.



105360

Auto stays with lever lock



Size Polyplastic no. 230mm 9.00.162.00.00. 280mm 9.00.164.00.00.

Grove no. 105305 105308

End detail

Auto stays with lever lock



Polyplastic no. 9.05.162.00.00.

Auto stays with perma-fix end



Auto stays with perma-fix end



Size 210mm 300mm

Size

140mm

Polyplastic no. 9.00.766.00.00.

9.00.768.00.00.

Grove no. 105312 105315

End detail

Size

Polyplastic no. 9.05.766.00.00.

End detail Grove no. 105362

Lever lock catch





Grove no. 105322

Lever lock catch





Polyplastic no. 9.05.451.00.

Grove no. 105372

Other window accessories



200 series toggle catch Polyplastic no. Grove no. 9.00.440.90. 105320 Supplied as packed singles with all fittings



Lock plate (2) Item Polyplastic no. Grove no. 9.00.715.00.00. 105326 Large Small 105324



Pop-out window stay Polyplastic no. Grove no. 9.00.715.00.00. 105318 Supplied as packed singles with all fittings



105398





End cap cover Loose, brown 105396

Curtain track and fittings



Furniglyde

Track (2.5m) 5 lengths per outer 105011 Gliders (20)

10 packs per outer 105033 Button hooks (20)10 packs per outer 105022 10 packs per outer **105044** End stops (2) Curtain hooks (25)20 packs per outer 105055





Nylonglyde Track (3m) Gliders (10) Curtain hooks (25)








End stops (2) Brackets (5)

5 lengths per outer 105067 20 packs per outer **105068** 20 packs per outer **105055** 10 packs per outer 105080











Visa curtain system

Top track (2m) 5 lengths per outer 105005 Bottom track (2m)5 lengths per outer 105006

Pop-it tape Pop-it tape

25m roll 105009 200m 105010

20 packs per outer **105007** End stops (2)










Silent gliss

Top fix Alu track (2m) Face fix Alu track (2m) Gliders (25) Hooks (25) End stops (2)





Awning rail



Aluminium awning rail

2.12 metre lengths. 4mm opening. 9mm internal diameter, 12mm external. 10 lengths per outer 105099



Plastic awning rail

Pre-drilled 2.5 metre lengths 10 lengths per outer 105088




Panel Trims



Panel trim 15mm

With single lip. Supplied in 10m lengths

Brown 105184 Grey 105186



Sealing panel trim 15mm

With sealing rubber. Supplied in 10m lengths

Brown 105188 Grey 105190



Grey 105194

Door sealing panel trim 15mm

With sealing bubble for doors. Supplied in 10m lengths Brown 105192

Corner Trim 16mm

2.2m lengths Brown 105196 Grey 105198

Table strip



Two part table hinge length 600mm 105167

Window trim



White plastic supplied in 10m rolls. Please note that the trim is measured by the size of the wood that the trim fits over and not the size of the trim.

30mm - 11/5" 105130 35mm - 12/5" 105135 39mm - 11/2" 105139

105145

Battery box seal



Supplied in 2m lengths. Comeplete with mastic. 105170

45mm - 13/4"

Steps



Rigid metal based step light in weight but sturdy construction.

H260mm x W395mm x Overall depth 415mm. Capacity 150kg maximum total load. Available singly or 10 per outer 106198



Folding step stool

Stool is designed to fold flat for easy carrying and storage, with a capacity up to 200lbs, also very sturdy and robust. 20 per outer 106220



Fiamma magnum step

Oversized and reinforced step. HxWxD 24 x 58 x 40cm. Top surface - 46x28cm. Approved to hold 200kg. Colour platinum. Available singly or 10 per outer 106201P





Flat packed double step

Space saving double step, folds flat for easy storage when not in use. 12 connection points (no tools required) for extremely sturdy performance.

H350mm x W440mm Overall depth 760mm. Capacity 150kg maximum total load. Available singly or 5 per outer 106219



Fiamma step grey

The classic step for caravans and motor homes, made of UV-resistant HD Polythylene for more stability and strength. Non skid surafce.





Fiamma clean step

Doormat suitable on electric or manual steps of your vehicle. Keeps clean, leaving out sand and mud. Supplied with springs, made of durable plastic material. Can be adapted to step sizes: Min 38x40cm to Max 45x40cm by means of the holes.

Green 106213 Black 106214



Fiamma step mat magnum

Made of soft and flexible anti-skid UV resistant rubber. Dimensions 45 x 27cm 106205



Fiamma LED step light 12v

Low consumption lighting system for the entrance of the motor home, to increase safety of the steps and step wells. Made from anodized aluminium, it can be shortened from 50 to 23 cm

106204



Fiamma table leg system

The 70cm table leg is made from sturdy anodised aluminium - the leg can be cut to reduce height. It is supplied with two plastic caps. The above floor and recessed bases are also aluminium and supplied with self-threading fixing screws. There is also a reinforced and more stable tripod base for outside use.

Table leg 70cm aluminium 106001 Above floor base aluminium 106024 106036 Recessed base aluminium Cap for recessed base 106038 Tripod base brown 106039 Table leg adaptor tube pro 106002

Table legs



Free standing table legs Folding table leg

Folding table leg, powder coated steel 660mm high. Square section. Available singly or 5 per outer Silver sand 106091 Brown 106092



Tubular steel leg 26". Available singly or 5 per outer 106099



Single table leg

27" but can be cut to size required. Available singly or 5 per outer 106115





WOW Non-skid steps

Sturdy and lightweight high quality exterior ladders. 30mm diameter and 2mm thick tubes in anodized aluminium. Inside width: 24cm. Total step width: 31cm. Ladders Deluxe 8 and 5D can be folded up while travelling. Ladder DJ is supplied with fixing bars for easy and quick installation on the rear door. It can be combined with Carry-Bike DJ. It can be installed on the following vehicles Fiat Ducato, Citroen Jumper, Peugeot Boxer and Ford Transit with double rear doors after 2006. Deluxe ladders 4B and 5B have a 15° inclination for the the inside of luton overcab models of motorcaravan or caravans with bunks. Supplied with nylon hooks to hold in position.






Deluxe 4B ladder

High quality aluminium ladder with 4 steps for mansards and sleeping berths.

Weight 2.4kg.





Deluxe 5B ladder

High quality aluminium ladder with 5 steps for mansards and

sleeping berths.

Weight 2.6kg.

106224



Deluxe 5D ladder


Anodized aluminium ladder with 10 steps. It can be folded up while travelling. Weight 4.9kg. **106225**






Deluxe 6 ladder

Anodized aluminium ladder with 6 steps Weight 3.3kg. 106226



Deluxe 8 ladder

Anodized aluminium ladder with 8 steps. It can be folded up while travelling. Weight 5.5kg. 106227








Deluxe DJ ladder

Anodized aluminium ladder with 6 steps. Weight 6.5kg. 106228



Safe ladder





Double Step









Sturdy anti-theft safety plate for your motorcarvan ladder. Suitable for single and double steps. Delivered as standard with locks and key. Dimensions 23 x 78cm. Weight 1.3kg 106229

Rafters and Support Poles



Caravanstore Rafter

Anodised aluminium with 30mm diameter Adjustable length: 142-265 cm. Suitable for extensions up to 250cm and for length up to 550 cm 108221



F45 Rafter

Anodised aluminium. Adjustable length: 142-265 cm. Suitable for extensions up to 250cm and for length up to 550 cm 108262



Magicrafter Pro

Anodised aluminium. Adjustable length: 350 to 450 cm awnings. Comes complete with 2 special brackets to fix the knuckles of the arms in order to keep the fabric in tension. Limit usage at high temperatures as it may affect the fabric tension. 108259



F45 Rafter Pro curved

The Rafter Pro is made of two sturdy anodized aluminium telescopic bars. Ideal for awnings with extension up to 250cm, it is adjustable in length from 144 to 265cm. Limit usage at high temperatures as it may affect the fabric tension. 108261



Magicrafter

It is easily installed by hooking the ends onto the awning arms, while keeping them tight to avoid bending. For awnings 250cm to 400cm. Limit usage at high temperatures as it may affect the fabric tension. 108259A



Caravanstore Support Leg

Reinforced legs developed to be fixed to the front roller of the Caravanstore to increase resistance and solidity of the structure. Standard delivered with Caravanstores from 440cm and with Caravanstore Zips from 360cm 108264C



Door Pole

Vertical telescopic pole in anodized aluminium for the front panel allowing increased stability when the door is kept open. Standard delivered with Privacy Room and Zip from 450cm. Optional for Privacy Room Light, Privacy Room CS light and Caravanstore Zip.

108264D



Kit Poles Light

Vertical support pole in anodized aluminium to increase stability of the Privacy Room at the vehicle wall. Optional for Privacy Room Light and Privacy Room CS light.

108264E



Kit Magic Privacy


Anodised aluminium. Provides increased stability for the privacy room. Comprises of one (or more) Magicrafter and Door pole, allowing the front or side panel to have increase rigidity.

Front Small 260 - 360cm and 450 cm 108264 Front Medium 400/410cm and 440 cm 108264A Front Large 500cm and 550 cm 108264B

Rubber seals

Rain guard

Convenient rubber guard to seal the space between the awning and the vehicle wall to prevent water from infiltrating. Can be installed without removing the awning.



Rain guard S

For awnings installed with standard ASI20 brackets on flat walls. Fits gaps up to 11mm. Priced by the metre sold in 5m lengths 108282



Kit Rain guard California

For awnings F45 S and F35 Pro installed on VW California. 200cm long 108279C



Rain guard M

For awnings mounted with adaptor spaced out from the wall up to 4cm or on curved walls. Priced by the metre sold in 5m lengths 108281



Kit Rain guard F65

For F65 awnings. Covers the whole space between the roof and the awning. 450cm long 108279B



Rain guard L

For awnings mounted

with adaptor spaced out

Rain Caps

A pair of seals to prevent water infiltration on the corners of the Privacy Room.

F45 S **108279D** F45 L **108279E**



Rain guard Lower

For F45s with suspended installation spaced from the wall. Installation in the special guide of the case. Priced by the metre sold in she lengths

108279A

Fiamma Drip stop white

Prevents black streaks from forming on the side of the vehicle. Made from a wide based polyvinyl. Superior quality adhesive and aluminium reinforced strips guarantee long life and hold over time



Fiamma awning accessories



Mega bag

Strong bag in lightweight material. Comes with Zip, Privacy Room and Caravanstore Zip. Dimensions 140 x 27 x 40cm 108308A

Mega bag light

Comes with Privacy Room light and Privacy Room CS light

Dimensions 140 x 25 x 25cm 108308



Awning hangers kit

6 hooks to insert in the lead bar profile to hang light objects 109503



Repair kit plus

This kit makes DIY repairs so easy with its 3 transparent PVC strips. 8 x 15cm each 108271



Wall brackets

Aluminium wall mounting brackets for support legs 108265





Fiammastore plate

Ideal for fixing the front legs to the ground, in order to increase the resistance in case of strong wind and to protect the legs. Set of 2 plates made with extra strong plastic, supplied with 8 pegs. Dimensions: $20cm \times 20cm = 108226$







Awning pegs kit

Range of screw pegs ideal for awnings, enclosures and mats. Made from UV resistant plastic. Kit includes drill chuck key, 8 x 20cm and 8 x 14cm screw pegs. 8 x hooks, 2 awning plates and carry bag 108309

Fiamma awning accessories



Tie down kit S

Strap kit allowing a solid anchoring of the awning to the ground. Fits into the awning guide or the side clip of the Privacy Room. Includes: 2 adjustable black straps (3m), 2 stakes with 2 tension springs and 2 front hooks

Black 109502 Yellow 109502A Black Caravanstore 109502B

The caravanstore version fits into the lea of a Caravanstore or F35 awning





Fiamma tie down kit

To secure awnings in light winds, 11m of adjustable band, 2 stakes and 1 tension spring. Available in Black or Yellow strap for extra visibility. Will fit awning up to 6 metres in length. Available singly or 10 per outer Yellow strap 109501

Black strap 109500



Provides protection against damage and noise by reducing wind resistance and improving the aesthetics of the vehicle. Made of ABS PLUS with coextruded UV protection. Can be fitted on either side and to all brands of awning. 108310

Crank Handles

Crank handle in light aluminium, available in 3 sizes



Short

Ideal for minivans. Comes with F45 S 190 108231K



Ideal for motorhomes. Easy to shorten. Comes with F45 S up to 450 108231L

123 cm



Telescopic

Ideal for high motorhomes and roof awnings. Comes with F45 L and all F 65s 108231M



End stops

Prevents the Caravanstore moving in transit 108222



Rubber foot

For the end of the Caravanstore leg 108227



Plastic leg pins 108224



Fiamma rope kit 108223

12 V Motor Kit

Fiamma offers an optional 12V motor kit that can be fitted even after installation. The motor kit also allows manual opening and closing in override mode. The standard model increases the overall length by about 13cm; while the integrated Motor Kit for the F65 does not increase the overall length. Control system delivered as standard.

Standard

F45 S Polar White 108275A/PW 108275A/T F45 S Titanium F45 L Polar White 108275B/PW F45 | Titanium 108275B/T F65 S Polar White 108321/A/PW F65 S Titanium 108321/A/T F65 L Polar White 108321/D/PW F65 L Titanium 108321/D/T 108321/C/I F65 S Integrated











The easy to use, sturdy and lightweight bag awning with manual operation. The only awning for caravans and minivans with tubular rewind for wrinkle-free fabric. The Fiamma Caravanstore is easy to use and install: it takes only seconds to roll it out completely. The legs are inside the rollertube, easy to take out and install as they are hinged and telescopic, so they cannot fall down or be lost. The roller can be rolled-up either way. Thanks to its patented wide roller the Caravanstore is easy to unroll and roll up, and above all the fabric is wrinkle-free!











	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Deluxe Grey	Blue Ocean
Caravanstore 190	196 cm	162 cm	180 cm	5.4	108201/DG	108202/B0
Caravanstore 225	236 cm	202cm	225 cm	7.1	108203/DG	108204/B0
Caravanstore 255	266 cm	232 cm	225 cm	7.6	108205/DG	108206/B0
Caravanstore 280	288 cm	254 cm	225 cm	7.8	108207/DG	108208/B0
Caravanstore 310	318 cm	284 cm	225 cm	8.3	108209/DG	108210/B0
Caravanstore 360	369 cm	334 cm	225 cm	9.5	108211/DG	108212/B0
Caravanstore 410*	419 cm	384 cm	225 cm	10.1	108213/DG	108214/B0
Caravanstore 440**	449 cm	414 cm	225 cm	10.7	108215/DG	108216/B0

^{*}Caravanstore 410 comes with one caravanstore centre rafter included.

^{**}Caravanstore 440 comes with one caravanstore centre rafter and one caravanstore support leg included.



The Caravanstore ZIP comes complete with the canopy and the enclosure. The innovative Caravanstore ZIP system joins the side panels to the awning's fabric with two special sturdy zips. In a few instants the awning can be transformed into a complete enclosure, doubling your living space.

Caravanstore ZIPs come delivered with:

- The **canopy** (Caravanstore type) in either Deluxe Grey or Blue Ocean
- The Rapid Set Caravanstore installation kit aluminium poles.

This fixing structure is composed of a horizontal rafter to be inserted in to the side panels and a telescopic vertical rafter next to the wall of the vehicle to increase the stability.

• A **curtain Kit** for all 3 windows in Blue Ocean

F: 0161 367 7303

- Mega Bag storage bag. Dimension: L:140xW:27xH:40cm. Colour: black/red
- 2 side panels with windows and mosquito nets
- A front panel with interchangeable door and window with mosquito net

	Awning length A	Height B	Canopy Extension C	Canopy length D	Weight kg	Deluxe Grey	Blue Ocean
CS ZIP 280	288 cm		225 cm	254 cm	24.2	108195/DG	108189/B0
CS ZIP 310	318 cm		225 cm	284 cm	26.1	108196/DG	108190/B0
CS ZIP 360*	369 cm	240 to 260 cm	225 cm	334 cm	28.8	108197/DG	108191/BO
CS ZIP 410*	419 cm	CITI	225 cm	384 cm	31.8	108198/DG	108192/B0
CS ZIP 440**	449 cm		225 cm	414 cm	34.5	108199/DG	108193/B0

280 cm

410 cm

310 cm

360 cm

440 cm

^{*}Caravanstore ZIP 360 and 410 come with one caravanstore support leg included.

^{**}Caravanstore ZIP 440 comes with one caravanstore centre rafter and one caravanstore support leg included.

canopy always stays tight



The easy-to-use awning which joins todays best technologies, service and quality! Constantly renewed, the F45 S awning is compact, functional, and of superior quality, assuring it to be the best choice for your holidays! The F45 L has the same specification with a larger roller tube and larger case.



Manual winch operation














WOW Standard delivered with installation brackets (Kit AS), other kits available Privacy rooms and blockers held in stock

Deluxe Grey and Blue Ocean readily available. Other colours available by special order. Please ask your sales contact for lead times.











F 45 <mark>8</mark>	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Polar White Casing Deluxe Grey Canopy	Polar White Casing Blue Ocean Canopy	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy	Deep Black Casing Deluxe Grey Canopy
F45 S 260	263 cm	247 cm	200 cm	19.5	108233/PW/DG	108233/PW/B0	108233/T/DG	108233/T/B0	108233/B/DG
F45 S 300	308 cm	292 cm	250 cm	23	108240/PW/DG	108240/PW/B0	108240/T/DG	108240/T/B0	
F45 S 350	348 cm	331 cm	250 cm	25	108248/PW/DG	108248/PW/B0	108248/T/DG	108248/T/B0	
F45 S 400*	398 cm	381 cm	250 cm	27	108256/PW/DG	108256/PW/B0	108256/T/DG	108256/T/B0	700
F45 S 450*	448 cm	431 cm	250 cm	30	108257/PW/DG	108257/PW/B0	108257/T/DG	108257/T/B0	

lighting

^{*1} tension rafter made from anodised aluminium included

F 45 <u>0</u>	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Polar White Casing Deluxe Grey Canopy	Polar White Casing Blue Ocean Canopy	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy
F45 L 450*	452 cm	435 cm	250 cm	35	108272/PW/DG	108272/PW/B0	108272/T/DG	108272/T/B0
F45 L 500*	502 cm	485 cm	250 cm	39	108273/PW/DG	108273/PW/B0	108273/T/DG	108273/T/BO
F45 L 550*	552 cm	535 cm	250 cm	44	108274/PW/DG	108274/PW/B0	108274/T/DG	108274/T/B0

^{*1} tension rafter made from anodised aluminium included

F45 Special Editions supplied as standard with relevant installation kit comprised of 2 brackets.

F458	Deep Black Deluxe Grey	Deep Black Blue Ocean	Titanium Deluxe Grey	Titanium Blue Ocean
F45 S 260 VW T5 California	108259T5/B/DG	108259T5/B/B0	108259T5/T/DG	108259T5/T/B0
F45 S 260 VW T5 Multivan/Transporter	108258T5/B/DG	108258T5/B/B0	108258T5/T/DG	108258T5/T/B0
F45 S 300 VW T5 Multivan/Transporter			108260T5/T/DG	108260T5/T/B0
F45 S 260 VW T5 UK Multivan/Transporter*			108262T5/T/DG	
F45 S 300 VW T5 UK Multivan/Transporter*			108261T5/T/DG	
***************************************	54- II -*-I-			

^{*}Special UK versions with winch on the left hand side

Fiamma ZIP is based on F45 awnings. The canopy has a ZIP system allowing a fast installation and perfect fit. The innovative Fiamma ZIP system joins the side panels to the fabric of the awning with two special sturdy zippers. The awning is transformed into a completely enclosed room in a few minutes.



Manual winch operation





Available in Polar White

casing only!

Available in Deluxe Grey and Blue Ocean canopies only!





ZIP S

Waterproof zips attach the walls to the roof!

Slide the front panel through the guide rail and zip to sides!

Use the Rapid Set to secure frame and peg out!



ZIP L


WOW Standard delivered with installation brackets (Kit AS), other kits available see P.188 & 189

ZIP.	Awning length A	Height B	Canopy Extension C	Weight kg	Deluxe Grey Canopy	Blue Ocean Canopy
ZIP S 300 Medium	306 cm	225-250 cm	250 cm	42.4	108294/DG	108294/B0
ZIP S 350 Medium	356 cm	225-250 cm	250 cm	46.3	108296/DG	108296/B0
ZIP L 400 Medium	406 cm	225-250 cm	250 cm	58.4	108298/DG	108298/B0
ZIP L 450 Medium	456 cm	225-250 cm	250 cm	62.4	108314/DG	
ZIP S 300 Large	306 cm	251-280 cm	250 cm	42.6	108295/DG	108295/B0
ZIP S 350 Large	356 cm	251-280 cm	250 cm	46.5	108297/DG	108297/B0
ZIP L 400 Large	406 cm	251-280 cm	250 cm	58.6	108299/DG	108299/B0
ZIP L 450 Large	456 cm	251-280 cm	250 cm	62.6	108315/DG	Water State of

ZIP Medium delivered with 1 rafter included

ZIP Large delivered with 1 rafter and 1 door pole included






Compact, sturdy in lightweight anodized aluminium case and manual mechanism the Fiamma F35 PRO is the practical awning with manual mechanism and telescopic legs integrated into the roller tube. It can be installed on any kind of minivan thanks to a variety of brackets that can be fixed on the wall or on roof bars and rails. The installation and the removal from the roof-rack is very quick thanks to the optional mounting kit which doesn't require drilling.

F35	Awning length A	Canopy length B	Canopy Extension C	Max Height from ground D	Weight kg	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy	HAR
F35 PRO 180	183 cm	162 cm	180 cm	195 cm	8.5			
F35 PRO 220	223 cm	202 cm	225 cm	225 cm	10.5	108310/DG	108310/B0	
F35 PRO 250	253 cm	232 cm	225 cm	225 cm	11.5	108311/DG	108311/B0	Ma
F35 PRO 270*	273 cm	254 cm	225 cm	225 cm	13	108312/DG	108312/B0	
F35 PRO 300*	303 cm	288 cm	225 cm	235 cm	14	108313/DG	108313/B0	
								-










Fiamma ZIP is based on F45 awnings. The canopy has a ZIP system allowing a fast installation and perfect fit. The innovative Fiamma ZIP system joins the side panels to the fabric of the awning with two special sturdy zippers. The awning is transformed into a completely enclosed room in a few minutes.









Manual winch operation

Available to order in with Blue Ocean canopies and in Deep Black cases in some sizes.

F 65₿	Awning length A	Canopy length B	Canopy Extension C	Weight kg	Polar White Casing Deluxe Grey Canopy	Polar White Casing Blue Ocean Canopy	Titanium Casing Deluxe Grey Canopy	Titanium Casing Blue Ocean Canopy
F65 S 290	290 cm	278 cm	200 cm	25	Hart I		Europi '	
F65 S 320	320 cm	308 cm	250 cm	26.5	108316/PW/DG	108316/PW/B0	108316/T/DG	108316/T/BO
F65 S 340	340 cm	328 cm	250 cm	28	108316A/PW/DG	108316A/PW/BO	108316A/T/DG	108316A/T/B0
F65 S 370	370 cm	358 cm	250 cm	30	108317/PW/DG	108317/PW/B0	108317/T/DG	108317/T/B0
F65 S 400*	400 cm	388 cm	250 cm	32	108318/PW/DG	108318/PW/BO	108318/T/DG	108318/T/BO

^{*1} tension rafter made from anodised aluminium included





Easy installation. The side panels have large roller blind windows with mosquito nets. The front panel, with a large openable window and mosquito screen, slides in the front rail of the roller tube and thanks to the autolubricant zippers it's easy to fasten the side panels. Standard delivered with the Fast Clip CS installation kit, pegs and elastic kit, Ocean curtains for the front windows and a mega bag light.

Privacy room CS Light	Length A	Height B	Part no.	Weight kg
Privacy 280	288 cm	240 to 260 cm	108208P	11.6
Privacy 310	318 cm		108210P	11.8
Privacy 360	369 cm		108212P	12.3
Privacy 410				12.8
Privacy 440	449 cm			13.3

280 cm	310 cm	360 cm	410 cm	440 cm

The Fast Clip CS is especially designed for Fiamma Privacy Room CS Light. It works using a sandwich system of hinged profiles locked in placed by a Quick Lock spring system. The side panels of the Privacy are quickly and easily joined with the fabric of the awning. Made from anodized aluminium.



Quick Lock

Caravanstore blockers & sides Fits both Caravanstore and F35 Pro canopies



Blocker Pro

The Blocker Pro is a front panel equipped with one large full light crsytal window and vinyl extension to the floor. Simply slides along the guide rail of the canopy and ties onto the awning's legs for stability. It gives you more privacy and more protection from the wind. Made of anti-rot vinyl, washable fabric with UV protection. Comes with elastic hooks and pegs.



Side W Pro - 108215

The Side W Pro is a side panel made of anti-rot vinyl, washable fabric With UV protection. Equipped with one large full light crsytal Window and vinyl extension to the floor. Simply attaches to the roof pole and ties onto the leg pole. Comes With telescopic tension rafter, elastic hooks and pegs.



Side W - 108216

The Side W Pro is a side panel made of anti-rot vinyl, washable fabric with UV protection. Equipped with one large full light crsytal window. Simply attaches to the roof pole and ties onto the leg pole. Comes with elastic hooks and pegs.

Side W F35 van - 108216A Special version with lower

Special version with lower height to fit minivans.



Sun View Side - 108216A


The Sun View Side is made with translucent light filtering material. Blocks about 80% of the light. Supplied with tension rafter, ropes and pegs.





Description	Canopy length A	Case length B	Height C	Part no.
Blocker Pro 255	235 cm	255 cm	225-280 cm	108302
Blocker Pro 280	255 cm	280 cm	225-280 cm	108301
Blocker Pro 310	285 cm	310 cm	225-280 cm	108303
Blocker Pro 360	335 cm	360cm	225-280 cm	108304
Blocker Pro 410	385 cm	400 cm	225-280 cm	108305
Blocker Pro 440	415 cm	440 cm	225-280 cm	108306
Side W Pro	Depth 2	210 cm	240-260cm	108215
Side W Pro F35 Van	Depth 2	210 cm	180-220 cm	108216B
Side W	Depth 2	210 cm	240-260 cm	108216
Sun Side View	Depth 2	210 cm	240-260 cm	108216A






The Fiamma Privacy Room is the only enclosure that allows full aeration on all windows. With the Privacy Room you can transform your awning into a comfortable living area. The side panels are quickly put together with the exclusive patented Fast Clip that combines the canopy with the side walls. No other fixing system is as stable. A protective sponge is fitted, vertically, on the

back part of the side panels along the support pole

awning. Made from anodized aluminium.

to guarantee a close fit. The front panel slides into the guide rail of the awning and thanks to the auto-lubricant zippers it's easy to fasten the side panels. Standard delivered with the Fast Clip installation kit, pegs and elastic kit, Ocean curtains for the front windows and a mega bag light.







Side door panel right



Privacy room	Length A	Height B	Extension C	Part no.	Weight kg
Privacy 300 Medium	300 cm		250 cm	108283	24.4
Privacy 350 Medium	350 cm	005.4-	250 cm	108285	24.9
Privacy 400 Medium	400 cm	225 to 250 cm	250 cm	108287	25.4
Privacy 450 Medium*	450 cm	LSO CITI	250 cm	108289	25.9
Privacy 300 Large	300 cm		250 cm	108284	24.7
Privacy 350 Large	350 cm		250 cm	108286	25.2
Privacy 400 Large	400 cm	251 to	250 cm	108288	25.7
Privacy 450 Large*	450 cm	280 cm	250 cm	108291	26.2
Privacy 500 Large*	500 cm		250 cm	108293P	26.7
Side door panel right - Medium		225-250 cm	250 cm	108310	3.9
Side door panel right - Large		251-280 cm	250 cm	108311	4.5

*Privacy Rooms 450 and larger come delivered with a vertical telescopic door pole

F45 blockers & sides Fits F45s, F45 L and F65* canopies



Simply slides along the guide rail of the canopy and ties onto the awning's legs for stability. Made of anti-rot vinyl, washable fabric with UV protection. Comes with elastic hooks and pegs.

Sun View Side



The Sun View Side is made with translucent light filtering material. Blocks about 80% of the light. Supplied with tension rafter, ropes and pegs.

Side W Pro Shade



A side panel like the Side W Pro with a Roller blind. E Simply attaches to the roof pole and ties onto the leg pole. Comes with telescopic tension rafter, elastic hooks and pegs.

Side W Pro



Equipped with one large full light crsytal window and vinyl extension to the floor. Simply attaches to the roof pole and ties onto the leg pole. Comes with telescopic tension rafter, elastic hooks and pegs.

Description	Length A	_	ase ngth B	Height B/C		Part no.
Blocker Pro 250	235 cm	26	0 cm	225-280 c	m	108302
Blocker Pro 260	247 cm	26	0 cm	225-280 c	m	108300A
Blocker Pro 300	285 cm	300 cm		225-280 c	m	108303
Blocker Pro 350	335 cm	350	0 cm	225-280 c	m	108304
Blocker Pro 400	385 cm	40	0 cm	225-280 cm		108305
Sun View Side	Depth 2	30 c	m	220-260 c	m	108263E*
Kit for F65s	108263G		Kit for Tristor			108263K
Kit for Ominis- tor 5002/5003	108263J			or Omnistor Tristor ²		108263H

Side W Pro	Depth A	Height C	Part no.
F45	230cm	225-280 cm	108263*
XXL F45	230cm	280-330 cm	108263A*
VW T5 F45	230cm	225-280 cm	108263B*
F65 Ducato	230cm	225-280 cm	108263F
Shade Right	230cm	225-280 cm	108263D*
Shade Left	230cm	225-280 cm	108263C*

*Also suitable for other awnings when using kits shown on the table on the left

Fiamma Adapters


WOW All other adapters available on request by special order. Please speak to your sales contact for details.

General Brackets



Kit AS 120

F45 and Fiamma Zip awnings. Standard delivered with 2.5m - 4m awnings. Includes 2 x 12cm brackets and 1 x 8cm bracket **108229**



For F45, Zip and F35 awnings. 300cm rail 108313E

Kit AS 400

For F45 and Fiamma Zip awnings. Standard delivered with 4.5m & 5m awnings. Includes 2 x 40cm brackets and 1 x 12cm bracket



Kit Roof Rail For F65 awnings. 20cm brackets 108228A

Adapter D

For F45, and Zip awnings. 8cm bracket 108230L 12cm bracket

108230M




Kit Wall Adapter For F45 and Zip awnings. 3 x 8cm brackets 1082301

Kit Standard

For F65 awnings. 20cm brackets 108325A



Kit Fixing-Bar For F65 awnings. 20cm brackets 108325Z



Bailey Pegasus

For F45 and Zip awnings.

Bailey Mk 2

For F45 and Zip awnings. 3 x 15cm brackets 108228Z 3 x 15cm brackets 108228Y



Bailey Pegasus

For F65 awnings 3 x 15cm brackets 108325




For F45 and Zip awnings. For awnings up to

350cm long. 2 x 8cm brackets. Both A and B

brackets are delivered as standard

The only modular bracket fitted to compensate for the curved roof of the minivan. Fits Renault Master 98, Fiat Ducato, Citroen Jumper & Peugeot Boxer. For F45 and Zip awnings.

1 x 8cm bracket 108230G



For Fiat ducato After 1994 and before June 2006

Also fits Citroen Jumper & Peugeot Boxer.



High Roof

For F45 and Zip awnings. High roof. 2 x 8cm brackets 108228CA



Master H2 > 2010

For F65 awnings. Also Opel Movano and Nissan NV400. After 2010. 1 x 12cm. 1 x 44cm and 1 x 64cm brackets 108325E


Master H2 < 2010

For F65 awnings. Also Opel Movano and Nissan Interstar. Before 2010. 2 \times 29cm and 1 \times 12cm brackets **108325D**



Master H2 > 1998

For F45 and Zip awnings. Also Opel Movano and Nissan Interstar. After 1998. 3 x 8cm brackets 108228H



Trafic

For F45 and Zip awnings. Also Opel Vivaro and Nissan Primastar. 2 x 16cm brackets 108228K

Mercedes Sprinter






High roof

- UK version Also for VW Crafter. For F65 awnings. 1 x 12cm, 53cm & 60cm brackets. After June 2006 108325L


With roof rail

For F65 awnings. 2 x 40cm and 1 x 12cm brackets After June 2006 108325M



Hymercamp

For F45 and Zip awnings. Hymercamp Swing, Starline, Hobby Van, Caravan Hobby '09. 1 x 400cm bracket. 108228D 1 x 450cm bracket. 108228DA




Hymer Van B2

For F45 and Zip awnings. Hymermobile B2, Classic B, Klasse, Starline.

- 1 x 350cm bracket. 108228EA
- 1 x 400cm bracket. **108228E**
- 1 x 450cm bracket. 108228F







Transporter Multivan - UK version For F45 and Zip awnings. 2 x 21.5cm brackets

Kit VW T5

Multirail Reimo For F45 and Zip awnings. 2 x 12cm brackets 108228ME



Kit VW T5

Transporter Multivan -For F35 awnings. 2 x 12cm brackets 108313L



Kit VW T4

Brandrup For F45 and Zip awnings. 2 x 8cm brackets 108228MC



Kit VW T4

Lift Roof For F45 and Zip awnings. 2 x 14cm brackets 108228MB



Kit VW T3

After 1980 For F45 and Zip awnings. 2 x 8cm brackets 108228M



Kit VW T3

For F35 awnings. 2 x 8cm brackets 108313J



VW Crafter

High roof - UK version Also for Merc Sprinter. For F65 awnings. 1 x 12cm, 53cm & 60cm brackets. After June 2006 108325L



For F45 and Zip awnings. 1 x 350cm bracket.

108228JA 1 x 400cm bracket. 108228JB



Series 7 & 8


For F45 and Zip awnings. Fiat 860F, Fiat Garage 860F-870F 890F.

1 x 100cm bracket. 108228JC



For F45 and Zip awnings. After 2011. 1 x 400cm bracket. 108228JF





Laika Ecovip

For F45 and Zip awnings. 1 x 390cm bracket 108228B



Laika Rexosline Ecovip 07 - Kreos 09

For F45 and Zip awnings. 3 x 15cm brackets 108228G



Laika Rexosline Kreos 09

For F65 awnings, 4 x 15cm brackets 108325B



Laika Kreos 05

For F65 awnings. After 2005. 3 x 15cm brackets 108325C

Miscellaneous Brackets



Iveco Daily H2

For F65 awnings. 2 x 15cm and 1 x 20cm brackets 108325F



Autocruise

For F65 awnings. 3 x 15cm brackets 108325P



Elddis

For F65 awnings. 1 x 400cm bracket 108325Y



Ford Transit For F45 and Zip

awnings. High Roof. 2 x 40cm brackets 108228L





Caravan Fendt Brillant For F65 awnings, 4

x 20cm brackets 108325Q

Rear Door Cover

Enclosure for the rear doors of Fiat Ducato, Citroën Jumper, Peugeot Boxer and Mercedes Sprinter high roof after 06/06. 106893

Quick to install, supplied with side panels and front enclosure that can be rolled up. Rear Door Cover grants you more privacy. The upper rafter and rail keep the fabric tight.

The double rail attaches to the water gutter of the Ducato, the aluminium rafter secures the opening of the two rear doors, keeping the fabric tight. The door can be rolled up.

Comes with: Double rail, awning with sides and front panel, rafter for increased stability and an elastic tension kit.

Enclosure for the rear doors of VW T5. 106895

Quick to install, supplied with side panels and front enclosure that can be rolled up, equipped with mosquito screen. Rear Door Cover grants you more privacy. Side elastics keep the fabric tight.

Comes with: Set of floor poles, complete enclosure, set of pegs and an elastic

Canopy poles Set of aluminium poles to extend the door as an aditional canopy 106897







Wind protection

Protection against wind and rain to eliminates draught. Suitable for all Fiamma Privacy Rooms and can be easily shortened.

Available in four versions:

All versions are supplied with necessary fastenings and wheel arch covers.

Motorhome: L 550cm H 60cm 109505 Caravan: L 450cm H 60cm 109504 VW T5: L 250cm H 42cm 109506

Fiat Ducato: L 397cm H 55 cm 109507





Rear door wind protections are available for both VW T5 and Fiat Ducato vehicles: VW T5 Rear 109504A

Fiat Ducato Rear 109507A



Garage Pack

Quickly and economically arrange the garage of your motorhome or caravan. Simple and flexible modular systems.



Garage Pack Consists of: 2 aluminium bars 63 cm 1 aluminium bar 198cm 2 reinforced rails 2 galvanized rings 1 rubber band 180cm



Garage Pack Plus

Consists of: 2 aluminium bars 63 cm 1 aluminium bar 198cm 2 aluminium bars 79 cm 2 reinforced rails 1 support bar to fix bike-block 1 Bike-blocks Pro D1 1 Bike-blocks Pro D2 1 Pack Origanizer shoes 1 Pack Organizer S 8 galvanized rings 1 rubber band 180cm 4 Strip to fix bikes



Garage Slide Pro Ski

Sliding ski rack for your garage comprising of 1 ABS high quality case and 2 aluminium slide guides that you can slide out up to 100cm. The lower rail is screwed into place, adjustable in height up to 4cm, the case slides out easily even when fully loaded thanks to the nylon coated steel wheels. Dimensions: 200 47 x 14.4cm





102374

Garage System

Universal system to organise your garage facility



Garage Bars

The problem of securing items in your garage is solved. Garage Bars can be attached to the wall or floor. Each kit is supplied with 2 bars, including end caps and with specific (sliding hook) eyes.



Supplied with 10 eyes.

102360

Kit eye (2). Optional 2 extra eyes 102368



Garage Bars corner

Supplied with 8 eyes.

102362

Kit eye corner (2) Optional 2 extra eyes 102370




Garage Bars Premuim

Supplied with 8 eyes. 60 cm also comes with fixing straps

60cm 102364

200cm 102366 Kit eye Premium (2)

Optional 2 extra eyes 102370



Standard


The standard module is a single stand with three shelves, allowing positioning of the optional folding boxes to tidy the garage. They are adjustable in height and the section bars can be shortened to allow for steps or narrow and curved spaces 102350



Garage Box

Garage Accessories

Set of three folding boxes suitable for the shelves of the garage system. Very roomy open, but folded they take up little space 102356



Upgrade

The upgrade module is used to enlarge the standard module with a second shelf. 102352



Support

Set of two lower and one side bar aluminium, to be used as an additional support for the Garage System 102354

Wall Brackets

Supplementary kit for wall installation Of the Garage System on Garage Bars 102358



plates

Kit of 4 stainless

steel hooks to be

applied to the floor or

wall of the garage for tying straps, elastic

cords or ropes. 3.5 x

3 x 2cm 102372

Cargo Strap

Strong fixing system. Simply mount the strong ABS wall track with the supplied screws, set the related hooks and position the rubber bands in order to tension them appropriately to the objects you have to fix. Holds up to 20kg. Comes with 2 tracks, 4 hooks, 2 rubber bands and 24 fixing screws 102378

Kit Cargo Accessory

For heavy or bulky items an additional kit of 4 hooks and 2 rubber



Luggage Bar

Telescopic cargo har in anodised aluminium. Handy

hook lever to regulate length, with non-marking rubber ends can be shortened to 20cm 102382

Garage Carry-Rail

Carry rail ideal for the roof of the garage (subject to roof solidity). Sturdy but light



aluminium 22mm diameter with 2 ceiling fixings 102376

112.5 cm

Pro

Supplied with bike block 1, bike block 3 and 2 Quick rails. Two bikes can be carried as standard. Up to 4 bikes can be carried when using optional rails and bike blocks.

Specially reinforced for strength and with its telescope rail support, can be extended up to 74cm from the vehicle wall. Weight 8.4kg. Certified to carry up to 60kg 106353
















Pro C

More compact design than the pro for a built to last premium quality carrier. Supplied with the same as the Pro, it is suitable for installation under the rear window with the removal of the upper part. Weight 7.9kg. Certified to carry up to 60kg. Blue 106354A Red 106354



















CL

The affordable bike carrier with compact dimensions, suitable for both caravans and motor homes. Supplied with bike block 3 and rack holder to carry 2 bikes. Telescopic and adjustable from 40 - 50cm in height, it can also be installed under the rear window. Weight 5.6kg. Certified to carry up to 55kg **106351**











UL

The affordable bike carrier with compact dimensions, suitable for both caravans and motor homes. Supplied with bike block 3 and rack holder to carry 2 bikes. Can be cut and shortened or adjusted to fit various installation heights. Weight 5.6kg. Certified to carry up to 55kg 106352











Special editions

Pro - Hymer / Dethleffs

Carry-Bike Pro in blue. Suitable for Hymer motorhomes with preinstalled upper fixing brackets. Weight 8.2kg. Certified to carry up to 60kg. Max 4 bikes 106348











Pro -Hymer Dethleffs 106348





Pro - Autotrail

Special version of bike carrier Pro C with 94cm wheelbase, suitable for Autotrails after 2011. Supplied with Bike-Block Pro 2 and 3. Weight 12kg. Certified to carry up to 40kg. Max 2 bikes **106347**









Pro Autotrail 106347





Pro C - L80 Laika

Special version of bike carrier Pro C with 80cm wheelbase, suitable for Laika motor homes. Weight 7.9kg. Certified to carry up to 60kg. Max 4 bikes 106357














L80 Laika 106357



Pro C - Knaus / Eifelland

Special version of bike carrier Pro C with a modified upper structure holding the bike-blocks. Suitable for Knaus campers and Eifelland caravans. Weight 8.1kg. Certified to carry up to 60kg. Max 4 bikes 106346













Pro C-Knaus Eifelland 106346





CL - Trigano / Cl / Roller Team


A special edition CL model for Trigano group vehicles with preinstalled upper and lower fixings, installed only on Cl & Roller Team. Provided with a fixed structure and height of 39.5cm. Supplied with 2 rail quick red, bike block 3, rack holder & security strip. Weight 5.2 kg. Certified to carry up to 50kg. Max 3 bikes 106355











Trigano 106355



Lift 77

Lowers and raises 77cm on a winch system to enable the bikes to be loaded and unloaded effortlessly. Supplied with bike block 1, bike block 3 and 2 Quick rails. Two bikes can be carried as standard. Up to 4 bikes can be carried when using optional rails and bike blocks.

Completely renewed and improved, the Lift 77 now has a more practical operating position and magnetic hooking handle to further improve ease of use. Weight 16.8kg. Certified to carry up to 60kg

















Lift 77

E-bike



Lift 77 E-bike

Special version of the Lift 77 ideal for transporting two electric bikes. It is made from sturdy 35mm 0 anodised aluminium tubes and stainless steel screws, making it stronger and safer. Supplied with bike block 1, bike block Pro D1 and 2 Premium E-bike rails suitable for electric bikes. Two bikes can be carried as standard.

Weight 16kg. Certified to carry up to 50kg 106349















Van

For vans with double rear doors, not necessary to drill holes in the vehicle except for the security screws. Rear door can be opened without removing the bikes.

200 DJ Ducato > 06/06

Supplied with 2 premium rails, 2 bike blocks D1, a rack holder, installation bracket and fixing-bar. Maximum 2 bikes. Weight 9kg. Certified to carry up to 35kg Fiat Ducato after June 2006 106362

200 DJ Ducato < 06/06

Supplied with 2 premium rails, bike blocks 1 and 2, a rack holder, installation bracket and fixing-bar. Maximum 2 bikes. Weight 9kg. Certified to carry up

Also Peugeot Boxer, Citroen Jumper/Relay and Ford Transit after 2000 and Mercedes Sprinter before 06/06 Fiat Ducato before June 2006 106364


Supplied with 2 premium rails, bike blocks 1 and 2, a rack holder and upper wall installation brackets (only 34mm wide). Maximum 2 bikes. Weight 9kg. Certified to carry up to 35kg

106335

SUV - Backpack

The Carry-Bike with Universal straps is easily installed on all minivans. Not suitable for fibreglass rear doors. Supplied with 2 Quick rails (black), bike blocks 1 and 3, a rack holder and 6 superior heavy duty Quick Lock straps to secure the bike carrier to the vehicle. Maximum 3 bikes. Weight 8kg. Certified to carry up to 50kg

106334





VW T5

After 07/2003. For T5s with a single rear door. Now suitable for vehicles with raised roof. Easy installation with brackets provided. No drilling of the vehicle necessary. Can also be fitted on VW California and VW Multivan models. Supplied with Bike-Blocks 1 and D2, and 2 Quick rails. Weight 8.3kg. Certified to carry up to 60kg. Max 4 bikes 106342









VW T5 D

For T5s with a double rear door. Easy installation with brackets provided. No drilling of the vehicle necessary. Supplied with Bike-Blocks 1 and 2, and 2 Premium rails. Weight 7.7kg. Certified to carry up to 35kg. Max 2 bikes 106340



VW T4

After 1991. For T4s with a single rear door. Now suitable for vehicles with raised roof. Easy installation with brackets provided. No drilling of the vehicle necessary. Can also be fitted on VW California, VW Coach, VW Caravelle and VW Multivan models. Supplied with Bike-Blocks 1 and 3, and 2 Quick rails. Weight 8.3kg. Certified to carry up to 60kg. Max 4 bikes 106341



VW T4 D

For T4s with a double rear door. Easy installation with brackets provided. No drilling of the vehicle necessary. Supplied with Bike-Block 1 and 2, and 2 Premium rails. Weight 7.7kg. Certified to carry up to 35kg. Max 2 bikes 106339



VW T3 (T25)

For T3 (T25) after 1980. Supplied with Bike-Blocks 1 and 3, and 2 Quick rails. Weight 6.5kg. Certified to carry up to 50kg. Max 3 bikes **106338**



VW T2


For T2 before 1980. Supplied with Bike-Blocks 1 and 2, and 2 Quick rails. Weight 7.0kg. Certified to carry up to 35kg. Max 2 bikes **106337**



Ford Transit

Suitable for all Transit models after 2000 with single rear door. Supplied with Bike-Blocks 1 and 3, and 2 Quick rails. Weight 7.1kg. Certified to carry up to 50kg. Max 3 bikes 106336





Caravan XL A

Fits all caravans with a standard A frame, Hobby type (with extended frame) and new AL-KO frame. Pivots forward allowing access to the storage compartment. The installation does not require drilling. Supplied with 2 fastening strips to fix the bikes. Maximum 2 bikes. Weight 5.3kg. Certified to carry up to 35kg 106366



Caravan -XL A 106366







Caravan XL A Pro

Carries 2 bikes, but preset to allow fixing of the third optional rail. Pivots forward allowing access to the storage compartments, even with the bikes mounted. Supplied with 1 quick and 1 mini rail, 1 Strip for the first bike, 1 Bike block 3 for the second bike. Maximum 3 bikes. Weight 9kg. Certified to carry up to 50kg **106365**




Caravan -XL A Pro 106365





Caravan XL A Pro 200

Pivots forward allowing access to the storage compartments, even with the bikes mounted. Supplied with 1 quick and 1 mini rail, 1 Strip for the first bike, 1 Bike block 2 for the second bike. Maximum 2 bikes. Weight 7.5kg. Certified to carry up to 50kg 106367




Caravan - XL A Pro 200 106367





Caravan Hobbu

Suitable for mounting to the rear wall of Hobby caravans produced after 2003. The special upper brackets are positioned under the rail of the rear window. The lower fixing kit is a central bracket. Supplied with 1 strip black, 1 bike block 3 (blue) and 2 Quick rails. Maximum 3 bikes. Weight 5.6kg. Certified to carry up to 50kg 106345




Caravan -





Caravan Universal

Fixed to the caravan frame (Bürstner, Chateau etc.). Upper and lower brackets are installed by using selftapping screws. Telescopic frame. Adjustable from 100-180cm. Supplied with bike blocks 1 and 3, and 2 Quick rails. Maximum 2 bikes. Weight 7.5kg. Certified to carry up to 35kg 106367A



Caravan







Simple plus 200

Suitable for mounting to caravans with thin and curved walls. Installed by using the existing wall reinforcement points. Telescopic frame. Supplied with bike blocks 1 and 2, and 2 Quick rails. Maximum 2 bikes. Weight 6.4kg. Certified to carry up to 35kg 106367B



Simple plus 200 106367B









Garage Plus

Keeps bikes safe in the garage facility. Supplied with bike blocks 1 and 3, and 2 Quick rails. Two bikes can be carried as standard. Up to 4 bikes can be carried when using optional rails and bike blocks. Comes complete with lower brackets to fasten the unit to the floor. Lower section can be folded up for more space when not in use. Weight 5.6kg. Certified to carry up to 60kg 106369A







Garage Standard

Keeps bikes safe in the garage facility. Supplied with bike blocks 1 and 3, and 2 rail strips. Two bikes can be carried as standard. Up to 3 bikes can be carried when using optional rails and bike blocks. Comes complete with lower brackets to fasten the unit to the floor. Lower section can be folded up for more space when not in use. Weight 4.8kg. Certified to carry up to 50kg 106369B



Garage Slide Pro Bike

Sliding bike carrier to install in the garage facility. Supplied with 2 strips and patented self-lubricating slide system with sliding wedges Premium S. The lower rail is screwed into place, while the upper back and forth, with safe hook for both positions, closed and open. 2 bikes maximum. Weight 9.9kg. Certified to carry up to 50kg 106369C





Carry-Moto


Motorbike carrier in galvanised aluminium composed of 2 parts, a rail and a ramp, which slides easily into the rail enabling the bike to be loaded. Comes with 2 sturdy straps to fix the motorbike when travelling. Weight 12.2kg. Certified to carry up to 200kg 106369E

Carry-Moto Pro

Motorbike carrier in galvanised aluminium composed of 2 telescopic rails. The fixed adustable rail and a ramp, which slides easily inside the rail enabling the bike to be loaded. Comes with 2 sturdy straps to fix the motorbike when travelling. Weight 15.4kg. Certified to carry up to 200kg 106369D

Carry-Ramp

Motorbike ramp in galvanised aluminium. 2 can be used together for wheelchairs or mobility scooters. Once the fixed plate is installed on the floor the ramp can be easily hooked or unhooked. Weight 7kg (per ramp). Max load 130kg (with 2 ramps) 106369F



50 cm

145 cm







105 cm

145 cm





CARRY-BIKE accessories

Bike block Pro



The strongest, quickest and safest blocking system for bikes with a new design. The quick front clasp with its large non-scratch base adapts to round and oval bike tubes

with 25 to 100mm ø. Suitable for all Carry bike models.

Bike block 1 min 12.5 cm - max 17 cm Red 106372 Blue 106372B

Bike block 2 min 24 cm - max 28 cm Red 106373 Blue 106373B

Bike block 3 min 38,5 cm - max 42 cm Red 106374 Blue 106374B

Bike block 4 min 54 cm - max 57 cm Red 106375 Blue 106375B





Bike Frame adapter To allow easy fitting of non-standard frames, Simplu connects the seat

tube to the handle bar stem allowing the Bike block to attach 106371B





Rail Quick

The original sturdy 128cm rail. Supplied with 2 quick safe straps. It can be easily installed on Carry-Bikes thanks to the pre-drilled holes 106386



Rail Quick C

Telescopic rail can be adjusted to the desired extension, adustable from 101 to 167cm. Supplied with 2 quick safe straps. Ideal to limit rail overhang. It can be easily installed on almost all bike carriers 106387



Kit Premium S

Kit of 2 lower sliding brackets that allow you to convert the standard rails into a Premium S rail 106387D



Rail Premium

Wider rail suitable for most diameter wheel bikes. Supplied with 2 sliding wedges with quick straps to secure the bikes more completely.

Standard 128cm 106387A F-Rike 139cm 106387B



Rail Premium S

Similar to the Rail Premium with the addition of lower slide clamps that allow you to secure the bikes in the optimum position 106387C




Kit support Bar

Kit of 2 perforated smart bars to fix the carry bike on the walls of the motor homes. Complete with through screws, internal fixing brackets and end caps. Dimensions 74 x 4 x 3 cm **106393**

Fixing-Bar

Pair of reinforcement bars (2.4m long) to mount the Carry-Bike in the case of weak walls 106394A



(F FLAMMA



Strip kit

Kit of 2 original strips with stainless steel 18/10 buckle. Fits the majority of cycle carrier brands. Length 39cm. Width 13mm. 2 per pack

Red 106388 Black 106389



Quick-safe

Sliding safety lock system. Can be installed only on original Carry bike reinforced rails. Will not rust 106390



Cable-lock

Handy anti-theft cable made of black plastic coated steel with incorporated padlock. Comes with 2 keys, 2.5m long 106397





Rear signal -**Aluminium**

For motorhomes, caravans and 4-wheel drive vehicles. Made from lightweight aluminium. Compulsory in Italy. 50 X 50cm **106396**

Rear signal -**Plastic**

For motorhomes, caravans and 4-wheel drive vehicles. Made from lightweight plastic material with 4 reflectors, 50 X 50cm 106395



Carry bike Top fixing **kit** 106394

> Bike rail end cap Red 106377

Licence Plate Carrier

Number plate holder bar in aluminium with regulation lights. Ideal for Carry-Bikes where the bikes or bike carrier covers the number plate of the vehicle. Turns 90° to allow correct positioning when the bike rack is both open and closed. Comes with 13 pin plug with approx 140cm of cable 106394B



Kit Frame Cargo Back

Frame to keep the Cargo Back sturdy when not completely full. Assembles inside the bag. Light aluminium tubes connected with sturdy plastic pieces make a solid frame. Built: 119 x 69 x 32 cm Folded: 69 x 17 x 7 cm 102266



Roof and cycle carrier boxes



These boxes are made from superior quality ABS-PLUS, highly resistant to impacts and exposure to poor weather conditions. A completely reinforced aluminium structure with a watertight foam seal. High UV resistance to protect against deterioration. Supplied with installation brackets and rust proof stainless steel hinges. Colour: White.





Ultra-box 320

Ultra-box 500 17kg. 500 litre capacity **102258**

Note: Ultra-box 320 and 500 are supplied with brackets to allow them to be neatly installed on the Carry-Bike range





13kg. 400 litre capacity **102252**

12kg. 320 litre capacity **102256**

Ultra-box 2



Ultra-box 3 17kg. 520 litre capacity 102254

Note: The Ultra-box 2 is supplied with 4 brackets and Ultrabox 3 with 6



Everything you need to make the most of the roof of your motorhome or caravan! All models of Fixing-Bar are suitable for roofs with a maximum width of 240cm. For smaller roofs simply cut the aluminium bars to suit.

Fixing-Bar Pro L

Simple kit - an ideal supporting system for solar panels or roof boxes. Kit includes: 1 Bar, 2 white end caps and 1 rubber spacer 102271



Roof Rail

Luggage carrier system includes 2 perimetric bars easy to install on caravans and motorhomes. Can be used to mount the optional Fixing-Bar Rail. Easy to shorten 102273



Roller Roof Rail

Helps to load your roof rack. Attaches to the roof rail and allows heavy objects to be loaded more easily by rolling onto the rails. Fits on most luggage carriers except those with round profiles. 102283







Fixing-Bar Rail

Aluminium carry-all bar easy to shorten. Used with the Roof Rail there is no need to drill the vehicle. Includes 2 bars, each with 2 fixing terminals in pressure die-cast aluminium and 2 rubber spacers 102275

Roof Rail Ducato

system can be installed without

drilling the vehicle thanks to the

pre-installed fixing system on

the Ducato roof. Delivered with

4 Fixing-Bar Rails it is possible

to mount an F65s to either side

of high roof vehicles without

Ducato Maxi XL version 102279



Optional extra brackets 2 additional support

brackets. 102281





Carry Kayak

Kit of 2 support brackets to easily transport canoes, kayaks and surfboards. Compact and easy to load thanks to its inclined design. Made of folding anodized aluminium tubes, standard delivered with soft coverings and fixing straps. Suitable for some cars with roof bars.

106401

F: 0161 367 7303

awning brackets. 102277

W: www.groveproducts.co.uk

Bicycle covers



Fiamma bike cover S

Reinforced polyester material. It is lightweight and waterproof. It adapts to load size thanks to its adjustable straps. Comes with a transparent pocket to insert the rear signal plate. Not suitable for roof mounted bike racks. Colour platinum

2-3 bikes **106370** 4 bikes **106370A**



Fiamma bike cover Premium S

The same features as the bike cover S but with self lubricating side zips and velcro, forms a complete enclosure around the bikes. Must be placed before the bikes for proper installation. Covers 4 bikes.

106370B



Witter cycle carriers



ZX89

Fitted and removed in seconds, holds up to 3 or 4 cycles depending upon the type and size. Maximum load 65kg. Flanged bracket fits behind the towball, designed to be used whilst towing. Supplied complete with individual cycle retaining clamps 106301

400mm 109514



Fiamma bike cover - Caravan

Reinforced polyester material. It is lightweight and waterproof. With K-Way system, this is a special version to cover bikes on Carry-Bike Caravan XL A and XL A PRO. Closes with an elasticated band with pull cord lock. Colour platinum

Covers 2 bikes **106370C**

W4 Hi-vis cargo straps

A pair of highly visible, quick to use

velcro straps. Simply thread the strap

through the nylon buckle, adjust to size

and fasten it back on itself. Length



Deluxe bicycle cover

Water resistant nylon cover to protect up to two bikes. It has two Velcro flaps to allow it to be mounted on most bike carriers. Two webbing straps tighten the cover to reduce flapping when being transported. Dimensions 190cm x 140cm 106399



W4 Cargo straps

A pair of retaining straps (3m approx) with durable nylon grip-lock buckles - won't mark or scratch 109513



Specification as ZX89 but designed for vehicles with a rear mounted spare wheel and a small overhang (up to 110mm) e.g. Landrover Discovery 106303

WOW Display stand available. Please speak to your sales contact for more details.

Mud flaps etc.



Fiamma Front mud flaps

A pair of front mud flaps made in sturdy but flexible foam rubber supplied with painted steel brackets for easy installation. Suitable for mounting behind the front wheels of a Fiat Ducato after 2006 106400A



Fiamma Rear mud flap

A single mud flap made in sturdy but flexible foam rubber supplied with painted steel brackets for easy installation. Suitable for mounting on the rear panel of most motorhomes. You can use more than one to create a continuous wall at the rear of the motorhome 106400B



Motorhome dirt skirt

Keeps the rear of the motor home including windows and cycles clean, protecting against dirt, splashes and slush. Kit contains 2 lengths of dirt skirt 122cm wide x 57cm deep **106400**

Fabric Maintenance





The whole Fenwick's range has been designed with the needs of the caravan, motor home and car owner in mind. Many products have been created from specific requests by satisfied customers.

Awning & Gazebo reproofer

Quickly restores waterproofing qualities to synthetic and canvas awnings, tents and gazebos. Protects against stains from dirt, grease, oil, food spills, and drinks. Deep penetrating, water based, non flammable formula. Can be applied in damp conditions. 1L covers up to 30m². Far safer than solvent based products, due to the biodegradeable and environmentally friendly properties.

1 litre **108405** 10 per outer



Awning & gazebo cleaner

Quickly and effectively cleans awnings, tents and gazebos. Removes black streaks, green algae and general grime. Spray on, wash off formula.

1 litre 108401 10 per outer





Waterproofs and mould proofs weathered canvas of all weights: cotton, nylon, terylene fabrics and unpainted leather. It preserves them and keeps them cleaner. As no film is formed the breathing of canvas fabrics and leather is retained. The tinned Fabsil contains a UV protector



1 litre Reproofer With UV protector 10 per outer 108319



2.5 litre Reproofer With UV protector 6 per outer 108327



5 litre Reproofer With UV protector 3 per outer 108336



400ml Reproofer 12 per outer 108345



Reproofer 12 per outer 108353



display stands Single display stand 108379 Double display stand (back to back) 108380

Fabsil





Universal fabric cleaner 1 litre. 6 per outer 108372



Clothing Superpruf Clothing reproofer 250ml spray. 12 per outer 108357



proofer Reproofer 250ml spray. 12 per outer 108360



cleaner Footwear foaming Footwear cleaner 250ml sprau. 12 per outer 108363



deodorant deodorant 250ml spray. 12 per outer 108365



proofer Footwear reproofer with conditioner 250ml spray. 12 per outer 108367

Footwear



proofer Clothing reproofer 80g 24 per outer 108369



Stormsure repair adhesive 15g Permanent, flexible & waterproof, repairs natural and man-made fabrics.

12 per outer

109448



adhesive 28g Suitable for most types of fabric. Gives an extremely durable mend. Dries to a flexible finish. Easy to apply. 12 per outer

Seal repair



tape kit Self adhesive 7.5cm strips of ripstop nylon in assorted colours. For emergency repairs to tents, jackets and parkas, 4 strips per pack. 12 packs

per outer 109450

Nylon repair



Fiamma repair kit plus -This kit makes DIY repairs so easy with its 3 transparent PVC strips 108271

109449

Mallets etc



Mallet & peg puller

16oz. Available singly or 10 per outer 109431



Rubber mallet

16oz. Metal shaft. Available singly or 10 per outer 109432



Rubber mallet

31oz. Available singly or 24 per outer 109434



Peg extractor

For easier removal of tent pegs. 10 per outer 109425



Plastic eyelets

Self sealing eyelet for plastic or canvas sheeting.

10 eyelets per pack 25 per outer 109131

















groundsheet









Half round



rock

					And the same of th
Type of peg (quantity per pack)	Size	Loose (quantity per outer)	Grove packaged (quantity per pack/ packs per outer)	W4 Packaged (quantity per pack/ packs per outer)	Hard case Available singly (outer quantity)
Plastic Grey groundsheet	3.5"	109422 (200)		108577 (5/10)	
Plastic Red	5.5"			108594 (5/10)	
Plastic Red	8"	109404 (200)		108570 (5/10)	
Plastic Grey	8"	901095 (singly)			
Plastic Red	12"	109413 (200)			
Wire	7"		109367 (10/10)	108593 (5/10)	
Wire	9"	109395 (250)	109389 (10/10)	108571 (5/10)	
Wire (25)	10"	901104 (singly)			
Metal Skewer (4)	8"	901098 (singly)			
Metal Skewer (4)	9"	901107 (singly)			
Steel Rippled	8"			108596 (3/10)	
Heavy Duty	8"			108597 (1/10)	
W4 Awning peg	8" + head	109483 (50)		109482 (5/8) (Display box)	
Hard ground pegs (20)	8"				109400
Half round pegs (20)	18 cm				109396 (24)
Tarzan rock pegs (20)	23 cm				109397 (24)

Screw pegs Megascrew mKIII



ground when required. Each megascrew utilises a soft seal to protect pegging rubbers and guy lines Blue (25 pack) 109419 Blue (10 pack) 109417

Grey (25 pack) 109418 Grey (10 pack) 109416



Screw tent pegs are a great way of securing your tent or awning to a variety of surfaces including hard standing and grassed areas. You can hammer them into grass or use a drill with the drill bit for hard

13mm Drill bit Multi angle for ease of use 109420

WOW The Camping and Caravan club likes Megascrew - "sturdy pegs", "resilient plastic end" and "even a modest head torch is well reflected"



Fiamma awning pegs kit

Range of screw pegs ideal for awnings, enclosures and mats. Made from UV resistant plastic. Kit includes drill chuck key, 8 x 20cm and 8 x 14cm screw pegs. 8 x hooks, 2 awning plates and carry bag 108309

Tie down kits



Tie down kit S

Strap kit allowing a solid anchoring of the awning to the ground. Fits into the awning guide or the side clip of the Privacy Room. Includes: 2 adjustable black straps (3m), 2 stakes with 2 tension springs and 2 front hooks

Black 109502 Yellow 109502A Black Caravanstore 109502B

The caravanstore version fits into the leg





Fiamma tie down kit

To secure awnings in light winds. 11m of adjustable band, 2 stakes and 1 tension spring. Available in Black or Yellow strap for extra visibility, Will fit awning up to 6 metres in length. Available singly or 10 per outer

Yellow strap 109501 Black strap 109500




W4 quick release awning tie down kit

- Durable nylon buckle, easy to fit, quick to release
- Dual tensioners with 2 heavy duty elasticated cord and snap hooks for easy adjustment
- Two land anchors for secure fixing
- Supplied with 10 metres of high tensile strapping Available singly or 10 per outer 109510



W4 porch tie down kit

Used to secure porch awnings during windy conditions. Featuring a shorter strap than standard tie down kits. 2 lightweight plastic yellow pegs. Available singly or 10 per outer 109509



Multi-purpose anchor

Suitable for use as a dog tether, tent or awning storm anchor, temporary land anchor for boats and many more uses. W4 Screw-it. Available singly or 10 per outer 109021 Bulk 12 per outer 109021B





W4 Reflect-a-line

Reflective strips to fit on guy lines for safety at night. 10 per outer 109423



W4 awning anti friction pads (2)

A pair of cushioned nylon pads that slide on to the strapping of most awning tie down kits to help prevent vibration and chafing. A simple answer to a constant problem 109511



Designed especially for tensioning awning poles in seconds with one hand and without the hassle. You will wonder how you ever managed without it!

Available singly or 6 per outer 109585



Hook the Hercules to the pole at a distance of approximately 15cm from the screw. Let the steel loop rest on the nut. Now see how easy it is to tension your awning correctly 109580



Awning rail care

W4 awning rail lubricant



Makes awnings much easier to thread. Clean the awning channel before application. Can

also be applied to ease the fitting and removal of toilet seals. 10 per outer 105100

Awning rail spreader

Simply insert into the awning rail and tap through any troublesome areas. The compact head is especially effective on awkward corners. 10 per outer 105104

Awning rail brush



for cleaning or lubricating awning rail.

Useful brush

Available singly or 5 per outer 105085

Awning rail care kit



lubricant, awning and awning rail brush, supplied in a handy vinyl pouch **105105**

Awning rail protection strip



Diverts rainwater away from the channel which also helps prevent black streaks. Supplied in 12m lengths 105107



Aluminium awning rail 2.12 metre lengths 10 lengths per outer 105099



Plastic awning rail Pre-drilled 2.5 metre lengths 10 lengths per outer 105088



Fiamma rail 1 piece 3 metre length 108313E

Luggage Elastic



W4 adjustable luggage elastic

1 metre length with 1 fixed and 1 self locking hook. 10 per outer 109519



W4 Luggage elastic (2) Meets BS AU 258. 10 per outer

46cm **109515** 60cm 109516 76cm 109517 91cm 109518



Rolson D-ring bungee cord

1200 x 8mm bungee cord with easy to attach d-ring facility. Suitable for tying down on roof racks and trailers 109525



Rolson 15ft ratchet tie down

strap . 136kg approx. tie down capacity. Trouble free, push button quick release mechanism. 12 packs per outer 109523





Multipurpose rope 30m

Working load limit of 175lbs. Working load limit is a guideline for the maximum allowable weight capacity of a new rope. 6 packs per outer 109436



WOW Double shank hoop for double strength. Plastic coated non-scratch hooks. Sewn-in hooks for increased strength. Rot resistant & UV protected materials for safer, longer working life. Flat cord resists rolling, increases strength and protects cargo. 100% natural rubber for superior stretch and tear resistance.



Part No.	ROK Strap	Size
109600	Standard	300mm x 20mm
109601	Standard	450mm x 20mm
109602	Standard	600mm x 20mm
109603	Standard	750mm x 20mm
109607	Standard	900mm x 25mm
109608	Standard	1200mm x 25mm
109609	Standard	1500mm x 25mm
109615	Adjustable	1500mm x 25mm
109616	Adjustable	3000mm x 25mm
109617	Adjustable	4500mm x 25mm



Awning accessories



W4 awning sucker

Replacement rubber suckers. Packed suckers are sold 2 per pack, available singly or 10 packs per outer. Bulk suckers are sold 20 per outer For pole size 3/4" (19mm)

109489 Packed Bulk 109488

For pole sizes %" (22mm) & 1" (25mm)

Packed 109487



Awning pads (3)

Simply glue to inner roof beading to hold awning poles and remove the need to screw awning brackets to the caravan. Available singly or 10 per outer 109040



W4 ease-it

A simple tool to make the erection of awnings easier. Attach the reinforced eyelet to your awning then pull through channel with the hooked pole. Available singly or 10 per outer 109490



W4 awning skirt wheel arch cover

Figure 8 and suckers ensure a neat result without drilling or screwing into the caravan wall. Both available singly, single axle version also available 10 per outer

Single axle 109498 Twin axle 109497



W4 figure 8 channel

Plastic double channel strip to join the wheel cover to the awning skirt. Available singly or 10 per outer

Length 750mm 109495 Length 1200mm 109496



Inner tent

Superior quality polyester for heavy use. Reinforced heavy duty PVC base with welded corner fasteners. The ultimate inner tent that is also rot proof

2 Berth 205x135x180cm 109975 3 Berth 205x205x190cm 109976



Inner tent tall annexe

Fits all tall annexes and includes a heavy duty reinforced base. 198x130x160cm **109980**



J strip

Plastic strip for attachment of awning curtains. Supplied in 100m roll. Priced by the metre 109570



Awning curtains

Good quality polyester/cotton. Each one measures 33" x 60" approx. Fitted with clips and sewn in seam for curtain rods. Assorted designs 123455



Attachable awning windbreak

Heritage "Keep Calm and Caravan" peg bag

100% cotton canvas peg bag with zip. Wet and rotproof. High

18' long and 5' tall, manufactured from patented good quality rip-stop material. Rot proof and complete with awning beading to attach to the caravan.

7 pole 107790

quality desirable product 109563

Awning bags

A variety of storage bags which can be personalised with your own company details - minimum 100. All products are manufactured from heavy duty PVC coated nylon



Awning bag

Holds canvas from even the largest awning. Piped circular base for maximum strength. Available singly or 10 per outer 109550

Personalised 109551



The Heritage range also available in a mains



cable bag (see section C) 016177 and a hitch cover (see section A) 007345

WOW Heritage range. Choose your colour, change the crown for your logo or even display your phone number - all for the same unit cost. Minimum order quantity - 50. Please speak to your sales contact for more details. Please allow 6 weeks for first time orders and 4 weeks for repeat orders to receive

your delivery. Peg bag printed 109564



Pole bag

For the storage of awning poles, but can also be used for small tents and poles. Available singly or 10 per outer 109553 Personalised 109554



Versatile bag for carrying awning, tent and groundsheet pegs or other small items. Available singly or 10 per outer 109561 Personalised 109562

Tent and awning spares - All packed 10 per outer



Brass eyelets ³/," (9.5mm) (20) 108559 1/_" (13mm) (10) 108552



Awning rail screws (10) 108563



Awning brackets (2) 108572



Pole spike ³/," (19mm) 108568

Toggled tent band (5) 108579



Bunk bracket with stainless steel screws*



Ground sheet pegs (5) 31/₃" (90mm) 108577



Heavy duty peg 108597



tool

Eyelet closing

³/₈" (9.5mm) **108560**

Plastic guy line

Pole ends (2)

1" (25mm)

(19mm) **108583**

(22mm) **108584**

runners (5)

108595

(13mm) 108553



studs (5)

108561

Awning skirt

Metal guy line

runners bent (5)

Gutter clamp (2)

21-23mm **108645**

25-28mm 108646



WOW All W4 pack-it items can be ordered loose at a preferential

rate. Please speak to your sales contact for more details



Awning skirt studs, poppers & screws (5)



Metal guy line runners slotted (5) 108555





Awning popper

closing tool

108578





Pole clamps (2) (19mm) 108556 (22mm) **108557** 1"(25mm) 108586 1½"(29mm) 108580



Inner tent clips (3) 3/" (19mm) **108551** 1" (25mm) **108641***

Cord lock (2)

109479



108585

Rain cowls (2) 108589



Pole flanged foot Pole spring 19mm **108588** 22mm 108647 25mm 108648



Pole C clips (2)

(19mm) **108566**

(22mm) 108567

joiners (3) 108558



Spring buttons (3) 108550



Pole marking kit 108576





Tent band -

90mm 108574

large (3)

Canopy hooks (3)* 108581



Tent band extra large (3) 150mm **108587**



Rope hooks (3)* 108582



Inner tent suspension bands (5) 108575



Pole hanging hooks (3) 108565



Ladder bands (5) 108573



Small padlock* 108564

108650.



Ball loops 75mm (3) 108549



Wall mounted 'Pack-it' stand With optional feet for free standing conversion. Tent & awning 48 hook range

Pole ring with 2 pins (2) 108548



Tent peg plastic (5)* 5½" (140mm) 108594



Tent pegs-steel (5) Rippled peg -9" (225mm) **108571** 7" (150mm) **108593**



Tent pegs plastic (5) 8" (200mm) 108570




steel (3)* 8" (200mm) 108596



Airbed plugs (3)* Replacement airbéd plugs. 10 per outer

109480







204

Grove packaged awning accessories



Awning hooks (3) 10 packs per outer 19mm 109047



Pole adjusting clamps (2) 10 packs per outer 23mm 109102



For suspending inner tent


Inner tent clips (6) Nylon 'C' clips (4) 10 packs per outer 19mm 109113

23mm 109124



Awning brackets (3) Supplied with screws. 10 packs per outer

109038



Camping accessories



Multi hook hanger Useful five hook plastic hanger for tent or awning poles. Available singly or 10 per outer 109010



Plastic hanger with 7 hooks Available singly or 10 per outer 109011



10 packs per outer

in awning.

109082

Clip-on mirror Available singly or 10 per outer 109761



repair kit Available singly or 12 per outer 109481



ponchos Both lightweight and convenient, made from a reusable polyethylene. Each pack contains 2 adult sizes and 1 childs

Emergency hooded



size. 24 per outer 070603



Camp toaster Stainless steel wire grill, mesh, heat diffuser, frame lock and folding wire handle 109646



Folding

toaster 22cm diameter with four folding wire strut supports. Available singly or 12 per outer 109643



Egg holder Protective plastic case for carrying eggs 109649

Salt/pepper shaker

No spill flip caps. Bottoms remove for easy filling Available singly or 12 per outer 109648




Solar shower

20lt capacity gives you a 7 minute shower. Leave in the sun to heat water - will heat up to 40°C in 3 hours. Available singly or 24 per outer 109700

Groundsheets





Breathable woven matting for use in the awning or tent. Supplied in a choice of pre-cut sizes. Lightweight yet durable in use.

Length (2.5m width)	Grey	Blue
4m	107860	107862
5m	107865	107867
6m	107871	107873



P.V.C. groundsheets Supplied in P.V.C. with brass eyelets and welded seams

10' x 8'	108060
12' x 8'	108065
14' x 8'	108075
16' x 8'	108085
18' x 8'	108095
20' x 8'	108100

Event Tents



Event shelter

Polyester flysheet 450mm PU aluminium coated steel poles. Living area: 20.25 m^2 . Headroom: 228cm (centre) 190cm (sides). Dimensions: 450cm x 450cm. Pack size: 102 x 26 x 20cm. Rectangular carry bag included. Weight 18kg 109781



Event shelter sunwall





Event shelter sunwall and door



Windshield classic

Backed by the reassurance of Coleman quality, this smart accessory provides the desired level of privacy and essential protection from the elements. Polyester flysheet 500mm PU coated, fibreglass poles. Tubular with draw cord opening carry bag included. 10 preattached guy ropes and pegs provide stability. Dimensions 550 x 150cm. Weight 2.6kg 109788



Eurovent Mosquito Dome

Versatile and light weight 190T Polyester roof with mosquito net sides, 11mm diameter fibreglass roof poles, with 19mm diameter steel leg poles.

Weight 10kg. 2.2m tall in centre Approx. 20m² floor area

109777

smartent 🙎



Smart tent

A quick erecting tent that allows you to sleep off the ground. No more packing away a dirty groundsheet or water coming up through the floor. As simple as putting up a camp bed. Erects in 30 seconds.

- Off ground technology
- Outstanding durability
- Consistent quality throughout conditions
- UV resistent
- Naturally insulating
- Breathable
- Craftsmanship
- Locking device from inside

Weight - 12.2kg

Weight Limit tent - 120kg (18 Stone)

Dimensions:

217w x 70D x 31/105H cm

31cm - floor to bed, 105cm - top of tent to floor

Hydrostatic head rating - 2000mm

Orange 108501

Mosquito protection



W4 mosquito netting

A useful range of pre-cut lengths of netting for use on windows or rooflights. Complete with fixing kit

1m square 101070 1m x 1.5m 101080 101075 1m x 2m Mosquito fixing kit 101085



Rolson magnetic door curtain/net

Mosquito screen for domestic use, consisting of 2 overlaping panels. Maximum size 215cm x 97cm. Easily installed by sticking on velcro strips along the frame.

Fiamma mosquito net

Mosquito screen for motor home and caravan door consisting of 2 overlaping panels. Each panel is reinforced and stays taut and is 230cm high, 35cm wide. Easily installed by sliding onto wall track, adjustable height 101088

Air Beds



Coleman comfort airbeds

Airtight® system: patented Double Lock™ valve locks in air two ways. Repair kit included. Phthalate free Single: 188cm x 85cm x 22cm. Weight 2.3kg. Available singly or 6 per outer 109856 Double 188cm x 137cm x 22cm. Weight 3.7kg. Available singly or 4 per outer 109858



Coleman raised quickbed queen

Exclusive Wrap'N'Roll™ system. Double height for extra comfort 47 cm. Airtight® system: patented. Double-Lock™ valve locks in air. Repair kit included. Phthalate free.

213cm x 168cm x 47cm. Weight: 7.3 kg



Airbed plugs (3)
Replacement airbed plugs
10 packs per outer
109480



Campingaz quickbed airbeds

A reliable and comfortable inflatable bed for camping or to use as a spare bed. It is fitted with Airtight system making it leak free and more resilient. Repair kit included

Single 188cm x 74cm x 19cm. Weight 1.6kg 6 per outer **109848** Double 188cm x 137cm x 19cm. Weight 2.9kg 4 per outer **109849**



Aerobed Active airbeds

Powerful, rechargeable, cordless pump for inflation. Air coil system ensures a stable, even sleeping surface. Proven by experts to eliminate pressure points. Woosh™ Valve super-fast deflation in seconds. Smooth flocked sleep surface. Bed rolls up and stores compactly in a durable carry bag included. Non-allergenic - Hygenic and dust mite free sleeping surface.

Single: L198cm \times W99cm \times H23cm

109846

Double L198cm x W137cm x H23cm

109847

Air pumps





Campingaz 4D quickpump

2 separate functions: inflates and deflates. Operates on 4D/R2O batteries (not included) Running time: 30 minutes. Airflow: 340 litres per minute. Carry bag included. Weight 360g.

Available singly or 6 per outer 109868



Coleman 12v quickpump


2 separate functions: inflates and deflates. Operates from 12v DC. Air flow: 500 litres per minute. Carry bag included Weight 1.7 kg.

Available singly or 4 per outer 109870



Double foot pump with gauge

Fitted with 480mm flexible hose and thumb lock lever tyre connector. Gauge graduated in psi (range 0-100psi) and bar (0-7bar) Includes pre set indicator 109726







100%

A new range of camping poles. Excellent value!

Steel poles are zinc coated and Aluminium poles are anodised for excellent resistance to corrosion. All products are bagged and header carded with easy to read labelling to enable the consumer to buy without the need to ask busy sales staff.








Verandah bars

Pole clamp on both ends. Available singly or 10 per outer Steel 22/19mm 170-250cm Steel 25/22mm 170-250cm Aluminium 25/22mm 120-200cm Aluminium 25/22mm 170-260cm






Roof beams

Pole clamp on one end with pole hook on the other.

Available singly or 10 per outer

Steel 22/19mm 170-250cm Steel 25/22mm 170-250cm Aluminium 25/22mm 170-260cm 109170 109172 109174





Pole spike with basic foot


Pole spike on one end with blanking plug foot on the other.

Available singly or 10 per outer

 Steel 22/19mm 180-250cm
 109180

 Steel 22/19mm 110-200cm
 109182

 Aluminium 25/22mm 170-260cm
 109184




Storm pole with flanged foot

Pole clamp on one end with flanged foot on the other.

Available singly or 10 per outer Steel 22/19mm 170-250cm

Aluminium 25/22mm 170-260cm

109190 109192



Storm pole with foot

Available singly or 10 per outer
Pole spike on one end with foot on the other.
Steel 22/19mm 170-250cm 109196


Pole spike on one end with angled foot on the other. Aluminium 25/22mm 170-250cm 109198



Twistable storm pole

Pole spike on one end with spiked foot on the other. Twist to lock. Available singly or 5 per outer $\,$

Aluminium 28/25mm 90-230cm 109202



Stretching pole

Bent with clamps on both ends. Available singly or 5 per outer Steel 22/19mm 165-255cm Aluminium 25/22mm 210-275cm

109210 109212





Bent crossbeam pole

Bent with clamps on both ends. Available singly or 5 per outer Steel 22/19mm 170-250cm

109218

EUROVENT Spares trio sport°





Power grip Reversible For fibre frames 901185



Pole hook 20/22mm 901090



901067

Pole end Eyelet 20/22mm 901187



Pole end Eyelet 25/28mm 901188



Pole clip For fibre frame 25/28mm 901190



Centre corner

For fibre frame

plastic bracket

Canopy pole end For fibre frame 20/22mm 901025



Spiked foot

For fibre frame

20/22mm

901195

Roof lining / inner tent clip 901121



Trifix fixing bracket 901064



Awning bracket 901039



Pole end 20-22mm 901075



Plastic hooked clip 25mm 901092



Plastic pole end 25mm 901054



Grey feet 23-25mm 901084



Ball joint 6mm thread 901068



Pole hook 22mm 901087



Pole hook 25mm 901089



Pole clamp 25 - 32mm 901017



P shaped adjuster bolt 901023



Metalic collars (4) 20mm 901072



Plastic collar For aluminium frame 25mm 901060



Centre plastic corner For steel frame 901066



Metal washer 901035



Spring button 901000



Spring button 22-25mm 901005



Metal clip 20-22mm 901012



Angled pegs (25) 901104 560114 (4) 901098



Skewer pegs (4) 570258 **901107**



Grey plastic pegs 901095



Rubber rings 40 x 48 x 9mm 901131



Peg puller 901128



Connecting spring 901027



Guy line 5m 2.5mm 901135



Tensioner 901044



Adjustable peg strap 901138



Curtain hook - annexe 901115



Curtain hooks 901117



Curtain rod end 901119

Pet Range



Cable dog leash 6ft 182cm 12 per outer 124132



Reflective dog collar 24 per outer 124127



Adjustable LED dog collar 12 per outer 124126



Rubber play balls (2) 24 per outer 124123



Doggy waste pick up tool 12 per outer 124120 Doggy waste refill kit 3 x 18 bags. 12 per outer 124121



Garden tie out stake 12 per outer 124020



2qt adjustable double diner



ROK Dog leashes



Just enough stretch to avoid jolts, but maintains great control. Padded hold-loops for comfort. Modern, stylish design & colour range. High quality manufacture. Unlike recoil-leads, ROK's progressive tension keeps you in control and signals your pet to stop - without the jolt. Solid natural rubber core with nylon outer braid extremely chew resistant. Built-in Traffic Leader and Car Restraint. Less jolts on you, and your pet's collar and neck. Unlike "bungees", has minimal recoil if released.





ROK Dog leash Small dog 54" For small pets upto 18kg Blue/Black 124140 Pink Camo 124141



ROK Dog leash Medium dog 54* For medium pets from 18-36kg Black/Orange 124148 Jungle 124149



ROK Dog leash Large dog 54" For large pets from 36kg-Blue/Black 124156

Black/Reflective 124157



ROK Dog leash Large dog 36" For large pets from 36kg+ Black/Green 124164 Black/Red 124165



To purchase Trio or Eurovent Awnings you must have an account with Trigano MDC. Please speak with your sales contact for further details

imagine





Camping, Tent & Awning





Quality, technical expertise, reliability and comfort: Typical of French manufacturing! Eurovent awnings are designed and manufactured by the Trigano group, leader in France for camping equipment.

Since 1935, Trigano has never ceased to develop its technical know-how and drive for innovation.

This year we are offering an even wider range of products: a new awning design with an inflatable frame, ultra-light awnings for motorhomes, equipment and furniture...

Whether you are a fan of touring holidays or just want to camp in one place, Trigano has thought of every detail to make your holiday more comfortable.



Discover our complete range at: www.eurovent-awnings.com

Contents

CARAVAN AWNINGS	
Maryland	4
Adriatic	5
Soleria	6
Montreux	7
Partiel	8
Chamonix Porch	9
Veranda Porch	9
Inflatable awning Porch	10

PORCH AWNINGS	
Nevada	12
Vermont	13
Coachman	14
Bivouac Car ***	15
Tunnel Porch	15
ANNEXES	16
FLOOR MAT 🚾	17
FURNITURE & TENTS	18
Determine the size of your awning	20

The inflatable frame awing, a great innovation for the weight conscious caravanner!

After several years of research and development, TRIGANO has succeeded in developing an air awning assembly principle thanks to its Aircamp technology.

Perfectly adapted to touring holidays and specifically designed for lovers of simplicity, these new awnings may be quickly inflated. A design which offers nothing but advantages: minimal space requirement, installation in 5 minutes, high protection against puncturing and offering the same wind resistance as traditional frames, plus a lot less weight - only 11.9 kg for the 280 and 17.8 kg for the 390.




To purchase Eurovent Awnings you must have an account with Trigano MDC. Please speak with your sales contact for further details



-rames



The steel frame is the most common and the best suited to the different models. The steel tubes are very solid, and the Eurovent frames are equipped with tightening handles that ease assembly, as one person alone can tighten the frame and close the handle. The steel frame is the only one suitable for 4 season camping.



Rust-resistant. light, solid and easy to handle: the **fibreglass** Eurovent frame is assembled in our factories and is exclusive to our products. It is equipped with tightening handles specific to this material that make it very easy to use. Once all the tubes are tightened and the handles closed, the assembly is very rigid.



We offer some porches with an aluminium frame. This is made of aluminium tubes that are much lighter than steel tubes, tightening handles specific to this metal, and steel corners that ensure solid assembly.

Canvasses



The acrylic canvas is very breathable and weather resistant, whilst maintaining a good seal. Acrylic models are particularly suitable for holidays in summer or in hot weather. We use a high quality acrylic in 280 g/m² for our Soleria awning and on various porches.



The polyester canvas easier to clean than acrylic, and dries in a flash after rain. This is an ideal canvas if you use your awning at different periods during the year. As polyester is less breathable than acrylic, we equip these products with wide lateral windows fitted with mosquito nets.



The PVC canvas is the strongest and most resistant. This is the only one that is really suitable for 4 seasons camping. We therefore selected it for the 4 seasons products, as well as for some motorhome porches because it is very easy to clean in a few minutes with a little water.



F: 0161 367 7303

All our roofs (except on the models Montreux and Partiel) are made from high quality Ten Cate coated and patterned polyester. They are perfectly waterproof, absorb humidity and have an excellent lifespan.

To purchase Eurovent Awnings you must have an account with Trigano MDC. Please speak with your sales contact for further details



The Maryland is a classical awning made from high quality polyester canvas with excellent weather resistance. The two side walls are equipped with large windows with mosquito nets that ensure good ventilation. All panels are removable meaning the awning can be turned into a sun canopy. The Maryland can be supplied with a steel frame or a fibre glass frame, both featuring power grips for an easy set up.







POLYESTER	AWNING 2	4 M DEED
FULILITE	AVVIVING 2	.4 IVI DEEF

OLI LOTEIT AWAITE 2.4 III DELI		
ROOF	Ten Cate coated and patterned polyester 240 g/m ²	
WALLS	100% coated polyester • All front and side panels can be zipped out	
FRAME	Steel frame with power grips • Optional fibre glass frame available.	
OPTIONAL ANNEXES	Tall and bedroom annexes	
AVAILABLE IN SIZES	700-735 (B) to 1090-1130 (M)	
WEIGHT (805 TO 840)	Canvas: 17 Kg, steel frame: 16 Kg, fibre glass: frame 11 Kg	



FRAME

75 040 1 040 045









To purchase Eurovent Awnings you must have an account with Trigano MDC. Please speak with your sales contact for further details







CARAVAN AWNING

The Adriatic awning has an innovative design with a door that you can place in the middle, or on the right side. The awning is very light inside thanks to the large windows. The side windows are equipped with big mosquito nets for good ventilation. The walls are made from high quality polyester and all panels are removable. The Adriatic can be supplied with a steel or a fibre glass frame.









POLYESTER AWNING CENTRAL DOOR 2.5 M DEEP		
ROOF	Ten Cate coated and patterned polyester 240 g/m ²	
WALLS	100% coated polyester • All front and side panels can be zipped out	
FRAME	Steel frame with power grips • Optional fibre glass frame available.	
OPTIONAL ANNEXES	Tall and bedroom annexes	
AVAILABLE IN SIZES	770-805 (D) to 1090-1130 (M)	
WEIGHT (805 TO 840)	Canvas: 16 Kg, steel frame: 16 Kg, fibre glass: frame 11 Kg	



FRAME











The Soleria awning is particularly breathable thanks to its acrylic walls. All front and side panels can be zipped out to use the awning as a sun canopy during warm weather. It can be supplied with a steel or a fibre glass frame.







ACRYL	IC AWI	NING 2	4 M	DEED

AON I LIC AWNING 2.4 W DLLF		
ROOF	Coated patterned polyester 240 g/m²	
WALLS	Acrylic 280g/m² • Front canopy 30 cm • All front and side panels can be zipped out	
FRAME	Steel frame with power grips • Optional fibre glass frame available.	
OPTIONAL ANNEXES	Tall and bedroom annexes	
AVAILABLE IN SIZES	700-735 (B) to 1050-1090 (L)	
WEIGHT (805 TO 840)	Canvas: 17 Kg, steel frame: 16 Kg, fibre glass: frame 11 Kg	













The Montreux has been designed to be kept on site and is resistant to all weather conditions, even snowfalls in the mountains. Its roof and walls are made from heavy duty PVC, and the stitching between the roof and the canopy is protected by a sealed waterproof cover. The steel frame features seven roof poles and two cross poles that maintain the structure of the frame in the event of strong winds, heavy rainfall or snow. The Montreux is supplied with an inner roof lining that reduces condensation and regulates the temperature in the awning. In your absence, you can protect all windows with their zipped shutters. On warm days, the Montreux can be turned into a sun canopy thanks to its removable front and side walls.

FULL PVC 2.5 M DEEP	
ROOF	Double coated PVC 480 g/m² with covered front stitching
WALLS	Double coated PVC 450 g/m² and 335 g/m² All front and side panels are removable. All windows feature external shutters with zips. The right side panel features a large window with mosquito net
FRAME	25 mm 4 season steel frame with 7 roof poles plus 2 cross roof poles to ensure stability, and a frame for the canopy Power grips
OPTIONAL ANNEXES	Tall and bedroom annexes
AVAILABLE IN SIZES	805-840 (E) to 1090-1130 (M)
WEIGHT (805 TO 840)	Canvas: 29 Kg, frame: 35 Kg



FRAME





The Partiel is a full PVC porch that can be used during all seasons. The front wall is removable, the left wall features a door and a window, and the right wall features a door, an opaque window and a mosquito net. The Partiel is 2.40 m deep and is available in 3 sizes: 3.50 m, 4.75 m and 6 m.










Option velum >

FULL PVC 2.4 M DEEP		
PVC 420 g/m ²		
PVC 450 g/m² and 335 g/m² • Removable front wall • External shutters with zips		
25 mm steel frame with power grips		
3.50 m, 4.75 m, 6 m		
3.50 m: canvas: 23 Kg, frame: 25 Kg 4.75 m: canvas: 27 Kg, frame: 25 Kg 6 m: canvas: 33 Kg, frame: 36 Kg		

FRAME



3.50 m & 4.75 m













9

ACRYLIC PORCH 2.5 M DEEP

AONTEIO FONON 2.3 WI DEEF		
ROOF	Ten Cate coated and patterned polyester 240 g/m ²	
WALLS	100% Acrylic 280 g/m² • The front wall and the left side panel can be zipped out	
FRAME	Alloy or fibre glass frame with power grips	
OPTIONAL ANNEXES	Tall and bedroom annexes	
SIZE	2.45 m W • 2.50 m D	
WEIGHT	Canvas: 14 Kg, alloy frame: 9 Kg, fibre glass frame: 14 Kg	

The Chamonix is a small porch (2.50 m deep and 2.45 m wide) made from breathable acrylic.







ROOF	Ten Cate coated and patterned polyester 240 g/m ²
WALLS	100% coated polyester • All front and side panels can be zipped out
FRAME	25 mm frame in anodised aluminium with reinforced corners in steel
OPTIONAL ANNEXES	Tall and bedroom annexes
SIZE	3.50 m W • 2.50 m D
WEIGHT	Canvas: 15 Kg, frame: 11 Kg

The Veranda is a modern and good looking porch for your caravan. It is as spacious as a small awning and is easy to carry and to set up thanks to its alloy frame.







Awnings designed for short stays and touring holidays! With just a few short pump strokes the awning is erected and ready for use.

So how does it work?

The traditional frame is replaced by an inflatable tube frame incorporated into the awning. This inflatable frame, made of Thermo polyurethane (TPU), is characterised by its exceptional wear resistance and its air permeability. The reinforced sleeves offer a high level of protection against puncturing. Each arch is inflated independently and may be easily replaced if necessary.


LUNA AIRCAMP 390



Luna Aircamp 390 lifting poles




DOUBLE-ROOF	Polyester Oxford 210D PU HH 5000mm
SLEEVES	600Dx600D Oxford Polyester / PVC lamination
MOSQUITO NET	Front and door panels
DOUBLE-ROOF ZIP	Nylon
FRAMING TUBES	4 (TPU) air tubes / 3 roof / Front air tubes 4 steel poles to make a canopy
NET WEIGHT	17,8 kg
TENT BAG	210D Oxford Polyester Pu coated 450mm
BAG DIMENSIONS	86x35x35 cm










Optimised living space thanks to the form of the air tubes





Installation: impossible to do it faster or easier!

Just a few pump strokes to inflate each tube and the awning soon takes shape. Even more surprising: the wind and storm resistance of this awning is equal to that of traditional frame awnings.



	LUNA 280
DOUBLE-ROOF	Polyester Oxford 210D PU HH 5000mm
SLEEVES	600Dx600D Oxford Polyester / PVC lamination
MOSQUITO NET	Front and door panels
DOUBLE-ROOF ZIP	Nylon
FRAMING TUBES	3 (TPU) air tubes / 2 roof / Front air tubes 4 steel poles to make a canopy
NET WEIGHT	11,9 kg
TENT BAG	210D Oxford Polyester Pu coated 450mm
BAG DIMENSIONS	65x26,5x26,5 cm

CARAVAN PORCH





The Nevada is a Porch made in high quality, fibre dyed Acrylic that ensures perfect ventilation in all weathers. It offers great space for a porch (3.50 m wide and 2.50 m deep), and is easy to carry and assemble thanks to its alloy frame. Its front and side walls are removable.








ACRYLIC PORCH 2.5 M DEEP

ACRITEIO FORGITZ:3 W DEEP		
ROOF	Ten Cate coated and patterned polyester 240 g/m ²	
WALLS	100% high quality fibre dyed acrylic	
FRAME	25 mm frame in anodised aluminium with reinforced corners in steel	
OPTIONAL ANNEXES	Not available	
SIZE	3.50 m W • 2.50 m D	
WEIGHT	Canvas: 17 Kg, frame: 11 Kg	


















The Vermont is a beautiful free standing porch for motorhomes manufactured from high quality fibre dyed acrylic. It is airy and spacious (3.40 m wide by 2.45 m deep). All front and side walls are removable, and the left panel features a mosquito net.





ACDVIIC	MOTORHOME		45 M DEED
AUDILIU		PUNUN 2.	43 W DEEP

ACRYLIC MOTORHOME PORCH 2.45 M DEEP		
ROOF	Ten Cate coated and patterned polyester 240 g/m ²	
WALLS	100% Ten Cate Acrylic 280 g/m², fibre dyed, superior quality	
FRAME	Steel frame 25 mm	
OPTIONAL ANNEXES	Not available	
SIZE	3.40 m W • 2.45 m D	
WEIGHT	Canvas: 20 Kg, frame: 21 Kg	













Coachman motorhome porche

is made in PVC to be used during all kinds of weather. It offers a lot of space. Its front and side walls are removable, and the side walls are interchangeable. The left wall features a mosquito net. This model is free standing.

FOR MOTORHOMES WITH THE TOP OF THE DOOR BETWEEN

2.40 M AND 2.75 M	
ROOF	Ten Cate coated and patterned polyester 240 g/m ²
WALLS	Walls PVC 335 g/m ² • The front wall and the 2 panels are removable • Door and window on the right panel, window with mosquito net on the left panel
FRAME	Steel frame
OPTIONAL ANNEXES	Tall and bedroom annexes
SIZE	3.40 m W • 2.45 m D
WEIGHT	Canvas: 21 Kg, frame: 21 Kg



TUNNEL PORCH





FOR VANS AND MINIVANS

TUNNEL PORCH Ultra-lightweight made of polyester • 3 fibre arches

Ø11 mm • 1 side entrance • 2 side vents with mosquito nets and shutters • Rear hood for fastening

DIMENSIONS 2 m H • 3 m W • 3.3 m D

to the vehicle

WEIGHT 8,2 kg



ADAPTS TO VANS, MOTORHOMES AND CARAVANS WITH A HEIGHT BETWEEN 2.20 M AND 2.70 M

TUNNEL PORCH Polyester Oxford 210D PU HH 4000 mm 3 entrances:

1 front and 2 sides equipped with a snap ring for fastening to the caravan rail + fastening kit (suction pads + bar) especially for vans and

motorhomes

FRAME 3 fibreglass arches, dia. 12.7 mm • 3 steel supports,

dia. 16/19 mm • 2 lifting poles dia.16 mm

SUPPLIED WITH Floor lining PE 120 gr/m² • Removable bedroom inner

Polyester Taffetas 190T

DIMENSIONS 2.1 m H • 3.15 m W • 3.40 m D

WEIGHT 21 kg









WALLS Acrylic with mosquito net

COLOURS Blue or grey


> SIZE 1.60 m H • 1.90 m W • 1.30 m D



Blue or grey

SIZE 1.60 m H • 1.90 m W • 1.20 m D





or ma

PVC fabric floor mat PVC 450 gr/m² high-resistance Finish: Metal eyelets Ø19 mm • Eyelets on the length and width for perfect pegging • High-resistance PVC with hemmed edge • Optimum comfort • Easy to clean with water • Quick drying • Light and easy to transport • Breathable • Anti-UV treated



7 SIZES AVAILABLE

(FLOOR MAT 250 CM)				
250 X 300	M/T25DC02			
250 X 350	M/T25DE03			
250 X 400	M/T25DG04			
250 X 450	M/T25DJ05			
250 X 500	M/T25DL06			
250 X 550	M/T25DN07			
250 X 600	M/T25DP08			

HIGH-RESISTANCE, ANTI-TEARING


FLEXIBLE AND COMFORTABLE

ANTI-MARKING, ANTI-STAINING

EASY TO MAINTAIN

BREATHABLE

ANTI-UV TREATED







-

The know-how of TRIGANO has continued to grow over the years and now allows us to propose a complete range of furniture: Trendy, lightweight, sturdy and practical. All our products are manufactured from environmentally friendly materials.

For a wide range of Trigano furniture available from stock please see section V



Kitchen unit













Folding armchairs Suitcase cabinet



The first range of tents **TRIGANO** produced dates back to 1935, 70 years later our products are still used by thousands of campers. You are sure to find the tent to suit your specific style of camping and will appreciate our new AIRCAMP inflatable tents.





Abri tonnelle Declic Cherokee Zephyr 8





DETERMINE THE SIZE OF YOUR AWNING ... ACCORDING TO YOUR CARAVAN



To work out the size of awning you need, take the length of your caravan from ground to ground. Eurovent awnings have a special flap on both sides allowing them to fit all types of caravans. For caravans with an aerodynamic front profile, measure from the ground up to and along the roof until it starts to curve, then add 1.8 m.

SIZES			
7.00 > 7.35 m	В	9.10 > 9.45 m	Н
7.35 > 7.70 m	С	9.45 > 9.80 m	1
7.70 >8.05 m	D	9.80 >10.15 m	J
8.05 > 8.40 m	Е	10.15 > 10.50 m	K
8.40 > 8.75 m	F	10.50 > 10.90 m	L
8.75 > 9.10 m	G	10.90 > 11.30 m	М

You can find technical information on our website

www.eurovent-awnings.com

This document is not contractual, the manufacturer reserves the right to modify it without notice.TRIGANO MDC - RC PARIS B 775 735 020



E & OE: Errors & Omissions Excepted

YOUR LOCAL DEALER

Alan Rogers guides





GB & Ireland

Covering over 550 selected camping and caravanning parks. 12018714



101 best camp sites

Great campsites across Europe perfect for your chosen hobby. Choose from these three titles.



Europe

Covering over 900 selected campsites in 24 European countries. 12018814



101 Fishing Angling and sea fishing. 12018414



France

Covering over 900 selected camping and caravanning parks. 12018914



101 You & Your Dog Where dogs are welcome. 12018114



Spain & Portugal

Covering over 260 selected camping and caravanning sites. 12019514



Italy

Covering over 320 selected camping and caravanning sites. Including Sicily and Sardinia. 12019614



Netherlands

Over 250 inspected and selected camping and caravanning sites in the Netherlands, Belgium and Luxembourg. 12019714



WOW Country guides now include a FREE Alan Rogers Travel card with extra benefits and savings! These books offer a unique update facility - you can return unsold books to Grove Products and we will replace them free of charge with the new years book. Time barring applies please speak with your sales contact to make sure you don't miss out!

Manuals and Books




The caravan manual

Content includes guidance on maintaining older caravans as well as detailed information on recent developments 120175




The motorcaravan manual

This comprehensive illustrated manual is full of practical information and advice for both the novice and the experienced owner




Build your own motorcaravan book

The complete guide to van conversions, coachbuilds and major renovation projects 120178



The caravan & motor home handbook

This book contains information on all aspects of caravan and motorhome ownership 120173




AA road atlas GB

A3. Clear 4 miles to 1 inch scale. Fully updated, route planner and 8,000 places to visit. New speed camera locations. 10 per outer 120200



AA road atlas Europe

A4 Multi scale coverage of Europe, 45 countries, 34 city route maps. Available singly or 10 per outer 120202



AA road atlas France

A3. Clear scale, 20 town plans. Available singly or 10 per outer 120204






WOW The perfect travelling companion for children

I-Spy Merchandiser 120265 I-Spy Spinner 120166


Please ask your representative for details



Every Vehicle on the Road 120254



Car Badges



Cars 120242



Cool cars



Sports & games 120230




Football grounds 120232




On a Car Journey



On a car Journey in France 120256



On the Motorway 120251



On a Road Trip 120255



Aircraft 120235




Camping 120247



In the Countryside 120252



At the Seaside 120246



Minerals, rocks & fossils 120233



On a Ferry 120253



On the water



Book of facts



Nature 120244



Birds 120241



Creepy Crawlies 120243



Animals 120238



Dogs 120237



Dinosaurs 120234

Toys



Sea cruiser transporter 6 per display outer 124074



Jeep with leisure vehicle 6 per display outer 124072



Horse trailer
6 per display outer
124071



Motorhome & trailer
6 per display outer
124070



Holiday fun car & caravan 6 per display outer 124069

Children's sleeping bags Sleeping bags with 50% Polyester 50% Cotton outer, 100% hollofibre filled, washable, non allergenic, zipped detachable pillow & pillow case. Size 42x66cm/26x56" approximately



America 8 per outer 123016



8 per outer 123017



Dalmation blue 8 per outer 123018

Adult sleeping bags

All adult bags are 520z filling. Dimensions: 200cm x 91cm approx.

> WOW Reversible, zip any two of the same bag together to make a double bag



Inca maroon hollofibre 6 per outer 123116



Sahara hollofibre

6 per outer Green **123122**

Lilac 123124







Sling chair khaki W58cm x D72cm x H93cm 4 per pack 109805



Deck chair khaki W62cm x D55cm x H78cm 4 per pack 109801



Deck chair khaki with table 4 per pack 109803

Mattress Toppers





Memory foam mattress topper

Orthopaedic, non allergenic, visco elastic memory foam. Temperature sensitive foam moulds to your body's heat & weight to provide the right amount of support your body needs to aid a restful nights sleep.

Single size 90cm x 190cm x 2.5cm **123295 Double** size 135cm x 190cm x 2.5cm **123296**



Double electric blanket

90W 230V electric blanket. 100% polyester. With 2 temperature settings and LED light. Detachable connector making it machine washable. With overheat protection for peace of mind.

Approx. size 150cm x 110cm 123293



Cup holder for relaxer chairs 107470

WOW Fits most folding chairs and relaxers of this style with tubular legs



The new Dukdalf camping furniture range is produced in the Netherlands using Italian

designed upholstery.



A stable and compact chair with an ergonomically shaped back and seat. It can be folded to less than 9cm thickness thanks to it's special design. The frame of double reinforced anodised oval aluminium tube makes the chair not only very strong but also very

light.
4 per outer
Blue 107601
Grey 107602

Maximum capacity 140 kg.

Material: 70% PVC, 30% Polyester

Grey stripe (as illustrated) 107603



Also a stable and compact chair with an ergonomically shaped back and seat. It has an extra tall back and higher seating position than the Dynamic. It can also be folded to less than 9cm thickness thanks to it's special design. The frame of double reinforced anodised oval aluminium tube makes the chair not only very strong but also very light.

4 per outer Blue (as illustrated) **107605** Grey **107606**



The Grande ihas the highest capacity of any chair in the Dukdalf range designed to take up to 200kg. 2 per outer

Grey **107611**



The Dolce Sensitive has the same specifications as the Dolce With a velvety soft and super strong fabric that is also 100% weather resistant. The new UPHOLSTERY makes this chair extra-pleasant, warm and easy to clean. You do not need a pillow! Extra wide nylon armrests with extra fiberglass for reinforcement.

4 per outer Grey **107604**



Super strong and ergonomic. The frame is made of anodized aluminum reinforced square tube. The armrests are made of fiberglass reinforced nylon plastic.

2 per outer

Blue (as illustrated) 107608


Grey 107609



Very light weight, the Aspen chair has a round aluminium tubular frame. It can be folded to 10cm thickness and reclines in 8 positions. It features a high back with built-in head rest.

2 per outer Blue **107617** Grey **107618**

Grey stripe (as illustrated) 107619



Legrest Fusion

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. **Oval legs**. Dimensions folded: $86 \times 49 \times 8 \text{ cm}$ - Maximum capacity: 25 kg.

Available singly or 4 per outer

Plus 107612

Blue **107613** Gre

Grey **107614**

Grey stripe 107615

Legrest SAMPLER

The ergonomic legrest fits all Dukdalf chairs and offers extra comfort. Simply lays across the sampler bar attached to each chair, turning a comfortable chair into a relaxer. **Tubular legs.** Dimensions folded: $86 \times 49 \times 8 \text{ cm}$ - Maximum capacity: 25 kg. Available singly or 4 per outer

Blue **107621**

Grey **107622**

Grey stripe **107623**



With a fast and stepless variable height, the table can almost easily be set at the correct height (56 - 72cm). The tables from the Stabilic series are equipped with a quality Sevelit table top, with up to 50 kg max load. Heat resistant up to 180°C, waterproof and easy to clean. Individually boxed.

Available in 3 sizes.

Tables are approximately 5cm deep when folded

Chairs



Folds and unfolds in seconds.

- Frame: 16mm Ø Steel tube
- Dim open: 33 x 33 x 44 cm.
- Dim closed: 7 x 7 x 57 cm.
- Weight: 0.9 kg.
- Maximum capacity 100 kg.
- Material: 600D PVC coated Polyester.

Double thickness.

12 per outer

Grey / Turquoise 107471 Sand / Beige 107472 Chocolate / Green 107473



Quick opening. Includes carry bag.

- Frame: 16 mm 0 laquered Steel tube
- Dim open: 49 x 49 x 44/73 cm.
- Dim closed: 73 x 15 cm.
- Weight: 2.7 kg.
- Maximum capacity 100 kg.
- Material: 600D PVC coated Polyester. Double thickness.

6 per outer

Grey / Turquoise 107486



Quick opening.

- Frame: 16/19 mm Ø laquered Steel tube
- Dim open: 45 x 47 x 43/80 cm.
- Dim closed: 47 x 8 cm.
- Weight: 2.7 kg.
- Maximum capacity 100 kg.
- Material: 600D coated Polyester.

6 per outer

Grey / Turquoise 107488 Chocolate / Green 107489



Foam armrests. Vetilation panel with optimum seat comfort.

- Frame: 16/22 mm Ø laquered Steel tube
- Dim open: 48 x 50 x 43/93 cm.
- Dim closed: 89 x 14 cm.
- Weight: 4.2 kg.
- Maximum capacity 100 kg.
- Material: 600D coated Polyester.
- 4 per outer

Terracotta 107499



- Frame: 6/19 mm Ø laquered Steel tube
- Dim open: 45 x 47 x 43/80 cm.
- Dim closed: 47 x 8 cm.
- Weight: 2.7 kg.
- Maximum capacity 100 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)

6 per outer

"Cedre" 107492



Opens and closes quickly. With removable headrest.

- Frame: 16/19 mm Ø laquered Steel tube
- Dim open: 48 x 42 x 40/85 cm.
- Dim closed: 86 x 20 cm.
- Weight: 5 kg.
- Maximum capacity 100 kg.
- Material: 600D PVC coated Polyester.

Includes carry bag.

Chocolate / Green 107500



Animal chair



Child safety chair, locks in open position. Quick opening. Cup holder

- Frame: 13mm Ø laquered steel tube
- Dim open: 38 x 41 x 24/65 cm.
- Dim closed: 13 x 12 x 60 cm.
- Weight: 2 kg.
- Maximum capacity 60 kg.
- Material: 600D PVC coated Polyester.

6 per outer

Assorted patterns 107501



Alu Flex Armchair

With adjustable height headrest. Adjusts to 7 positions. Comfortable elasticated seat and back.

- Frame: Aluminium square tube
- Dim open: 53.5 x 52 x 47/117 cm.
- Dim closed: 116 x 11 x 63 cm.
- Weight: 5.2 kg.
- Maximum capacity 120 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)

4 per outer

"Cedre" 107502

"Raye" **107503**

Optional leg rest - 4 per outer



- Frame: Aluminium square tube
- Dim open: 41 x 48 x 44/108 cm.
- Dim closed: 113 x 15 x 59 cm.
- Weight: 4.6 kg.

Adjusts to 7 positions.

- Maximum capacity 120 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)

'Raye"

4 per outer

"Cedre" 107506

"Raye" 107507

• Weight: 2.7 kg.

4 per outer

• Maximum capacity 100 kg.

Grey / Turquoise 107494

Chocolate / Green 107495

• Material: 600D PVC Polyester.

Alu high back Armchair

With adjustable height headrest. Adjusts to 7 positions.

'Raye"

- Frame: Aluminium square tube
- Dim open: 41 x 48 x 44/120 cm.
- Dim closed: 117 x 15 x 59 cm.
- Weight: 5.3 kg.

'Cedre'

- Maximum capacity 120 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)
- 4 per outer

"Cedre" 107508

"Raye" 107509





Relaxer Alu

With adjustable height headrest. Adjusts to 5 positions. Upright seating position is near vertical.

- Frame: Matt Aluminium square tube
- Dim open: 91 x 5 x 44/126 cm.
- Dim closed: 124 x 18 x 65 cm.
- Weight: 6 kg.
- Maximum capacity 120 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)

"Cedre" 107514



Opens instantly. Lightweight. Ventilated

- Frame: 25 mm Ø matt Aluminium tube
- Dim open: 48 x 50 x 46/86 cm.
- Dim closed: 52 x 15 x 85 cm.
- Weight: 2.6 kg.
- Maximum capacity 100 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant)
- 4 per outer

"Fiord" 107496

"Raye" 107497



Armchair Steel frame

With removable headrest. Adjusts to 5 positions.

- Frame: Steel round 19/22 mm Ø tube
- Dim open: 43 x 48 x 44/117 cm.
- Dim closed: 98 x 10 x 59 cm.
- Weight: 4.5 kg.
- Maximum capacity 100 kg.
- Material: Textilene (PVC coated polyester fibres that are weather and UV resistant) 2 per outer

"Fjord" 107511

Cupboards

Swift folding kitchen stand

Quick opening and closing, most compact. With windshield and carry bag.

- Material: Steel
- Dim open: 60 x 40 x 74 cm.
- Dim closed: 51 x 11 x 67 cm.
- Weight: 3.4 kg.

107550





Folding Kitchen cupboard large

Rear ventilation. Interior shelves rimmed with aluminium. With windshield and carry

- Material: PVC coated polyester 600D
- Frame: Aluminium
- Dim open: 106 x 52 x 92/123 cm.
- Dim closed: 63 x 53 x 10 cm.
- Weight: 12.5 kg.

Sand **107566**







Kitchen cupboard with sink

Quick opening system - The shelves stay in place when opening and closing. Very compact when folded. Rear ventilation. Supplied with sink and drainer. Comes with carry bag.

- Material: PVC coated polyester 600D
- Frame: Aluminium 19 mm 0
- Dim open: 120 x 50 x 90 cm.
- Dim closed: 93 x 12 x 69 cm.
- Weight: 8 kg. 2 per outer Sand 107569







Kitchen cupboard

3 handy tidy pockets. Interior shelves rimmed with aluminium. With windshield, adjustable feet and carry bag

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 25 mm 0
- Dim open: 85 (+30) x 75 x 55 cm.
- Dim closed: 75 x 40 x 10 cm.
- Weight: 8.1 kg.

Chocolate / Green 107554 Sand **107553**

Grey / Turquoise 107552











Kitchen and cupboard

Interior shelves rimmed with aluminium. Most compact. With windshield, adjustable feet and carry bag.

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 19 mm Ø
- Dim open: 143 x 48 x 79.5 / 110.5 cm.
- Dim closed: 80 x 49.5 x 11 cm.
- Weight: 8.3 kg.

Chocolate / Green 107559 Sand **107558**

Grey / Turquoise 107557













Kitchen and double cupboard

Interior shelves rimmed with aluminium. Most compact. Large storage capacity. With windshield, adjustable feet and carry bag.

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 19 mm Ø
- Dim open: 172 x 48 x 79 / 110 cm.
- Dim closed: 104 x 49.5 x 11 cm.
- Weight: 10 kg.

Sand 107563









Cupboards

Cupboard small

Rear ventilation. Interior shelves rimmed with aluminium. With adjustable feet and carry bag.

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 25 mm 0
- Dim open: 59 x 48 x 70 cm.
- Dim closed: 63 x 53 x 10 cm.
- Dilli ciosca. os X so

• Weight: 4.2 kg.

Chocolate / Green **107571** Sand **107572**





Portable folding cupboard - Suitcase

Assembled in less than 3 seconds. The shelves stay in place when opening and closing. Very compact when folded. Rear ventilation. 3 handy tidy pockets. Folds into a suitcase.

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 16 mm 0
- Dim open: 60 x 48 x 86 cm.
- Dim closed: 61 x 8 x 49 cm.
- Weight: 8 kg. Sand **107574**







Folding wardrobe / cupboard

Very compact. Rear ventilation. The shelves stay in place when opening and closing. 3 handy tidy pockets. With adjustable feet and carry bag.

- Table top: Aluminium
- Material: PVC coated polyester 600D
- Frame: Aluminium 25 mm 0
- Dim open: 92 x 47 x 140 cm.
- Dim closed: 92 x 48 x 16 cm.
- Weight: 7.5 kg.Sand 107583







Folding Tall storage cupboard

Very compact. Rear ventilation. The shelves stay in place when opening and closing. 3 handy tidy pockets, With adjustable feet and carry bag.

- Material: PVC coated polyester 600D
- Frame: Aluminium 25 mm 0
- Dim open: 60 x 50 x 141 cm.
- Dim closed: 70 x 45 x 9 cm.
- Weight: 6 kg.

Chocolate / Green **107578** Sand **107579**

Grey / Turquoise 107577



Table Top for Folding Tall storage cupboard

- Table top: Aluminium
- Dimensions: 59 x 48 cm
- Weight: 0.95 kg.
- Maximum weight: 30 kg107581









Portable folding table

Optimum compactness.

- Table top: Wood effect aluminium
- Frame: Aluminium
- Dim open: 60 x 120 x 69 cm.
- Dim closed: 60 x 60 x 7 cm.
- Weight: 48 kg.
- Maximum capacity 30 kg.

107530



Portable folding table with 4 stools

Storage pockets and mesh net. Adjustable feet.

- Table top: Wood effect aluminium
- Frame: Aluminium 25 mm Ø
- Dim open: 60 x 120 x 70 cm.
- Dim seats: 41 x 29 x 42 cm.
- Weight: 6.6 kg.
- Maximum capacity: table 30 kg, chair 100 kg.

Portable folding oval table

With adjustable feet

- Table top: Wood effect aluminium
- Frame: Aluminium 25 mm Ø
- Dim open: 90 x 120 x 67 cm.
- Dim closed: 92 x 7 x 61 cm.
- Weight: 6.2 kg.
- Maximum capacity 30 kg.





Portable folding family table

Suitcase table, extra long.

- Table top: Wood effect aluminium
- Frame: Aluminium
- Dim open: 70 x 180 x 70 cm.
- Dim closed: 66 x 14 x 65 cm.
- Weight: 7.6 kg.
- Maximum capacity 30 kg.

107533

Aluminium folding tables with bag



- Table top: Painted aluminium with new plastic chain system for connecting slats
- Frame: Aluminium 25 mm Ø


110 x 70cm

- Dim open: 70 x 110 x 70 cm.
- Dim closed: 21 x 11 x 104 cm.
- Weight: 5 kg.
- Maximum capacity 30 kg. 107538

- Dim open: 80.5 x 140 x 70 cm.
- Dim closed: 21 x 11 x 134 cm.
- Weight: 6 kg.
- Maximum capacity 30 kg.

WOW All aluminium -

For their weight they have exeptional strength. Includes carry bag and adjustable feet!



Spare part	AKS 1300	AKS 2004	AKS 3004		AKS 3004 mk2	AKS 2000 /2500 /2700
Handle left	2. 603379 007700 Operating lever	1. 690243 007730	1. 690243 007730	Complete 1552795	1, 693589	1. 372161 007708 Type A 3. 581158 007710 Type B
Handle right	6. 614358 007704 Ratchet hand wheel	2. 690244 007731	2. 690244 007731	007937	1. 093369	2. 372162 007709 Type A 4. 581159 007711 Type B
Arm left		4. 690241 007733	4. 690241 007733		3. 690241 007733	5. 5737912 007712
Arm right		5. 690242 007734	5. 690242 007734		4. 690242 007734	6. 573913 007713
Bearing	7. 246338 007705	7. 380307 007736	7. 380307 007736		6. 380307 007736	8. 380307 007736
Bearing bolt		6. 372284 007717	6. 372284 007717		5. 372284 007717	6. 372284 007717
seal	Kit(5 seals & 1 spring) 4. 246340 007702	8. 372166 007737	8. 372166 007737		7. 372166 007737	10. 372166 007737
Front & rear friction pad kit		9/10. 1212126 007935	9/10. 691418 007936		9. 691418 007936	
Side friction pad kit	8. 638057 007957	To 1993 12. 585208 008004 From 1994 12. 287763 008005	To 1993 12. 585208 008004 From 1994 12. 287763 008005		8. 287763 008005	11. 287763 008005
Inner indicator button		13. 372288 007722	13 to 15.		14. 372288 007722	12. 372287 007720
Spring	Kit 9. 246341	14. 372285 007721	Kit		13. 372285 007721	13. 372285 007721
Outer indicator button	3. 240041	15. 372287 007720	286799 007719		12. 372287 007720	14. 372288 007722
Cap		16. 583885	16. 583885		15. 1367606	20. 583885
Fixing kit	622175 007703	1336334 007743	1336334 007743		1336334 007743	648936 007725
Other	Retaining screw 3. 603153 007701 Split rings 10 246337 007707	Hex nut M12-10 17. 371932 007738 Top bolt M12 x 75 18. 603392 007739 Side bolt M12 x 75 19. 704439 007740	Hex nut M12-10 17. 371932 007738 Top bolt M12 x 75 18. 603392 007739 Side bolt M12 x 75 19. 692034 007741		Hex nut M12-10 16. 371932 007738 Top bolt M12 x 75 17. 603392 007739 Side bolt M12 x 75 18. 692034 007741	Hex bolt M12 X 80 15. 703556 Hex bolt M12 X 75 15A. 703556 Nut M12 16. 701933 Packing pieces 17. 372936 007726 Type A 40mm 18. 372937 007727 Type A 35mm 19. 372462 007728 Type B 40mm

AKS Spares



Ratchet hand wheel 007704



Operating lever 007700



Handle complete 007937 Left handle only 007730 Right handle only 007731



Handle I H type A 007708



Handle RH type A 007709



Handle I H type B **007710** Handle RH type B **007711**



007733 Left arm Right arm 007734



Arm LH 007712 Arm RH 007713



Bearing bolt 007717



Bearing 007736



007737



Retaining screw 007701



Bearing set 007705



Seal kit **007702**



Split rings 007707



Indicator button kit 007719



Hexagon nut M12-10 A3C 007738



Bolt M12 x 75 007739



Bolt M12 x 75 2004 only 007740



Fixing kit 007703



Bolt M12 x 75 - 10.9

3004 only **007741**

Fixing kit 3004 007743



Fixing kit 2700 007725



Packing piece 40mm type A 007726



Spring 007721

Indicator button AKS2000 & 2004 series

008004

Inner 007722





To 1993 for 2000/2500 stabilisers From 1994 2004/3004 stabilisers 008005



Friction pad kit 1300



Packing piece 35mm type A 007727



Packing piece 45mm type B 007728



Front/rear friction pads

Side friction pads

2004 stabilisers 007935

> 3004 stabilisers 007936





007957

Corner steadies

oor rich occadios		
DESCRIPTION	GROVE PT NO	AL-KO PT NO
CORNER STEADY SYSTEM	007432	205808
CORNER STEADY SCREW 585 X 20MM		355200
CORNER STEADY NUT 20MM	007429	355198
COLLAR		355203
ROLL PIN 5MM		701631
CORNER STEADY SCREW 680 X 20MM FITS 517779	007431	355815
CORNER STEADY NUT 16MM	007428	371580
ROLL PIN 4MM		700189
ROLL PIN 5MM		700631
CORNER STEADY SYSTEM	007433	205817
CORNER STEADY NUT 20MM	007429	355198
COLLAR		355203
ROLL PIN 5MM		701631
CORNER STEADY SYSTEM	007435	1221694

				DIN	MENSIONS			
Α	В	С	D	Е	WEIGHT(KG)	F AT 60° ANGLE	GROVE PT. NO.	AL-KO PT NO
505MM	470MM	260MM	190MM	100MM	3.4	470	007432	205808
605MM	510MM	260MM	190MM	100MM	3.6	500	007433	205817
505MM	495MM	280MM	190MM	100MM	4.8	470	007434	267265
605MM	600MM	292MM	190MM	138MM	5.2	520	007435	1221694









007434

007435



Corner steady nut 20mm **007429** 16mm **007428**

Miscellaneous



Fixing kit for 2000 security device 007724




Fixing kit for 1300 security device 007706



AKS security barrel/keys 007723

680 x 20mm **007431**




161S Delta Overrun Assembly with Gas Strut Handbrake

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO
1	COUPLING HEAD (50MM)		QUOTE MODEL DETAILS
2	DAMPER	007600	370556
3	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
4	GAITER	007601	366356
4A	GAITER FOR AK 350	007735	607133
5	BUMP RUBBER		371372
6	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
7	FRONT BEARING BUSH (NOT REAMED)	007606	1210131
8	SPACER		370559
9	HEXAGON BOLT		
	M12 X 70 FOR AK 160		700061
	M12 X 75 FOR AK 300		701959
	M12 X 90 FOR AK 350		702823
10	HOUSING COMPLETE WITH BEARINGS		QUOTE PART NO. & ETI NO.
11	OVERRUN SHAFT		571873
12	REAR BEARING BUSH (NOT REAMED)	007606	121031
13	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
14	GREASE NIPPLE AM 8 X	007608	1 2171710001
15	OVERRUN LEVER:-		
	LEVER STAMPED 27		380265
	LEVER STAMPED 30		380285
17	BURST RING	007604	366900
16	GREASE NIPPLE AM 6 (INCLUDED IN ITEM 15)		700203
18	HANDBRAKE PIVOT BOLT	007622	581145
19	HANDBRAKE ASSY (INCLUDES ITEM 20)	007623	220096
20	BREAKAWAY CABLE COMPLETE	007130	1387123
21	HEXAGON BOLT M12 X 90 DIN 931		700312
22	REINFORCEMENT PLATE		581699
23	WASHER 19.2 X 34 X 3 DIN 125		370693
24	PRESSED STEEL CLAMP	007619	293020
	CAST CLAMP	007620	285750







251S Delta Overrun Assembly with Gas Strut Handbrake

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO
1	COUPLING HEAD (50MM)		QUOTE MODEL DETAILS
2	DAMPER	007625	370589
3	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
4	GAITER	007601	366356
5	BUMP RUBBER		371372
6	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
7	FRONT BEARING BUSH (NOT REAMED)	007606	1210131
8	SPACER		357242
9	HEXAGON BOLT M12 X 75		701249
10	HOUSING COMPLETE WITH BEARINGS		QUOTE PART NO.& ETI NO.
11	OVERRUN SHAFT		571874
12	REAR BEARING BUSH (NOT REAMED)	007606	1210131
13	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
14	GREASE NIPPLE AM 8 X 1	007608	2171710001
15	OVERRUN LEVER WITH LINK AND GREASE NIPPL	E (ITEM 16):-	
	LEVER STAMPED 27		380265
	LEVER STAMPED 30		380286
	UNIVERSAL OVERRUN LEVER 90 : X		
	X =27		380525
	X =30		380526
	X =33.5		380527
16	GREASE NIPPLE AM 6 (INCLUDED IN ITEM 15)		700203
17	BURST RING	007604	366900
18	HANDBRAKE PIVOT BOLT	007622	581145
19	HANDBRAKE ASSY INCLUDES ITEMS 17 & 20	007628	220098
20	BREAKAWAY CABLE	007130	1387123
21	HEXAGON BOLT M12 X 90 DIN 931		700312
22	REINFORCEMENT PLATE		581699
23	WASHER 19.2 X 34 X 3 DIN 125		370693
24	JOCKEY WHEEL CLAMP KIT COMPLETE :-		
	PRESSED STEEL CLAMP	007619	293020
	CAST CLAMP	007620	285750



Gaiter **007601**



bearing bush Grease 007606

nipple

007608



007604

Handbrake pivot bolt 007622

Handbrake assembly 007628

Breakaway cable 007130

Handbrake grip 007624






Pressed steel clamp 007619

Cast clamp 007620

007619

Pressed steel clamp


Cast clamp **007620**



161S Delta Overrun Assembly with Spring Cylinder Handbrake

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO
1	COUPLING HEAD (50MM)		QUOTE MODEL DETAILS
2	DAMPER	007600	370556
3	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
4	GAITER	007601	366356
5	BUMP RUBBER		371372
6	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
7	FRONT BEARING BUSH (NOT REAMED)	007606	1210131
8	SPACER		370559
9	HEXAGON BOLT M12 X 70		7000061
10	HOUSING COMPLETE WITH BEARINGS		QUOTE PART NO. & ETI NO.
11	OVERRUN SHAFT		571873
12	REAR BEARING BUSH (NOT REAMED)	007606	1210131
13	HEXAGON NUT M12 DIN 985 - 10 A3C		702750
14	GREASE NIPPLE AM 8 X 1	007608	2171710001
15	OVERRUN LEVER WITH LINK AND GREASE NIPPL	.E (ITEM 16):-	
	LEVER STAMPED 27		380310
	LEVER STAMPED 30		380468
16	GREASE NIPPLE AM 6 (INCLUDED IN ITEM 15)		700203
17	BURST RING	007604	366900
18	HANDBRAKE PIVOT BOLT	007609	2077710503
19	HANDBRAKE ASSY (INLUDES ITEMS 17 & 20)	007610	354259
20	BREAKAWAY CABLE	007130	1387123
21	HEXAGON BOLT M12 X 90 DIN 931		700312
22	REINFORCEMENT PLATE		581699
23	WASHER 17.2 X 30 X 3 DIN 125		700312
24	SPACER		358470
25	CLEVIS PIN 10 X 25 DIN 125		702121
26	CLEVIS PIN		2076810609
27	TENSION BAR		2170110608
28	SPRING CYLINDER	007634	2075020601
29	SPLIT PIN 4 X 20 DIN 94	007616	700192
30	WASHER 10.5 DIN 94		700139
31	FORK END	007633	2073890606
32	SPLIT PIN 3.2 X 20 DIN 94	007616	700191
33	PRESSED STEEL CLAMP	007619	293020
	CAST CLAMP	007620	285750





90 S/3 Overrun Assembly Delta & Square Type with Spring Cylinder Handbrake

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO
1	COUPLING HEAD		QUOTE MODEL
2	HEXAGON NUT M10 DIN 6925 - 8		375724
3	HEXAGON NUT M10 DIN 934		700109
4	DAMPER	007630	359987
5	HEXAGON BOLT		370875
6	HEXAGON BOLT M12 X 55 DIN 931		700281
7	FRONT BEARING BUSH (NOT REAMED)		625601
8	DRAWSHAFT	007627	625626
9	REAR BEARING BUSH (NOT REAMED)		625602
10	BUMP RUBBER	007629	2072410207
11	GREASE NIPPLE AM 6 DIN 71412 INCLUDES ITEM 19		700203
12	HEXAGON NUT M12 DIN 6925-8	007631	700123
13	CLEVIS PIN 10 X 25 DIN 660		702121
14	WASHER 10.5 DIN 125		700139
15	FORK END	007633	2073890606REF
16	CLEVIS PIN 12 X 14 DIN 660		701935
17	SPRING CYLINDER	007634	2075020601
18	TENSION BAR	007635	2076830608
19	OVERRUN LEVER (INCLUDES ITEMS 11, 13 AND 15)		354238
20	HOUSING COMPLETE WITH BEARINGS		QUOTE PART NO. & ETI NO.
21	REINFORCEMENT PLATE		625627
22	GREASE NIPPLE AM 8 X 1	007608	2171710001
23	WASHER DIN 433		702819
24	HANDBRAKE PIVOT BOLT		625642
25	HANDBRAKE ASSY (INCLUDES ITEMS 16, 18, 27, & BURST RING)	007637	354001
27	BREAKAWAY CABLE	007130	1387123
28	GAITER	007638	2073890210
29	HEXAGON NUT M12 DIN 980		704065
32	PRESSED STEEL CLAMP	007639	205318
	CAST CLAMP	007640	295191





Draw shaft 007627

Bump rubber 007629

Hex nut M12 007631

Fork end 007633

Spring cylinder **007634**





cable

90S/3 delta assembly 007638








007637

Handbrake grip

007624

Clamp **007639** Handle only 007642

Cast clamp 007640



Wheelbrake 1637 Euro-Axle Version 1994 onwards

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO				
1	BACKPLATE WELDED LH		*571950				
	BACKPLATE WELDED RH *571951						
2	DETACHABLE BOWDEN CABLE OUTER CABLE LENGTH:						
	350 MM		299707				
	530 MM		299708				
	770 MM		299709				
	890 MM	007645	247284				
	1020 MM	007646	247285				
	1130 MM	007647	247286				
	1320 MM	007648	247287				
	1430 MM		299714				
	1620 MM		299715				
	1790 MM		299716				
3	CABLE EYE CAST VERSION		371388				
	PRESSED VERSION	007651	604262				
4	REVERSE LEVER SPRING LH	007652	21878870001				
•	REVERSE LEVER SPRING RH	007653	327805				
5	REVERSE LEVER LH	007654	384308				
	REVERSE LEVER RH	007655	384309				
6	BRAKE SHOE TRAILING	007660	ECS-BRCMPO				
7	PULL-OFF SPRING	007657	2182150003				
	EXPANDING CLUTCH	007658	570666				
8 10	BRAKE DRUM & BEARING UP TO 650 KG:						
Ю		KG:	E70400				
	98 X 4/M12 X 1.5	007050	573188				
	100 X 4/M12 X 1.5	007659	573189				
	101.6 X 4/M10 X 1.5		578822				
	112 X 5/M12 X 1.5	007000	573190				
13	FLANGE NUT (20MM)	007662	581200				
14	DUST CAP	007663	581197				
15	WHEELBOLT: CONICAL M12 X 1.5	007664	2081670018				
	SPHERICAL M12 X 1.5		2081670020				
16	BRAKE SHOE - LEADING		384296				
18	BEARING BOLT	007667	368651				
19	SPLIT PIN 4 X 20 - DIN 94	007616	700192				
20	SHOE RETAINING SPRING	007669	2088800003				
21	ADJUSTER ASSEMBLY COMPLETE	007670	387706				
22	AS ABOVE						
23	AS ABOVE						
24	AS ABOVE						
25	PLASTIC PLUG 10X13X1	007671	373245				
26	COVER PLATE	007672	2382610002				
27	BOWDEN CABLE SHELL	007673	371387				
31	STUB AXLE		*581563				
32	LOCKING NUT		*702881				

Wheelbrake 2051 Euro-Axle Version 1994 onwards

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO
l .	BACKPLATE WELDED LH UP TO 650 KG		*571376
	BACKPLATE WELDED RH UP TO 750 KG		*586406
	BACKPLATE WELDED RH UP TO 650 KG		*571377
	BACKPLATE WELDED LH UP TO 750 KG		*586407
2	DETACHABLE BOWDEN CABLE OUTER CABL	.E LENGTH:	
	350 MM		299707
	530 MM		299708
	770 MM		299709
	890 MM	007645	247284
	1020 MM	007646	247285
	1130 MM	007647	247286
	1320 MM	007648	247287
	1430 MM		299714
	1620 MM		299715
	1790 MM		299716
3	CABLE EYE CAST VERSION		371388
	CABLE EYE PRESSED VERSION	007651	604262
4	REVERSE LEVER SPRING	007677	2187370003
5	REVERSE LEVER LH	007678	571386
	REVERSE LEVER RH	007679	571387
6	BRAKE SHOE	007683	384294
7	PULL-OFF SPRING	007681	2182000007
8	EXPANDING CLUTCH	007682	571510
10	BRAKE DRUM & BEARING UP TO 650 KG:	007002	371310
10	98 X 4/M12 X 1.5		573191
	100 X 4/M12 X 1.5	007684	573192
		007064	610949
	101.6 X 4/M12 X 1.5		
	112 X 5/M12 X 1.5		573193
	BRAKE DRUM & BEARING UP TO 750 KG:		==0000
	139.7 X 4/M12 X 1.5		578826
	140 X 5/M14 X 1.5		578825
	112 X 5/M12 X 1.5		586450
13	FLANGE NUT (20MM)	007662	581200
14	DUST CAP	007663	581197
15	WHEELBOLT CONICAL M12 X 1.5	007664	2081670018
	WHEELBOLT SPHERICAL M12 X 1.5		2081670020
	WHEELBOLT SPHERICAL M14 X 1.5		2081670002
18	BEARING BOLT	007667	368651
19	SPLIT PIN 4 X 20 - DIN 94	007616	00192
20	SHOE RETAINING SPRING	007669	2088800003
21	ADJUSTER ASSEMBLY COMPLETE	007670	387706
22	AS ABOVE		
23	AS ABOVE		
24	AS ABOVE		
25	PLASTIC PLUG 10X13X11	007671	373245
26	COVER PLATE	007672	2382610002
27	BOWDEN CABLE SHELL	007673	371387
31	STUB AXLESTABILFORM UP TO 900 KG		*583563
-	STABILFORM 900 KG - 1300 KG		*581043
	FORGED S/A 900 KG - 1500 KG		*583664
32	LOCKING NUT		*702881
	2001101		02001



Brakedrum & bearings Upto 650Kg 1637 **007659** Upto 650Kg 2051 **007684**



Flange "ONE SHOT" nuts 25mm 2361 **007689** 20mm 1637/2051 **007662**



1320mm **007648**



Wheelbol conical M12 x 1.5 **007664**




Cover 2361 **007693**



Dust caps 1637/2051 **007663** 2361 **007690**



Cover 1637/2051 **007676**



Wheelbrake 2361 Euro-Axle Version 1994 onwards

REF	DESCRIPTION	GROVE PT NO	AL-KO PT NO	
	BACKPLATE WELDED LH UP TO 650 KG		*572372	
	BACKPLATE WELDED RH UP TO 750 KG		*572373	
2	DETACHABLE BOWDEN CABLE OUTER CABLE LENGTH:			
	350 MM		299707	
	530 MM		299708	
	770 MM		299709	
	890 MM	007645	247284	
	1020 MM	007646	247285	
	1130 MM	007647	247286	
	1320 MM	007648	247287	
	1430 MM		299714	
	1620 MM		299715	
	1790 MM		299716	
3	CABLE EYE CAST VERSION		371388	
	CABLE EYE PRESSED VERSION	007651	604262	
ı	REVERSE LEVER SPRING	007677	2187370003	
;	REVERSE LEVER LH	007678	571386	
	REVERSE LEVER RH	007679	571387	
5	BRAKE SHOE	007687	ECS-BROMPO6	
,	PULL-OFF SPRING	007681	2082000007	
3	EXPANDING CLUTCH	007682	571510	
) D	BRAKE DRUM & BEARING:	00700E	371310	
	112 X 5/M12 X 1.5		573194	
	139.7 X 4/M12 X 1.5		610529	
	140 X 5/M12 X 1.5		578834 578835	
_	165.1 X 5/M16 STUDS	007000		
3	FLANGE NUT (25MM)	007689	582506	
4	DUST CAP	007690	582505	
5	WHEELBOLT:			
	60° CONICAL M12 X 1.5	007664	2081670018	
	R12 SPHERICAL M12 X 1.5		2081670020	
	R14 SPHERICAL M14 X 1.5		2081670002	
	WHEELNUT:			
	SPHERICAL M16 X 2		F14631002	
	80° CONCIAL M16 X 2		602439	
В	BEARING BOLT	007667	368651	
9	SPLIT PIN 4 X 20 - DIN 94	007616	700192	
20	SHOE RETAINING SPRING	007669	2088800003	
21	ADJUSTER ASSEMBLY COMPLETE	007670	387706	
22	AS ABOVE			
23	AS ABOVE			
4	AS ABOVE			
25	PLASTIC PLUG 10X13X11	007671	373245	
26	COVER PLATE	007672	2382610002	
27	BOWDEN CABLE SHELL	007673	371387	
11	STUB AXLE		*582541	
32	LOCKING NUT		*703112	
		007693	582542	

Α	007670	WHEELBRAKE ADJUSTER ASSEMBLY
В	007673	BOWDEN CABLE SHELL
C.	007660	BRAKE KIT 1637 EURO 94 ONWARDS
C	007683	BRAKE KIT 2051 EURO 94 ONWARDS
	007687	BRAKE KIT 2361 EURO 94 ONWARDS
D	007654	REVERSE LEVER L/H 1637
	007655	REVERSE LEVER R/H 1637
	007678	REVERSE LEVER L/H 2051/2361
	007679	REVERSE LEVER R/H 2051/2361
E	007651	CABLE EYE PRESSED
F	007658	EXPANDING CLUTCH 1637
	007682	EXPANDING CLUTCH 2051/2361
G	007657	PULL OFF SPRING 1637
Н	007681	PULL OFF SPRING 2051/2361
I	007616	SPLIT PIN
J	007672	COVER PLATE
K	007669	SHOE RETAINING SPRING
L	007652	REVERSE LEVER SPRING L/H 1637
_	007653	REVERSE LEVER SPRING R/H 1637
М	007677	REVERSE LEVER SPRING 2051/2361
N	007671	PLASTIC PLUG
0	007667	BEARING BOLT




D Dometic

A full range of Dometic spares are available to order

- normal delivery time 3-4 days

Diagrams shown are for illustrative purposes only please specify which fridge model you require spares for.






A full range of Dometic spares are available to order

- normal delivery time 3-4 days

Diagrams shown are for illustrative purposes only, please specify which fridge model you require spares for.








Upper shelf 2951282157 235 X 105mm **088065**



Lower shelf 2951281159 420 x 180mm **088064**



Lower shelf 2951521158 390 x 65mm **088082**



Bottle retainer 2951237003 300mm wide **088050**



Door shelf 2412076008 W200 x D80 x H230 **088095**



Bottle shelf clip 2412084002 **088093**



Door shelf top/mid 2951238100 W380 X D70 X H60 **088051**



2412104032 fits 088092 **088097**

Door shelf bottom 2412077105 W400 x D90 x H85 **088092**



Door shelf bottom 2412077006 W365 X D90 X H85 **088094**



Door shelf top/mid 2951239009 W385 x D65 X H65 **088052**



Top shelf & lid 241238200 W365 X D60 X H70 **088096**



Vegetable bin lid 2412079002 W365 X D215 X H45 **088102**



Vegetable bin 2412078004 W365 X D230 X H80 **088101**

CARRY-BIKE® Common spares



Block reduction 106376



Rail end cap



Anti-scratch protection kit 106378



Red hand-wheel kit 106379



Tap washer red



Lower bracket cover (2) 106381



Aluminium internal brackets (2) 106392



Internal bracket cover (2) 106380



Nut cover Kit M6 (10) 106391



Rack holder grey



Adjustable foot kit VWT4 106383




Articulated foot kit VWT5 / TD5 106384



Support bar kit (2) Top fixing kit 106393



CARAVANSI ORF IMM common spares










Roof rafter assembly

280cm '05 & '07 310-440cm '05 & '07 **108179** 108181

280cm '13 **03567C05** 310-440cm '13 **03567D05**





Leg clamp kit



Fiamma rope kit



Rubber foot 108227



Plastic leg pins For all Fiammastore leg ends 108224



Roof rafter rubber end cap 16mm 108218A



End stops




Fiamma Privacy Room Peg kit 108225



Fiammastore plate


CARAVANS (0) RE HAMMA

190-255 Version 2013 S/N > 9580700 (F701991)



CARAVANS (O) E HAMMA

280-440 Version 2013 S/N > 9580700 (F701991)



FIAMMASTORE common spares




End Cover F45 S

150-450cm

Left White 108231E

Titanium 108231EB Right White 108231EA

Titanium 108231EC




End Cover F45Ti White

250-450cm Left 108231D Right **98655-145**



End Cover F45i White

250-400cm Left 108231C Right 108231G



End Cover

450-550cm Left 108231B Right 108231H







Knuckle

150-450cm Right 108232B





End Cover

250-400cm

Left 108231A

Right 108231F

F45 Plus White

Knuckle

Left 108232E Right 108232F



Winch slot only F45S, Ti, i, Plus, Plus L, F65s White

108231J



Winch mechanism F45L, TiL, iL

1082311

F45 S Left 108232A



F45 L, Ti L

450-550cm



Knuckle F45 Ti, i, Plus

250-450cm Left 108269 Right 108268



Knuckle F45i L, Plus L

450-550cm Left 108270B Right 108270A



Fast Clip **Brackets**

For F45 108232C



Fast Clip **Brackets**

For F45 L, TiL 108232D



Lead Bar End Cap F45 S White

150-450cm Left 108232H Right **98655-557**



Lead Bar End Cap F45 i White

250-400cm Left 05139-01-Right 108232G



Plastic leg pins (2)

For all Fiammmastore leg ends 108224





Screw leg clamp 108174



350 - 450cm Left **108232**I Right 06270-08A







Assorted common spares

Replacement Dome Only



For Vent and Turbo-vent Crystal 102031C

White **102031W**

For Vent 40x40 (non aero-dynamic) and Turbo-vent Pro

White 102038

Image


soon



Cap Joint for Bi-Pot and Tank



For Vent 28 and Turbo 28 Crystal 102033C White 102033W



Pressure Switch kit for Aqua 8 053028



Lock Kit for Ultra Box

1 lock on Ultra-box 180 and 320 2 locks on Ultra-box 360 and 500

Spare Barrel & Keys


Spare Barrel & Keys for Safe Door and Security 46 Pro



Spare Barrel & Keys for Security 31 & 46 001219


Automatic Mover

kronings




REF	GROVE	DESCRIPTION - CHASSIS
1		SCREW M5 X 12 (8)
2		PIN 10MM Ø X 97.5 (4)
3		CIRCLIP FOR SHAFT 8MM Ø 65MN (6)
4		FLAT GASKET 8MM Ø (4)
5		CONNECTING POLE = 5/Q235 (2)
6		ROCKER ARM (4)
7		SMALL CONNECTING POLE = 5/Q235 (2)
8		FLAT GASKET 10MM Ø (2)
9		CIRCLIP FOR SHAFT 10MM Ø 65MN (2)
10		BASE
11		HEXAGONAL NUT M8 (2)
12		OUTSIDE HEXAGONAL BOLT M8X30 (2)


REF	GROVE	DESCRIPTION - MOTOR
1		SCREW M5 X 10 (2)
2		FLAT GASKET 5MM Ø (2)
3		PLASTIC COVER ABS
4		HEXAGONAL BOLT M5 X 65 STAINLESS STEEL(2)
5		ELASTIC GASKET 5MM Ø
6		ALUMINIUM CASE
7		ROUND NYLON SLIDE (2)
8		LONG NYLON SLIDE (2)
9		HEXAGONAL BOLT M5 X 35 STAINLESS STEEL (2)
10		QUADRATE RUBBER CIRCLE
11		BEARING 6004-RS (2)
12		CIRCLIP FOR HOLE 42MM Ø 65MN (2)
13		CIRCLIP FOR SHAFT 20MM Ø 65MN (6)
14		FLAT KEY 6X18
15		MAINS SPINDLE
16		FLAT KEY 6X50
17		ROLLER ALUMINIUM
18		WAVE GASKET 41MM Ø
19		BEARING BASE ALUMINIUM
20		BIG GEAR 40CR
21		WORM WHEEL SHAFT
22		BEARING 608-RS (2)
23		WAVE GASKET 21MM Ø
24		ALUMINIUM COVER
25		ROUND RUBBER CIRCLE
26		HEXAGONAL LOCKNUT M5 (8)
27		BEARING 6003-RS
28		CIRCLIP FOR HOLE 35MM Ø 65MN
29		CIRCLIP FOR SHAFT 17MM Ø 65MN (2)
30		PIN 3MM ø 5X20
31		WORM 40CR
32		BIG MOTOR 12V
33		LONG SCREW M6X157 STAINLESS STEEL (2)
34		FLAT GASKET 6MM Ø (2)
35		ELASTIC GASKET 6MM Ø (2)
36		HEXAGONAL LOCKNUT M6 (2)
37		RADIATOR FAN NYLON
38		CIRCLIP FOR SHAFT 8MM Ø 65MN (2)



Semi-Automatic Mover


REF	GROVE	DESCRIPTION - TRESTLE
1		PLASTIC COVER ABS
2		RETAINING PLATE (2)
3		INSIDE HEXAGONAL BOLT M8 X 10 (2)
4		FEED SCREW NUT #45
5		PLASTIC COVER ABS
6		RUBBER BELLOWS
7		PLASTIC COVER ABS
8		SCREW ROD #45 (20
9		BEARING PEDESTAL
10		NYLON GASKET
11		CYLINDRICAL PIN Ø5MM X 30
12		BEVEL GEAR 2
13		PRINCIPAL AXIS #45
14		PLASTIC COVER ABS
15		PLAIN WASHER Ø14X3
16		NYLON LINING (2)
17		BEVEL GEAR 1
18		CYLINDRICAL PIN Ø3.5MM X 20 (2)
19		TAILSTOCK
20		PLAIN WASHER Ø12X3
21		ADAPTER CONNECTOR #45
22		SQUARE STEEL TUBE





REF	GROVE	DESCRIPTION - BODY ASSEMBLY
1		WALLBOARD 1 CAST ALUMINIUM
2		SEAMLESS TUBE Ø18X4 (2)
3		WALLBOARD 2 CAST ALUMINIUM
4		HEXAGONAL HEADED BOLT M5X10 (4)
5		LOCK NUT M10 (2)
6		SPRING WASHER Ø10MM (2)
7		PLAIN WASHER Ø10MM (2)
8		PLAIN WASHER Ø6MM (3)
9		SPRING WASHER Ø6MM (3)
10		LOCK NUT Ø6MM (3)
11		INSIDE HEXAGONAL BOLT M4X16 (4)
12		COVERPLATE ASSEMBLY #45
13		BEARING 6000-2RS
14		ALUMINIUM ROLLER
15		ROLLER SHAFT #45
16		FLAT KEY 6X50
17		FLAT KEY 6X18
18		EXTERNAL CIRCLIP 65Mn (3)
19		BEARING 6004-2RS
20		CROSS RECESSED PANHEAD SCREW M6X16 (3)
21		PLASTIC COVER ABS
22		BEVEL WHEEL 40Cr
23		CRUCIFORM SLOT PANHEAD SCREW M6X16 (3)
24		BEARING PLATE
25		CRUCIFORM SLOT PANHEAD SCREW M6X85 (3)
26		HEXAGONAL HEADED BOLT M10X95 (2)
27		BEVEL WHEEL (L)
28		PRINCIPAL AXIS Ø10X93

REF	GROVE	DESCRIPTION - WORM ASSEMBLY
1		ELECTROMOTOR SLEEVE RUBBER
2		ELECTROMOTOR
3		PAPER GASKET
4		HEXAGON HEADED BOLT M6X20 (4)
5		COUPLING B RUBBER
6		COUPLING A CAST ALUMINIUM (2)
7		WORMGEAR CASE (L) CAST ALUMINIUM
8		INSIDE HEXAGONAL BOLT M5X20 S/S (4)
9		TURBINE - ALLOY
10		BEARING (2)
11		SEAL RING RUBBER (2)
12		WORM 40Cr
13		TURBINE SHAFT #45
14		FLAT KEY 6X18 (2)
15		BEARING (2)
16		PAPER WASHER
17		WORMGEAR CASE CAST ALUMINIUM
18		LOCK NUT M5 (4)
19		EXTERNAL CIRCLIP 65Mn (4)



Common spare parts list



Digital control box Single axle 006741



Digital control box Twin axle 006751



Digital control box Electronic legs 006654



Remote Control FB2 With standard software 006660



Remote Control FB3 With INTEL software 006662



Upper clamp bracket 006665



Lower clamp bracket



Bolts for mounting set 006669



Wiring set for mover 006673



Main switch



T-tool for mover



New connector set 4 pieces 006677



Electric leg motor



Rubber seal For electric leg motor 4 pieces 006688



HEAT triac print




Centre bar with sync. bars
For semi automatic mover 006698



PicKit 2 006703

Electric Corner Steadies




REF	GROVE	DESCRIPTION
1		SMALL MOTOR
2		FLANGE
3		SCREW M3 X 8 (10)
4		GEARBOX #45
5		FLAT GASKET 2 STAINLESS STEEL
6		PLANETS WHEEL-1 NYLON (3)
7		PLANETS WHEEL PLANE-1
8		FLAT GASKET 1 STAINLESS STEEL
9		IRON PLANETS WHEEL (6)
10		PLANETS WHEEL PLANE-2
11		EXPORT SHAFT
12		FLAT KEY 2 X 10
13		BEARING 6906 (2)
14		FLAT GASKET 6MM Ø (2)
15		BEARING BASE #45
16		COUPLING - C ALUMINIUM
17		COUPLING - B PLASTIC
18		COUPLING - A ALUMINIUM
19		PLAIN BEARING BASE ALUMINIUM
20		SCREW M4 X 16 S/S (4)
21		PLAIN BEARING AXK1226
22		COPPER BUSH
23		CIRCLIP FOR HOLE 26MM Ø
24		SCREW 40CR
25		PIN 3MM ø 5X20
26		RUBBER BELLOWS
27		INSIDE HEX BOLT M4 X 25 (3)
28		COPPER NUT
29		TAILSTOCK ALUMINIUM
30		OUTSIDE HEX BOLT M10 X 41 S/S (2)
31		FLAT GASKET 10MM Ø (2)
32		IRON BUSH (2)
33		RUBBER STOPPER

Morco D61B & D61E

A full range of Morco spares are available to order.


REF	MORCO NO	DESCRIPTION	GROVE NO
49	FW0163	WATER CONTROL ASSEMBLY	070709
52	FW0180	DIAPHRAGM	070711
55	FW0214	LOWER PROTECTOR	070712
65	FW0250	DRAIN PLUG	070713
	FW0251	DRAIN PLUG (NEW TYPE)	070714
67	FW0271	FILTERS	070716
86	FW0302	THERMOCOUPLE C/W CPDSD	070717
73	FW0310	PILOT GAS PIPE	070718
80	FW0320	PILOT BURNER C/W INJECTOR	070719
	FW0595	OUTLET UNION O-RING	070720
45	FW0539	GAS INLET WASHER	070721
59	FW0542	WATER CONTROL SPINDLE O-RING	070722
63	FW0543	INLET UNION O-RING	070723
64	FW0544	DRAIN PLUG WASHER	070724
74	FW0545	PILOT JET WASHER	070725
78	FW0547	WATER PIPE WASHER	070726
		DRAIN PLUG WASHER (NEW TYPE)	070727
NOT	SHOWN ON DIAGRAM	D61B & D61E SURVIVAL KIT	070729
		KIT CONTAINS ONE OF EACH PART ABOVE,	
		EXCEPT NO 80 WHICH HAS QTY 2.	






Gas valve & burner assembly

Water control assembly - 070709





Pilot assembly




Morco G111E








Pilot assembly




Water control assembly




Malaga Grove No. 070741

REF	DRG NO	DESCRIPTION	GROVE NO
504		CONTAINER FRONT HALF OF TANK PAINTED	
506		CONTAINER GASKET	
507		CONTAINER STAINLESS STEEL	
508		M5 X 20 SOCKET CAP HEAD SCREW	
509		10MM 0/D X 5MM HARD RED FIBRE WASHER	
510		CONTAINER REAR HALF OF TANK (COMBUSTION	
		END) PAINTED	
513		10MM DIAMETER COPPER DIP TUBE	
517		NYLON THREADED TANK CONNECTOR	
519-542	3	BRASS VALVE PR/RELIEF NON RETURN/DRAIN	070738
546	28	230V/750W ELEMENT WITH STEAM SENSOR	070731
558	27	ELEMENT GASKET	070732
561/563	4	AIR DUCT/FLUE DIE CASTING WITH SPACER	
		PLATE AND CERAMIC INSULATION	
566	58	BURNER END BRACKET	
573		BURNER SUPPORT BRACKET	
575		BURNER STEADY	
577	23	SEMI BLIND PVC GROMMET	
578	9	BURNER	070733
579	11	ELECTRODE INCLUDING H.T LEAD	070743
582	15	INJECTOR ELBOW	
584	14	1/4 BSP LOCKNUT	
589		SOLENOID MOUNTING BRACKET	
593		PRESSURE TEST SCREW STANDARD	
594		8MM DIAMETER GAS INLET PIPE	
596/597		NUT AND OLIVE FOR ABOVE	
598-600	17	BURNER PIPE WITH NUT AND OLIVE	
502	59	BURNER GASKET	
503	57	FRONT FOOT	
505		TERMINAL BLOCK BRACKET	
506		TERMINAL BLOCK 3 WAY	
509		TERMINAL BLOCK INSULATION	
511		CABLE CLAMP	
315	39	TEMPERATURE CONTROL THERMOSTAT	070747
519		OVERHEAT	070740
525	8	MALAGA E CONTROL 12V & 240V ***	070734
526	19	SOLENOID VALVE	070746
533		REAR FOOT	0,0,10
536	5	REAR FOOT (FLUE GAP)	
639	6	CONTROL COVER PAINTED	
353	7	EPS MOULDING (POLYSTYRENE INSULATION)	
556/659	2	FLUE TERMINAL COMPLETE	070736
361/662		LEGE TEXTILLATE CONTRIBETE	0,0,30
700		MALAGA CONTROL 12V (GAS ONLY)	070739
765	40	WIRING LOOM WITH SWITCH PANEL	070739
/03	40	MK2 - MK3 PCB CONVERSION KIT	070748
		70735 CONVERSION KIT MAY	0/0/48



10 litre storage heater

Grove No. 070754



Technical

Rated voltage: 220v Rated power: 900w Rated frequency: 50HZ/60HZ Rated current: 4.1A Rated pressure: 0.8Ma (116psi) Min start-up pressure: 0.05MPa (7psi) Rated water temperature: 70°C Fitted socket: 250V, 16A Heating efficiency: >90% 5 year tank guarantee

Mounting bracket has range of securing options and can be screwed to the wall or floor. Supplied water hose connectors give options for 12mm push fit female fitting or adapter to 12mm barbed hose connector.

HEATSOURCE 2000/280

ECONOMY

The chart below reflects the consumption of gas if the heater was running continuously.

in realth, both heaters have smiler very high efficiency ratings, so the overall gas consumption will be about the same because the HS2800 will be tunning for a shorter period of time before the thermostat switches it off.

	H\$2000	HS2800
Average consumption	142 grams/hour	225 grams/hour
3.9kg propone cylinder	27.5 hours	17.5 hours
4.5kg butane	31 7 hours	20.0 hours
13kg propone	91 5 hours	58.0 hours
15kg butone	105 6 hours	67.0 hours
19kg before	133.8 hours	84.5 hours
47kg butone	331 0 hours	209.0 hours
904 Camping gaz (1.81kg)	12.75 hours	8.0 hours
907 Comping gaz (2.72kg)	19.0 hours	12.0 hours

HS2000	Grove No. 090016	Walker Co.
Heat Input:	2.1KW	320mm
Heat Output:	1.9KW	EHEMISOUNCE -
Vollage	12V or 24V versions	1492000
Current Consumption:	The state of the s	
Air Throughpul:	60 C F.M.	
Fuel:	Bullane or Propone Gas	172mm
	100mm	
HS2800	Grove No. 090028	et e
Heat Input:	3.0KW	415mm
Heat Output:	2.8kW	E III I SOURCE
Voltage	12V or 24V versions	78 A 28 CAR
Current Consumption:	1 9A continuous running	
Air Throughput:	85 O F M	
Fuel	Bulane of Propone Gas	210mm
	120mm	• •
		صدر طان ها

Both the HS2000 and HS2800 are supplied with complete fitting kits to suit either vehicle or marine applications. Individual parts available on request



Reducer for air outlet 60mm 090017



Hot air outlets with directional control



Hot air ducting Y piece





Hot air ducting 090018



Hot air outlets with open/close



Marine through hull fitting




APK marine hot air ducting



Flexible stainless steel flue pipe

Reich taps











Grove No. Description **054233** Mixer deluxe tap matt nickel **054067 054274** 054234 Mixer deluxe tap white 054235 Mixer deluxe tap beige



054274

054274








Grove No. Description **054270** Mono mixer 2005 chrome 054271 Mono mixer 2005 matt nickel


Spout Microswitch 054321 054274 054320 054274








Microswitch Grove No. Description Spout **054285** Single lever mixer 054323 054287 c/w julia shower
























Grove No.	Description	Spout	Microswitch
054285	Pelikan single lever mixer	-	054311








Grove No.	Description	Spo
054307	Keramik single lever mixer chrome	-

Microswitch 054274







Grove No. Description 054298 Twist single mixer (under table) 054299 Twist single mixer











Grove No. Description Spout Microswitch 054301 Twist single lever mixer 054320 054303 matt nickel LH 054302 Twist single lever mixer 054321 054303 chrome LH 054304 Twist single lever mixer 054321 054303 chrome RH 054320 054303 054296 Twist single lever mixer matt nickel RH 054297 Twist single lever mixer 054321 054303 chrome 90° elbow








Grove No. Description Spout Microswitch 054293 Charisma single lever mixer 054295 chrome








Spout Grove No. Description Microswitch 054260 Trend A chrome 054274 054263 Trend B chrome 054274








Grove No. Description Spout Microswitch 054266 Trend S chrome 054311







Grove No. Description Spout Microswitch 054268 Trend E chrome 054311







Grove No. 054308	Description Keramik cascada mixer chrome	Spout -	Microswitch 054311








Grove No. Description Spout Ceramik concept S 054313 chrome

Microswitch









Twist on strainer 255-215 Wing nut - 13mm barb 053036



In-line strainer 170-010-00 ½" - 13mm barb 053042

94-236-26 7 litre 16-20psi **053048** 94-236-27 7 litre 20-30psi **053050** 94-236-29 10 litre 10-30psi **053052**



Porta Potti 146/165

060197

Common colours Index





Some Thetford spare part no.s contain a colour code. These are shown as the last 2 digits following a hyphen.

06 GREY 16 GREEN **62 WHITE (RAL9003) 07 LIGHT GREY** 44 BEIGE 78 YELLOW

08 WHITE (MP1013) 45 BROWN **80 WHITE (BASF31573)**

10 IVORY 57 CREAM WHITE 89 GRANITE














060153

060123

060143 060142

Available spare parts are shown in the tables. Items without a **Grove number** can be ordered as specials. Other items on the diagram but not listed in the table are "production only" parts and are not available.


No.	Spare part	Single part	Assembly
1-2	Seat cover & lid		07331
3	Water fill cap white	12901 060197	
7	Bellows	07862 060123	
8 - 10	Inlet tube and check valve		07024 060143
11 - 14	Flush tube assembly		07031
18	Pour out spout		
19	0 ring (+20)	16195 060116	Grey 07492
20	Cap seal		060150
21	Dump cap (+20)	07493 060167	
22	Vent seal	07102 060142	
23 - 25	Vent button yellow		07524 060153
33	Lip seal	07101 060134	




Porta Potti 465




housing 060148



No.	Spare part	Single part	Assembly
1-2	Seat cover & lid		07317
3	Water fill cap	25804	
7	Button housing	25806 060148	
8	Pump housing	25807 060154	
9 - 12	Flush tube assembly		25808
17	Pour out spout		
18	0 ring (+19)	16195 060116	25809 Can use 060150
19	Cap seal		(no measuring
20	Measuring cap (+19)	25810 Yellow 057200 White 057201	cap)
21	Vent seal	07102 060142	
22 - 24	Vent button yellow		07524 060153
33	Float arm	21322 060138	
38	Lip seal	07101 060134	




Porta Potti Qube 145/165





No.	Spare part	Single part	Assembly
1-2	Seat cover & lid		92903 058000
3	Water fill cap white	92905 058006	
9	Pour out spout		
10	0 ring		92907
11	Cap seal		058010
12	Dump cap (+11)	92906 058014	
13	Vent seal	07102 060142	
14 - 16	Vent button	92407 058017	
19 - 22	Level indicator dial	92908 058021	
34	Lipseal	07101 060134	
35	Bellows	07862 060123	


Porta Potti Qube 335/345/365

No.	Spare part	Single part	Assembly
1-2	Seat cover & lid		335 92904 058001 345/365 92903 058000
3	Water fill cap white	92905 058006	
9	Pour out spout		
10	0 ring		92907
11	Cap seal		058010
12	Dump cap (+11)	92906 058014	
13	Vent seal	07102 060142	
14 - 16	Vent button	92407 058017	
19 - 22	Level indicator dial	335 92909 058020 345/365 92908 058021	
34	Lipseal	07101 060134	
35	Piston pump	335 92902 058024 345/365 92901 058025	










No.	Spare part	Single part	Assembly
1	Spring, clip retainer	16169	
2	Clip retainer		16350 060193
3	Clip		000133
4	Drip tray	16166	
10- 14	Flush knob assembly White		16377 060121
16 -17	Hinge post and pins		16183 060155
15 -18	Seat, lid & hinges White		16194 060130
19-20A	Tissue holder		16184
24 - 29	Level indicator dial		16171 060147
36 - 38	Electric valve		20104
41	Vacuum breaker	16833 060178	
42 - 44	Flush tube		20103
48	Relay	20106	









No.	Spare part	Single part	Assembly
49 - 62	Mechanism		16379 060114
50	Switch	20107 060119	
55	Cable	16389	
60	Switch cover	16390	
58	Fuse 3 Amp	To June 1994 16391 060132 After June 1994 21766 060156	





C 70L			
No.	Spare part	Single part	Assembly
1-3	Seat & lid assembly		32309 060227
4 - 6 & 35	For 402X - Float & magnet assembly		32330
7	Water fill cap	16848 060158	
7 - 11	Water fill funnel as- sembly		32315 060231
12	Wall seal	32311 060211	
20 - 22	Vent hose & seal	32324	
26	Fuse	21766 060156	
27 For 402C	Reed switch	32316 060232	
27 For 402X	Reed switch	32317	
35 inc. 4 -6	Reed switch		32330
38, 40 & 41	Shaft	51802	
43	Wire harness	32319	
46 For 402C	Control panel		32320 060234
47 For 402C	Overlay	32321	32320 060234
46 For 402X	Control panel		32322 060235
47 For 402X	Overlay	32323	32322 000233
48	Handle	51803	
49	Pump	16374 060118	
54 - 57	Drain tube ass'y	after 10/05	51804
60	Water fill extension	32329 057158	
	Hose connection		23851

0 400 L					
No.	Spare part	Single part	Assembly		
1-3	Seat & lid assembly		32309 060227		
5	Wall seal	32311 060211			
13 - 15	Vent hose & seal	32324			
19	Fuse	21766 060156			
20	Reed switch	32317			
26, 28 & 29	Shaft & bracket	51802			
30	Link	51806			
31	Wire harness	32319			
34	Relay	20106			
35	Control panel		32313		
36	Overlay	32314	32313		
37	Handle	51803			
40	Electric valve	23709 060172			
42	Vacuum breaker	16833 060178			



No.	Spare part	Single part	Assembly
1-2	Seat & lid		90713
5 - 7 For 502C	Control assembly		90701
5 - 7 For 502X	Control assembly		90709
10 For 502X	Water level sensor	90702	
12	Water fill cap	16848 060158	150mm 90710
13 - 16	Water fill funnel as- sembly		180mm 90719
20	Sight tube clip	90711	
19 & 21	Vent hose & seal	90703	
27 For 402C	Main PCB	90704	
33, 37, 38, 40	Shaft		51802
44	Pump	16374 060118	
45 - 47	Water supply tube		90705

No.	Spare part	Single part	Assembly
1-2	Seat & lid		90713
5 - 7	Control assembly		90715
16	Main PCB	90716	
22, 26, 27, 29	Shaft		51802
32 - 33	Solenoid & clamp		90717
34 - 36	Water supply tube		90718
40	Vacuum breaker		16833 060178

















0



060211


060156

060232

060234 060235

057158

060172



No.	Spare part	Single part	Assembly	
1	Cover			
2	Seat		23706 060175	
3	Hinge pin	23707	000,70	
5 - 7	Water supply tube		23710	
14 - 16	Handle assembly		23713 060080	
	Saddle bracket	23848		
20	Bracket (outside vent)	23850		
22 - 25	Wiring harness assembly		23738 060087	
26 - 29 Exc. 27	Manual pump		23739 060085	
26A	Pump retainer	23845 060079		
27	Waterfill door	23791 060173		
28	Vacuum breaker	16833 060178		
30	Pump	16374 060118		
31 - 34	Bezel/switch assembly		00774	
33	Vacuum breaker	16833 060178	23771 060086	
34	Switch	23792		


































NO.	Spai e pai t	Siriyic pai t	ASSETTIBLE
1	Cover		
2	Seat		23706 060175
3	Hinge pin	23707	0001/3
5	Vacuum breaker	16833 060178	
6 - 8	Electric valve		23709 060172
9 - 11	Water tube		23710
14	Fuse	21766 060156	
15	Reed switch	23174 060081	
22 - 24	Handle assembly		23713 060080
26-28	Saddle bracket		
	Bracket (outside vent)	23850	23848
30	LED	23718 060082	
31	Switch panel		23846
32	Flush switch	23716 060092	23040
33	Bezel		




No.	Spare part	Single part	As'mbly
1-3	Cover, seat & pod		50707 057162
6	Overlay	50708 057164	
7	Control panel SW Control panel SW Control panel FF	50709 057166 50710 057167 50711 057168	
11	Bowl retaining bracket	50733	
14	Nozzle	50729	
15	Vacuum breaker	16833 060178	
18	Electric valve	23709 060172	
20	Handle	93402	
23 - 25	Saddle assembly		50735
26	Reed switch one switch Reed swicth single level Reed switch multi level	50713 057172 50714 057173 50715 057174	
27 - 28	Relay & housing		50716
31	Vent plate	50734	
	Kits Contain: Reed switch housing and float Kit one switch Kit single level Kit multi level	50750 50751 50752	
	Ventilator for powered vents	50755	

wow To establish which control panel or reed switch you require first establish how many buttons are on the control panel.


1 button - Control SN, Reed switch one switch.
2 buttons - Control SW, Reed switch single level.
4 buttons - Control FF, Reed switch multi level.



C-250 CS




No.	Spare part	Single part	As'mbly
1-3	Cover, seat & pod		50707 057162
6	Overlay	50708 057164	
7	Bowl retaining bracket	50733	
11	Control panel SW Control panel SW Control panel FF	50709 057166 50710 057167 50711 057168	
14	Vacuum breaker	16833 060178	
15	Nozzle	50729	
16	Electric valve	23709 060172	
21	Handle	93402	
23	Reed switch one switch Reed swicth single level Reed switch multi level	50713 057172 50714 057173 50715 057174	
24 - 26	Saddle assembly		50735
27 - 28	Relay & housing		50716
32	Vent plate	50734	
	Kits Contain: Reed switch housing and float Kit one switch Kit single level Kit multi level	50750 50751 50752	
	Ventilator for powered vents	50755	



No.	Spare part	Single part	Assembly
1 - 3	Cover, seat & pod		50707 057162
6	Overlay	50708 057164	
8	Control panel SN Control panel SW Contro panel FF	50709 057166 50710 057167 50711 057168	
11	Bowl retaining bracket	50733	
14	Vacuum breaker	16833 060178	
15	Pump	50712 057169	
18	Nozzle	50729	
20	Handle	93402	
23	Reed switch one switch Reed swicth single level Reed switch multi level	50713 057172 50714 057173 50715 057174	
24 - 26	Saddle assembly		50735
27 - 28	Relay & housing		50716
31	Drain	50717 057175	
33	Vent plate	50734	
	Kits Contain: Reed switch housing and float Kit one switch Kit single level Kit multi level	50750 50751 50752	
	Ventilator for powered vents	50755	

C-263 S	
30 30 35	<u></u>
3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36
"-#1	
35 - 35 - 35 - 35 - 35 - 35 - 35 - 35 -	
	Ceramic bowl
	55
	4
5 00 10	57
0 0	60 - 59
43	62 61
45-5	50000 64
46	65 65 67 68
	(5 6) 00
12	70
	0 0 71
	n
13	73
20 PH	20
28 54 54	49 48 47
27 25 25 25 27 37 37 53 52 51 50 50	-
24 - 20 23 39	
23 40	
22 41	
19	
19	
20 21	


No.	Spare part	Single part	Assembly
1-2	Seat and cover		93401
7	Handle	93402	
8	Sticker control panel	93403	
9	Control panel SN Control panel SW Contro panel FF	93404 93405 93406	
16	Bowl retaining bracket	50733	
23	Housing main PCB	93407	
24	Reed switch single level Reed switch multi level	93408 93409	
26 - 28	Saddle assembly		50735
30	Vacuum breaker	16833 060178	
34	Electric valve		23709 060172
40 - 41	Fan and foam		93411
47	Seal	50749	
48	Tube connection		50745
49	Seal		
51 - 54	Base assembly		50744
47 - 54	Base and tube assembly		50747
55 - 64 & 69	Complete seat & lid assembly		93412
58 - 64 & 69	Seat & lid fixing assembly		93413
65 - 68	Seal and washer		50756




No.	Spare part	Single part	Assembly
1-2	Seat and cover		93401
7	Handle	93402	
8	Sticker control panel	93403	
9	Control panel SN Control panel SW Contro panel FF	93404 93405 93406	
17	Bowl retaining bracket	50733	
24	Housing main PCB	93407	
25	Reed switch single level Reed switch multi level	93408 93409	
27 - 29	Saddle assembly		50735
31	Vacuum breaker	16833 060178	
35	Electric valve		23709 060172
41 - 42	Fan and foam		93411
50 - 59 & 64	Complete seat & lid assembly		93412
53 - 59 & 64	Seat & lid fixing assembly		93413
60 - 63	Seal and washer		50756



	26	52	\sim 1	A I	
L-		ے (い	/V	




No.	Spare part	Single part	Assembly
1-2	Seat and cover		93401
7	Handle	93402	
8	Sticker control panel	93403	
9	Control panel SN Control panel SW Contro panel FF	93404 93405 93406	
14	Drain	50717	
17	Bowl retaining bracket	50733	
25	Housing main PCB	93407	
26	Reed switch single level Reed switch multi level	93408 93409	
28 - 30	Saddle assembly		50735
36	Vacuum breaker	16833 060178	
38	pump	16374 060118	
46 - 47	Fan and foam		93411
53 - 62 & 67	Complete seat & lid assembly		93412
56 - 62 & 67	Seat & lid fixing assembly		93413
63 - 66	Seal and washer		50756





No.	Spare part	Single part	Assembly
4	Blade	23847 060078	
6	Blade opener	23743 060084	
7 - 9	Autovent		23722 060110
7 - 9A	Autovent (outside)		23788 060171
8	Seal Autovent	21528	
10 - 11	0-rings	16195 060116	
11 -12	Dump cap & seal	16384 060113	16196
12A	Measuring cap	25810 White 057201 Yellow 057200	060115
13	Pour out spout		
14	Sliding cover	21333 060141	
18	Lipseal	23721 060101	
19 - 21	Vent button assembly		07524 060153
22	Float arm	23726 060083	
	Tank lock clip Yellow	23849 060195	



No.	Spare part	Single part	Assembly
1	Sliding cover	32301 060219	
2 - 4 & 21	Blade opener		32300 060218
5	Holding tank plate left	32302	
5	Holding tank plate right	32328	
6	Seal for mechanism	32303 060207	
7	Lip seal	23721 060101	
10 - 12	Magnet assembly		32304 060208
13	Blade	50731 057188	
2 - 21	Complete mechanism Left		32332 060243
2 - 21	Complete mechanism Right		32331 060242
25 - 28	Vent seal & float		32305 060209
30	Pour out spout		
31	Measuring cap	25810 White 057201 Yellow 057200	32306 060223
32	0-ring		
37 - 39	Vent button assembly		32307 060224
43 - 45	Handle assembly		51805
46	Tank lock clip	51801	
47 - 49	Wheel and bearings		32308 060226













060207




060101

057187








3/200	05/201 000	JEE3 000E	24 000220
No.	Spare part	Single part	Assembly
1	Sliding cover	32301 060219	
2 - 4 & 16	Blade opener		32300 060218
6	Seal for mechanism	50724 057187	
7	Lip seal	23721 060101	
10	Blade	50731 057188	
19 - 21	Magnet assembly		90706
22 - 24	Upper auto vent, seal & foam		23722
5 - 24	Complete mechanism Left		32332 060243
5 - 24	Complete mechanism Right		32331 060242
25	Pour out spout		
26	Measuring cap	25810 White 057201 Yellow 057200	32306 060223
27	0-ring		
28 - 31	Handle assembly		51805
33	Tank lock clip	51801	
34 - 36	Wheel and bearings		32308 060226
38 - 40	Vent button assembly		32307 060224

Holding tank C-250/260



No.	Spare part	Single part	Assembly
1-3	Blade opener		23743 060084
5	Seal for mechanism	50724 057187	
6	Lip seal	23721 060101	
8	Blade	50731 057188	
10	Sliding cover	50718 057189	
14	Vent lid	50741	
18 - 20	Vent button assembly		07524 060153
23 - 24	Vent pivot & spring		
25	Seal for vent	21528	50732 057190
26	Float stem		
27	Float	50725 057191	
28	Measuring cap	25810 White 057201 Yellow 057200	50719 057192
29 - 30	0-ring		
32	Wheel	50726 pair 057193	
34 - 39	Telescopic handle assembly		50728 057194
38 - 39	Handle		50737
1 - 9, 11 - 13 16 & 21	Complete holding tank mechanism		50727 057195
	Holding tank complete		50700 057181





























Porta Potti spares



Waterfill cap 060197



Bellows white 060123



Inlet tube 060143



Pour out spout 060150



Cap & spout seals 060116



Vent seal 060142



Dump cap 060167



Measuring cap 057200



Vent button assembly 060153



Lip seal 060134



Float vent 060138



Button housing 060148



Pump housing 060154



Piston pump upgrade kit PP335 **057203** PP345/365 057204

Cassette spares



Spring clip retainer 060193



Waterfill draincap 060136



funnel assembly 060122



Waterfill funnel cap Now green 060158



Flush knob assembly white 060121



Hinge post 060155



Seat & lid white 060130



Level indicator dial white 060147



Flush tube white 060165



Pump 060118



Electric valve assembly 060177



Vacuum breaker 060178



Bellows 060126



Check valve 060124



Pump assembly 060176



Drain tube Right hand 060117 Left hand 060157



060119



Glass fuse 3 amp 060132



Blade fuse 3 amp 060156



Mechanism C2,C3 060114



Mechanism C4 060129



Cap & spout seals 060116



Dump cap 060113



Measuring dump cap 057200



Pour out spout assembly 060115



Slide cover 060141



Lip seal C2,3,4 **060128** C200 **060101**



Vent button 060153



Vent button assembly 060140 Door locks



Blade opener 060200



Vent seal 060127



Automatic vent assembly 060110



Float vent 060139



Float arm 060138



Door 2 Mk2 lock **060159**



060160

Door 3,4,5 lock







Hinge pins door 3,4,5 060111

C200 cassette spares





Electric valve assembly 060172



Read switch 060081



Seat & lid white 060175



060082



Flush switch 060092



Manual pump 060085



Automatic vent (outside) 060171





Wiring harness assembly 060087



Blade opener 060084



Waterfill door 060173



Rezel assembly 060086



Blade 060078



Drain plug grey 060174



Retaining clip 060195



Pump retainer 060079

C400 cassette spares





Blade opener 060218



Fill funnel assembly 060231



Wall seal 060211



Reed switch housing kit 060232



Control panel C model 060234 X model **060235**



extension 057158



Seat & lid assembly 060227







Hold tank mechanisim Left hand 060243 Right hand 060242



Vent seal 060209



Pour out spout 060223



Vent button 060224



C250 cassette spares



Overlay 057164



Control panel SN **057166** SW **057167** 057168



Reed switch One switch 057172 Single level 057173 Multi level 057174



057175

Seat & lid 057162



Holding tank 057181



Holding tank plate 057186





Float stem 057190



Slide cover C250 **057189** C400 **060219**



057188



057195



Holding tank float 057191



057192



057193






Controls for N80, N90, N97, N98, N100, N104, N108, N109, N112, N115, N145 & N150

To decide which diagram to follow please use the guide below:


- 1. For fridges with standard knobs please see Peizo or electric ignition controls below
 - (fridges with these controls are either 486mm or 525mm wide for overlays you will need to know this)
- 2. For fridges with an LED display please see "LED CONTROLS" on the page opposite (fridge freezer or fridge only models)
- 3. For fridges with an LCD display please see "LCD FLAT", or "LCD CURVED" depending on whether the door is flat or curved

FLAT PEIZO IGNITION



No.	Spare part	Single part	Assembly
1	Control knob	623026 089089	
2	Control knob	625682 089206	
3	Overlay 486mm wide	626620	
3	Overlay 525mm wide	626622	
4	Control panel	627002 089210	
5	Piezo ignitor grey	625689 089248	
6 - 7	Nut & selector switch 5 position		623400 089253
6 - 7	Nut & selector switch 6 position from 01/07/2005		626999 089254
15	Gas valve v.2	62568807 089226	
17	Flame meter	623029 089213	

FLAT ELECTRIC IGNITION




No.	Spare part	Single part	Assembly
1	Control knob	623026 089089	
2	Control knob	625682 089206	
3	Overlay 486mm wide	626621	
3	Overlay 525mm wide	626623	
4	Control panel	627002 089210	
6 - 7	Nut & selector switch 5 position		623400 089253
6 - 7	Nut & selector switch 6 position from 01/07/2005		626999 089254
15	Gas valve v.2	62568807 089226	
17	Flame meter	623029 089213	

No.	Spare part	Single part	Assembly
1	Overlay LCD post 2005 (EES electric)	626975 089243	
1	Overlay LCD pre 2005 (SES automatic)	631737	
3	Control panel flat LCD	626974 089209	
6	Display board LCD	626972 089214	








No.	Spare part	Single part	Assembly
1	Overlay LCD post 2005 (EES electric)	626975 089243	
1	Overlay LCD pre 2005 (SES automatic)	631737	
3	Control panel curved LCD	626973 089208	
6	Display board LCD	626972 089214	






LED CONTROLS




No.	Spare part	Single part
1	Control panel LED	627002 089210
2	Overlay LED	627000 089244
3	Display board LED v.2	626997 089215

LED CONTROLS (Fridge Freezers)



No.	Spare part	Single part
1	Control panel LED	627003 089211
2	Overlay LED Fridge freezer	625684 089245
3	Display board LED v.2	626997 089215

Power control boards



N90, N97, N100, N104, N109, N112


No.	Spare part	Part no.
2*	Gas Valve V3 Gas Valve V4 (N100 & N104) Gas Valve V5	631249 631248 630440
9	Powerboard A V3 (Smart Energy selection) Powerboard E V3 (Electric Energy selection)	634420 089246 634421 089249
13	Spark electrode	636988
18	Burner	623019 089202

 * V3 and V4 gas valves are to be replaced by a V5 version. Which version is installed on the fridge can be checked by the number on the part itself. V3 & V4 = 626967, V5 = 628453. The part numbers shown included a conversion kit to convert to a V5 version.


N145, N150, N175, N180

No.	Spare part	Part no.
2*	Gas Valve V4 Gas Valve V5	631248 630440
9	Powerboard A V3 (Smart Energy selection) Powerboard E V3 (Electric Energy selection)	634422 089247 634423 089252
13	Spark electrode	636987
18	Burner	623058 089204

 * V4 gas valves are to be replaced by a V5 version. Which version is installed on the fridge can be checked by the number on the part itself. V4 = 626967, V5 = 628453. The part numbers shown included a conversion kit to convert to a V5 version.




Front N80





No.	Spare part	Single part	Assembly
4	Door flat low 486	625555R	
10 - 11	Latch assembly		623024
11A	Storage strap	624679 089277	089091
13	Door bin	623040 089080	
14	Door bin	624023 089081	
15 - 17	Bottle retainer strap		623042 089078
18	Freezer door complete		623036
18	Freezer door hinge (2)	624680 089238	
19	Shelf food retainer	624456	
22	Latch bottom	624001	
25	Vegetable bin	623039 089288	
26	Clip shelf small	623626 089093	
27	Cap (x2)	623622	
28	Clip shelf large	623625 089094	
29	Shelf	623037 089265	
30	Fin clip (x6)	623023	
31	Shelf	623038 089266	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	

Front N90 pre 2005 SES



No.	Spare part	Single part	Assembly
4	Door flat low 525	628157R	
4	Door flat high 525	625573R	
10 - 11A	Latch assembly		623024
11A	Storage strap	624679 089277	089091
13	Door bin	623049 089082	
14	Door bin	624024 089083	
15 - 17	Bottle retainer strap		623042 089078
18	Freezer door complete		623036
ю	Freezer door hinge (2)	624680 089238	
19	Shelf food retainer (2)	624456	
20	Shelf tray insert	623634 089270	
21	Vegetable bin	623617 089285	
22	Latch bottom	624001	
25	Flip top cover	623615 089236	
26	Clip shelf small	623626 089093	
27	Cap (x2)	623622	
28	Clip shelf large	623625 089094	
29	Shelf	623047 089259	
30	Fin clip (x6)	623023	
31	Shelf	623048 089260	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	







	0 0 0	0 0	
No.	Spare part	Single part	Assembly
1	Door flat low 525	625091	
5	Latch V2		626985
6	Latch strap V2	626956	089240
8	Door bin	623049 089082	
9	Freezer door		623043
10	Freezer door hinge (2)	624680 089238	089239
11	shelf	623048 089260	
12	Shelf food retainer (2)	624456	
13	Clip shelf large	623625 089094	
14	Shelf	623047 089259	
15	Clip shelf small	623626 089093	
16	Shelf tray insert	623634 089270	
18	Vegetable bin	623617 089285	
19	Flip top cover	623615 089236	
20	Door bin	624024 089083	
21	Bottle retainer	623042 089078	

No.	Spare part	Single part	Assembly
1	Door curved low 525	626984	
5	Latch V2		626985
6	Latch strap V2	626956	089240
8	Door bin	624025	
9	Freezer door		623043
10	Freezer door hinge (2)	624680 089238	089239
11	shelf	623048 089260	
12	Shelf food retainer (2)	624456	
13	Clip shelf large	623625 089094	
14	Shelf	623047 089259	
15	Clip shelf small	623626 089093	
16	Shelf tray insert	623634 089270	
18	Vegetable bin	623617 089285	
19	Flip top cover	623615 089236	
20	Door bin	623053 089220	
21	Bottle retainer	623042 089078	

Front N98






No.	Spare part	Single part	Assembly
1	Door flat low 525	628157R	
1	Door flat high 525	625573R	
10	Latch V1		623024
10b	Latch strap V1	624679 089277	089091
12	Door bin	623049 089082	
13	Door bin	624024 089083	
14 - 16	Bottle retainer strap	623042 089078	
17	Freezer door		623043
17	Freezer door hinge (2)	624680 089238	089239
18	Shelf food retainer (2)	624456	
19	Shelf tray insert	623635	
20	Vegetable bin	623618 089286	
21	Latch bottom	624001	
25	Flip top cover	623615 089236	
26	Clip shelf large	623625 089094	
27	Cap (x2)	623622	
28	Clip shelf small	623626 089093	
29	Shelf	623055 089261	
30	Fin clip (x6)	623023	
31	Shelf	623047 089259	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	


No.	Spare part	Single part	Assembly
1	Door various colours	629169R, 629198R, 62	9199R, 629200R
7 - 8	Latch V3		629744
9	Latch strap V3	626986	029/44
12	Door bin	629745	
13	Door bin	629747	
14	Bottle retainer	626989	
16	Freezer door		623043
10	Freezer door hinge (2)	624680 089238	089239
19	Interior light bulb	624003 089079	
20	Interior light cover	624002 089079A	
22	Cap (2)	623622	
23	Interior light switch	623018	
27	Latch bottom	624001	
29	Clip shelf small	623626 089093	
30	Fin clip (6)	623023	
31	Shelf food retainer	624457	
32	Shelf	631738	
33	Shelf tray insert	631739	
34	Vegetable bin	631740	

N100 post 2005 EES




No.	Spare part	Single part	Assembly
1	Door flat low 525	628157R	
5	Latch V2		626985
6	Latch strap V2	626956	089240
8	Door bin	623049 089082	
9	Freezer door		623043
10	Freezer door hinge (2)	624680 089238	089239
11	shelf	623047 089259	
12	Shelf food retainer (2)	624456	
13	Clip shelf small	623626 089093	
14	Shelf	623047 089259	
15	Clip shelf large	623625 089094	
16	Shelf tray insert	623635	
18	Vegetable bin	623618 089286	
19	Flip top cover	623615 089236	
20	Door bin	624024 089083	
21	Bottle retainer	623042 089078	

Front N104/N109 post 2005 EES




Spare part	Single part	Assembly
Door curved low 525	626984	
Latch V2		626985
Latch strap V2	626956	089240
Door bin	624025 089218	
Freezer door		623043
Freezer door hinge (2)	624680 089238	089239
shelf	623047 089259	
Shelf food retainer (2)	624457	
Clip shelf small	623626 089093	
Shelf	623055 089261	
Clip shelf large	623625 089094	
Shelf tray insert	623635	
Vegetable bin	623618 089286	
Flip top cover	623615 089236	
Door bin	623053 089220	
Bottle retainer	623042 089078	
	Door curved low 525 Latch V2 Latch strap V2 Door bin Freezer door Freezer door hinge (2) shelf Shelf food retainer (2) Clip shelf small Shelf Clip shelf large Shelf tray insert Vegetable bin Flip top cover Door bin	Door curved low 525 626984 Latch V2 626956 Door bin 624025 089218 Freezer door 624680 089238 Shelf 623047 089259 Shelf food retainer (2) 624457 Clip shelf small 623626 089093 Shelf 623055 089261 Clip shelf large 623625 089094 Shelf tray insert 623635 Vegetable bin 623618 089286 Flip top cover 623615 089236 Door bin 623053 089220


No.	Spare part	Single part	Assembly
1	Door flat low 525	628157R	
1	Door flat high 525	625573R	
6 - 7	Latch V2		626985
8	Latch strap V2	626956	089240
9	Door bin	623049 089082	
10 - 11	Bottle retainer	623042 089078	
12	Door bin	624024 089083	
13	Freezer door		623043
14	Freezer door hinge (2)	624680 089238	089239
15	Shelf food retainer (2)	624457	
16	Shelf	623051 089267	
17	Clip shelf large	623625 089094	
18	Shelf	626643 089268	
19	Shelf tray insert	626642	
20	Top cover	626641 089241	
21	Vegetable bin	623617 089285	



No.	Spare part	Single part	Assembly
1	Door curved high 525	625093	
10	Latch V1		623024
10b	Latch strap V1	624679 089277	089091
12	Door bin	624025 089218	
13	Door bin	623053 089220	
14 - 16	Bottle retainer strap	623042 089078	
17	Freezer door		623043
17	Freezer door hinge (2)	624680 089238	089239
18	Shelf food retainer (2)	624457	
19	Shelf tray insert	623635	
20	Vegetable bin	623618 089286	
21	Latch bottom	624001	
25	Flip top cover	623615 089236	
26	Clip shelf large	623625 089094	
27	Cap (x2)	623622	
28	Clip shelf small	623626 089093	
29	Shelf	623055 089261	
30	Fin clip (x6)	623023	
31	Shelf	623047 089259	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	


N108







No.	Spare part	Single part	Assembly
4	Door tear curved low 525	627006	
10	Latch V1		623024
10b	Latch strap V1	624679 089277	089091
12	Door bin	624025 089223	
13	Door bin	623053 089220	
14 - 16	Bottle retainer strap	623042 089078	
47	Freezer door		623043
17	Freezer door hinge (2)	624680 089238	089239
18	Shelf food retainer (2)	624456	
19	Shelf tray insert	623635	
20	Vegetable bin	623618 089286	
21	Latch bottom	624001	
25	Flip top cover	623615 089236	
26	Clip shelf large	623625 089094	
27	Cap (x2)	623622	
28	Clip shelf small	623626 089093	
29	Shelf	623055 089261	
30	Fin clip (x6)	623023	
31	Shelf	623047 089259	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	


N112 pre 2005 SES



No.	Spare part	Single part	Assembly
4	Door curved low 525	626984	
4	Door curved high 525	625093	
10 - 11A	Latch assembly		623024
11A	Storage strap	624679 089277	089091
13	Door bin	625102 089227	
14	Door bin	623053 089220	
15 - 17	Bottle retainer strap		623042 089078
18	Freezer door complete		623043 089239
	Freezer door hinge (2)	624680 089238	
19	Shelf food retainer	624457	
20	Shelf tray insert	626642	
21	Vegetable bin	623617 089285	
22	Latch bottom	624001	
25	Top cover	626641 089241	
26	Clip shelf large	623625 089094	
27	Cap (x2)	623622	
28	Clip shelf large	623625 089094	
29	Shelf	626643 089268	
30	Fin clip (x6)	623023	
31	Shelf	623051 089267	
34	Interior light switch	623018	
35	Interior light cover	624002 089079A	
36	Interior light bulb	624003 089079	









		01	
No.	Spare part	Single part	Assembly
1	Door curved low 525	626984	
5	Latch V2		626985
6	Latch strap V2	626956	089240
8	Door bin	625102 089227	
9	Freezer door		623043
10	Freezer door hinge (2)	624680 089238	089239
11	shelf	623051 089267	
12	Shelf food retainer (2)	624457	
13	Clip shelf large	623625 089094	
14	Shelf	626643 089268	
15	Shelf tray insert	626642	
16	Top cover	626641 089241	
17	Vegetable bin	623617 089285	
20	Door bin	623053 089220	
21	Bottle retainer	623042 089078	

No.	Spare part	Single part	Assembly
1	Door various colours	629169R, 629198R, 62 630601114R	9199R, 629200R,
7 - 8	Latch V3		629744
9	Latch strap V3	626986	029/44
12	Door bin	629745	
13	Door bin	629747	
14	Bottle retainer	626989	
16	Vegetable bin	623617 089285	
17	Top cover	626641 089241	
18	Shelf tray insert	626642	
19	Shelf	623051 089267	
20	Shelf food retainer	624457	
21	Clip shelf large	623625 089094	
23	Fin clip (6)	623023	
26	Interior light bulb	624003 089079	
27	Interior light cover	624002 089079A	
28	Interior light switch	623018	
29	Freezer door		623043
בא	Freezer door hinge (2)	624680 089238	089239
30	Cap (2)	623622	
34	Latch bottom	629721	

No.	Spare part	Single part	Assembly
1	Door flat double cab.	625094	
5	Latch V2		626985
4	Latch strap V2	626956	089240
8	Door flat double freezer	625095	
11	Door bin	624023 white 089081 Blue 0 8	89222
12	Door bin	623040 white 089080 Blue 0	089219
13	Shelf	623633 089262	
14	Shelf food retainer	624456	
15	Shelf	623044 089258	
16	Clip shelf small	623626 089093	
17	Shelf	623045	
18	Clip shelf large	623625 089094	
19	Shelf tray insert	623636	
21	Vegetable bin	623619 089287	
22	Flip top cover	623616 089216	




No.	Spare part	Single part	Assembly
1	Door curved double cab.	626982	
5	Latch V2		626985
4	Latch strap V2	626956	089240
8	Door curved double freez.	626983	
10	Door bin	626976 089228	
11	Shelf	623633 089262	
12	Shelf food retainer	624457	
13	Shelf	626978 089263	
14	Clip shelf large	623625 089094	
15	Shelf	626979 089264	
16	Shelf tray insert	626981	
17	Vegetable bin	626980 089299	
18	Door bin	6269771 089217	
19	Bottle retainer	626989	




No.	Spare part	Single part	Assembly
4	Door curved double cab.	626982	
6	Latch V2		626985
7	Latch strap V2	626956	089240
10	Door curved double freez.	626983	
13	Door bin	626976 089228	
14	Door bin	626977 089217	
15	Bottle retainer	626989	
16	Shelf	631741	
17	Shelf food retainer	624457	
18	Shelf	631742	
19	Shelf	631743	
20	Clip shelf large	623625 089094	
21	Shelf	631744	
22	Shelf tray insert	626981	
23	Vegetable bin	631745	

N180




No.	Spare part	Single part	Assembly
1	Door curved XL 525	629742	
6 - 7	Latch V2		626985
8	Latch strap V2	626956	089240
12	Door bin	629719	
13	Shelf bottle	629725	
14	Clip shelf large	623625 089094	
15	Freezer door		623043
16	Freezer door hinge (2)	624680 089238	089239
17	Shelf	629726	
18	Shelf	629727	
19	Shelf food retailer	624456	
20	Shelf tray insert	626981	
21	Vegetable bin	626980 089299	
22	Bottle retainer	626989	

Back All original N range fridges




R - 2014


H - 2008



No.	Spare part	Single part	Assembly
1&7	Technical panel flat		690806
3 & 7	PCB LED DM		690805
4 & 7	Housing flat wide		690807
6 & 7	Overlay		690808
7	Sticker	690809	
	Battery pack	690225	




No.	Spare part	Single part	Assembly
1 & 10	Technical panel flat		690846
4 & 10	Housing flat wide For left hinged		690820
4 & 10	Housing flat wide For right hinged		690819
9 & 10	PCB LCD		690821
7	Sticker	690822	



No.	Spare part	Single part	Assembly
1&7	Technical panel flat		690806
3 & 7	PCB LED DM		690805
4 & 7	Housing flat wide For left hinged		690820
4 & 7	Housing flat wide For right hinged		690819
6 & 7	Overlay		690808
7	Sticker	690809	
	Battery pack	690225	


N3100/3108/3145A LCD



No.	Spare part	Single part	Assembly
1 & 10	Technical panel flat		690846
4 & 10	Housing flat wide For left hinged		690848
4 & 10	Housing flat wide For right hinged		690847
9 & 10	PCB LCD		690821
7	Sticker	690822	


Controls

N3100/3108/3145E LED




No.	Spare part	Single part	Assembly
1&7	Technical panel flat		690806
3 & 7	PCB LED DM		690805
4 & 7	Housing flat wide For left hinged		690820
4 & 7	Housing flat wide For right hinged		690819
6 & 7	Overlay		690808
7	Sticker	690809	
	Battery pack	690225	

N3097/3104/3112/3150/3175A LCD




No.	Spare part	Single part	Assembly
1 & 10	Technical panel curved		690849
4 & 10	Housing curved wide For left hinged		690851
4 & 10	Housing curved wide For right hinged		690850
9 & 10	PCB LCD		690821
7	Sticker	690822	

N3097/3104/3112/3150/3175E LED



No.	Spare part	Single part	Assembly
1&7	Technical panel curved		690825
3 & 7	PCB LED DM		690805
4 & 7	Housing curved wide For left hinged		690827
4 & 7	Housing curved wide For right hinged		690826
6&7	Overlay		690808
7	Sticker	690809	
	Battery pack	690225	




No.	Spare part	Single part	Assembly
1&7	Technical panel flat		690806
3 & 7	PCB LED DM		690805
4 & 7	Housing flat wide		690835
6 & 7	Overlay		690808
7	Sticker	690809	
	Battery pack	690225	


Front

N3080, N3090, N3097, N3100, N3104, N3108, N3112, N3115 Common parts


No.	Spare part	Single part	Assembly
1	Latch		
2	Storage strap	626986 089278	626985 089240
3	Strike plate		000240
5	Freezer door inc. hinges	690852	
7	Cap (2)	623622	
11	Cap freezer bolt (12)	624479	
13	Fin clip	623059	
14	Thermistor	623077 089280	




No.	Spare part	Single part
15	Shelf B	690800
16 /20	Clip shelf small	623626 089093
19	Shelf A	690801
22	Vegetable bin	690802
23	Latch bottom	624001
25	Door bin flat wide	690804
26	Bottle retainer	626989
27	Door bin flat shallow	690803




No.	Spare part	Single part
15	Shelf D	690814
16 /20	Clip shelf small	623626 089093
19	Shelf C	690815
22	Vegetable bin	690816
23	Latch bottom	624001
25	Door bin flat wide	690818
26	Bottle retainer	626989
27	Door bin flat shallow	690817




No.	Spare part	Single part
15	Shelf D	690814
16 /20	Clip shelf small	623626 089093
19	Shelf C	690815
22	Vegetable bin	690816
23	Latch bottom	624001
25	Door bin curved wide	690824
26	Bottle retainer	626989
27	Door bin curved shallow	690823




No.	Spare part	Single part
15	Shelf C	690815
16	Clip shelf small	623626 089093
18	Shelf F	690828
19	Clip shelf large	623625 089094
22	Vegetable bin	690829
23	Latch bottom	624001
25	Door bin curved wide	690824
26	Bottle retainer	626989
27	Door bin curved shallow	690823



No.	Spare part	Single part
15	Shelf C	690815
16	Clip shelf small	623626 089093
18	Shelf F	690828
19	Clip shelf large	623625 089094
20	Vegetable bin	690829
21	Latch bottom	624001
25	Door bin flat wide	690818
24	Bottle retainer	626989
25	Door bin flat shallow	690817




No.	Spare part	Single part
15	Shelf D	690814
16 /20	Clip shelf small	623626 089093
19	Shelf C	690815
22	Vegetable bin	690816
23	Latch bottom	624001
25	Door bin curved wide	690824
26	Bottle retainer	626989
27	Door bin curved shallow	690823




No.	Spare part	Single part	Assembly
1	Latch		
2	Storage strap	626986 089278	626985 089240
3	Strike plate		
5	Freezer door inc. hinges	690852	
7	Cap (2)	623622	
11	Cap freezer bolt (12)	624479	
13	Fin clip	623059	
14	Thermistor	623077	
15/18	Shelf E	690831	
16 /19	Clip shelf large	623625 089094	
20	Vegetable bin	690829	
21	Latch bottom	624001	
23	Door bin curved wide	690824	
26	Bottle retainer	626989	
27	Door bin curved shallow	690823	

No.	Spare part	Single part	Assembly
1	Latch		
2	Storage strap	626986 089278	626985 089240
3	Strike plate		
4	Freezer door inc. hinges	690852	
6	Cap (2)	623622	
10	Cap freezer bolt (12)	624479	
12	Fin clip	623059	
13	Thermistor	623077	
17	Shelf E	690831	
18	Clip shelf large	623625 089094	
19	Vegetable bin	690834	
20	Latch bottom	629721	
22	Door bin	629745	
23	Bottle retainer	626989	
25	Small door bin	629747	

Back N3080/3090/3097




No.	Spare part	Single part
1	Heat cap	690812
3	Heater AC 230v	633575
4	Heater DC 12v	633574
6	Burner assembly	634570
7	Spark electrode	690813
8	Power control board (including housing)	690811
9	Gas valve	690810
11	Thermistor cable (including connectors)	690853
	Connector temp. sensor cable (power board side)	690855
12	Communication cable (including connectors)	690854
	Connector comm. cable (power board side)	690856




No.	Spare part	Single part
1	Heat cap	690812
3	Heater AC 230v	633575
4	Heater DC 12v	633574
6	Burner assembly	623019
7	Spark electrode	690830
8	Power control board (including housing)	690811
9	Gas valve	690810
11	Thermistor cable (including connectors)	690853
	Connector temp. sensor cable (power board side)	690855
12	Communication cable (including connectors)	690854
	Connector comm. cable (power board side)	690856


Back N3108/3112/3115




No.	Spare part	Single part	Assembly
1	Heat cap	690812	
3	Heater AC 230v	633575	
4	Heater DC 12v	633574	
6	Burner assembly	634570	
7	Spark electrode	690813	
8	Power control board (including housing)	690811	
9	Gas valve	690810	
11	Thermistor cable (including connectors)	690853	
	Connector temp. sensor cable (power board side)	690855	
12	Communication cable (including connectors)	690854	
	Connector comm. cable (power board side)	690856	



No.	Spare part	Single part	Assembly
1	Heat cap	690839	
3	Heater AC 230v	633573	
4	Heater DC 12v	633572	
6	Burner assembly	623058	
7	Spark electrode	690840	
8	Power control board (including housing)	690811	
9	Gas valve	690810	
11	Thermistor cable (including connectors)	690853	
	Connector temp. sensor cable (power board side)	690855	
12	Communication cable (including connectors)	690854	
	Connector comm. cable (power board side)	690856	



Seals, vents and exhausts for all models



No.	Spare part	Single part
1	Flue exhaust short Flue exhaust long	627008 624480
2	Combustion flap (486mm wide) Combustion flap (525mm wide)	624021 624020
3	Vent cap	625096
5	Vent lock clip	628449
6	Vent cover small Vent cover large	624455 Cream white 089098 White 089097 631150 White 089101



Thetford fridge vent

Supplied singly with frame, vent and flyscreen. Fits 448 x 158mm White 089074 Cream 089075




Thetford winter cover

436 x 130mm White **089097** Cream **089098**




Thetford winter cover large

Used on some Lunar, swift and Explorer caravans and mortorhomes. 480 x 233mm White **089101**






SCREW B 5.5 X 25




REF	TRUMA	GROVE	DESCRIPTION
1	30630-01		COWL AK-3/60
2	30010-20900	801020	ROOF COWL
3	30010-20500		COWL PART
4	30010-20600	820600	SEALING RING
5	30010-20700		SCREWING RING
6	30020-23400		THROTTLE
7	30020-01700		SIDE WALL COWL
8	30020-22100		WALL COWL
9	30020-22300	822300	WALL COWL DISC
10	30020-23100		SEALING RING
11	10030-25000	825000	O-RING 35 X 5
12	10010-79400		SCREW B 3.5 X 13
13	30020-01600		AIR INTAKE COWL COMPLETE
14	30020-22700		AIR INTAKE SHAFT
15	30020-22200	S40676	AIR INTAKE GRILL
16	10010-31100		SCREW M5 X 12
17	30020-01800		WALL COWL COVER
18	30280-00		DOUBLE SUPPORT DSW
19	30020-25500		DOUBLE CLIP
20	30020-11500		CLIP SUPPORT
21	10010-20700		SCREW M4 X 12 WITH WING
22	10020-13000		WING NUT M4
23	30140-00		EXHAUST DUCT AE-3/55 (PER METRE)
24	30030-02800		EXHAUST DUCT FITTING OLD
25	40230-00		DUCT UR 65MM (PER METRE)
26	40241-01	S41014	CLIP US AGATE GREY 65MM
27	30020-02300		AIR INTAKE COMPLETE
28	30020-26500		SHEET NUT 4.2
29	30020-22900		INSECT SCREEN
30	30020-22800		CONNECTION
31	10010-76000		SCREW B 4.2 X 13
32	VARIOUS		FRONT CASE (GREY OR BROWN, LEFT OR RIGHT)
33	30020-21500		GRILL BROWN
34	10010-64600		SCREW B 3.5 X 13
35	39010-57000		U-CLIP
36	30040-36500		TYPE PLATE (FROM 11/97)
37	30190-00	830190	REAR WALL RWS
37	30190-01	830191	REAR WALL RWSL
40	40660-00	840660	AIR INTAKE NOZZLE DT FOR 80MM FAN
41	40670-00	840670	AIR INTAKE NOZZLE FOR MULTIVENT FAN 65MM
42	30171-01	S40539	INSTALLATION BOX EKM BROWN


36



REF	TRUMA	GROVE	DESCRIPTION
1	30030-89400		S3002 HEAT EXCHANGER COMPLETE
2	30030-42700	842700	MICA WINDOW 42 X 15 MM
2	30030-02700	603299	MICA WINDOW 58 X 12 MM LARGE
3	30030-03600	803600	S3002 EXHAUST DUCT FITTING COMPLETE
4	10030-26500	826500	0-RING 52 X 5
4	10030-25000	825000	O-RING 35 X 5 (OLD EXHAUST DUCT FITTING)
6	30030-33300		S3002 FLOOR BASE COMPLETE
11	30030-85700		EARTH SPRING
12	30030-29800		HOLDER FOR HEAT DETECTOR
13	30030-29300		EDGE PROTECTION
14	30050-53000	853000	AUTO IGNITOR (NO BATTERY - WITH CABLE)
14X	30050-53500		ADAPTOR CABLE (PRE 05/99 APPLIANCES)
15	30020-13300	813300	BATTERY BOX UNTIL 05/99
16	30030-99200		SMALL BATTERY 1.5V
17	30030-16100	816100	HEAT DEFLECTOR
19	30040-13600	813600	S3002 CONTROL ROD AFTER 05/96
20	30040-40400	840400	CONTROL KNOB AFTER 05/96
21	30050-58000	859700	SAFETY PILOT VALVE COMPLETE
22	30050-58100	858100	MICRO SWITCH
23	30010-23400	2.50	2-PIN SOCKET BOARD
24	30030-12200		MAGNETIC INSERT MINI
25	30030 12200		NUT FOR MAGNETIC INSERT
26	30030-12000	803100	FEED PIPE
			S3002 BURNER COMPLETE 30MBAR
29	30040-64600	864600	75CM ELECTRODE NEWER CASING PIEZO IGNITION
29	30040-64700		S3002 BURNER COMPLETE 50MBAR
			75CM ELECTRODE NEWER CASING PIEZO IGNITION S3002 BURNER COMPLETE 30MBAR
29	30030-04000		95CM ELECTRODE OLDER CASING PIEZO IGNITION
29	30030-03900		S3002 BURNER COMPLETE 50MBAR
			95CM ELECTRODE OLDER CASING PIEZO IGNITION S3002 BURNER COMPLETE 30MBAR
29	30030-02000		45CM ELECTRODE AUTO IGNITION
29	30030-01900		S3002 BURNER COMPLETE 50MBAR
		002200	45CM ELECTRODE AUTO IGNITION
30	30040-18600	803200	S3002 BURNER 30MBAR
30	30040-18700		S3002 BURNER 50MBAR
31a	30040-64500	864500	S3002 SPARK ELECTRODE 75CM NEWER CASING TO 08/04 PIEZO IGNITION
31a	30030-02900	802900	S3002 SPARK ELECTRODE 45CM
Jiu	00000 02000	002000	TO 08/04 AUTO IGNITION
31b	30040-65900		S3002 SPARK ELECTRODE 75CM NEWER CASING FROM 08/04 PIEZO IGNITION
31b	30040-65800		S3002 SPARK ELECTRODE 45CM
510	000 10 00000		FROM 08/04 AUTO IGNITION
31b	30030-65800		S3002 SPARK ELECTRODE 95CM OLDER CASING FROM 08/04 PIEZO IGNITION
32	30010-23500		FLAT CONNECTOR 2.8MM
34	30050-13900	813900	THERMOCOUPLE 25CM
35	30030-02300	· -	S3002 PILOT TUBE 50MBAR
35	30030-02400		S3002 PILOT TUBE 30MBAR
36	30030-02200		S3002 BURNER TUBE 30MBAR
36	30030-02100		S3002 BURNER TUBE SOMBAR
37	30030-04300	804300	EXTENSION COMPLETE (INCLUDES 38 & 39)
38	30030-04300	817500	PERFORATED PLATED
38 39	30030-1/500	828500	
		828300	EXTENSION SPRING S3002 DISTANCE SHEET
40	30030-19400		
41	30030-16400	000000	S3002 FRAME COMPLETE
42	30030-00300	800300	S3002 PIEZO IGNITOR OLDER CASING
43	30040-62900	862900	S3002 PIEZO IGNITOR NEWER CASING
45	30030-04800	804800	AIR INTAKE EXTENSION
	30030-85500	885500	S3002 GAS TUBE INTERIOR CONNECTION RIGHT
	30030-85600	885600	S3002 GAS TUBE INTERIOR CONNECTION LEFT
46	30030-18700	818700	KNOB SOCKET
47	30070-11500		SPRING NUT
48	30010-50200	830040G	S3002 FRONT CASE AGATE GREY
48	30010-50100	830040B	S3002 FRONT CASE SEPIA BROWN
49	30700-01		COWL TOP T1
50	30700-02	830702	COWL TOP T2
51	30700-03	830703	COWL TOP T3
52	30010-20800	820800	COWL EXTENSION AKV, 15CM
		004262	DOOF COMIL AKS ACCEMBLY
53	30630-07	801263	ROOF COWL AK3 ASSEMBLY

REF	TRUMA	GROVE	DESCRIPTION
55	30010-20500		COWL PART
56	30010-20600	820600	SEALING RING
57	30010-20700		SCREWING RING
58	30140-00	801536	EXHAUST DUCT 55MM STAINLESS
59	40230	801288	DUCT UR 65MM
60	30040-64900		BLANK COVER 35MM (ULTRAHEAT)
60	30040-60800	860800	BLANK COVER 35MM
61	30040-60900	860900	BLANK COVER 52MM
62	30040-60700	860700	KNOB SOCKET
63	30040-63000	863000	COVER (SHELF) BLACK BROWN
64	30040-61200		HEAT SCREEN
65	30040-14900		DAMPER
66	10010-40000		PT SCREW S50 X 16
67	30040-36500		TYPE PLATE SEPIA BROWN CASE
67	30040-35000		TYPE PLATE AGATE GREY CASE
68	30040-16800	816800	S3002 INSTALLATION BOX COMPLETE
69	30040-61100		S3002 INSTALLATION BOX INTERIOR
70	30040-60000	860000	RETAINING SPRING
71	30040-60500		SUPPORT PLATE TOP LEFT
72	30040-60600		SUPPORT PLATE TOP RIGHT
73	30040-60300		FASTENING BRACKET MIDDLE LEFT
74	30040-60400		FASTENING BRACKET MIDDLE RIGHT
75	30040-60100		ANGLE BOTTOM LEFT
76	30040-60200		ANGLE BOTTOM RIGHT
77	10010-68000		SCREW PVZ 3 X 12
78	30050-32300		S5002 HEAT EXCHANGER
79	30050-10500		S5002 DISTANCE SHEET
80	30010-19800		STARLOCK WASHER
81	30050-18700		S5002 IGNITION PIPE
82	10030-23400		0-RING 16 X 2.5
83	30050-32400		S5002 EXHAUST COLLECTOR WITH DUCT & FITTING
84	30050-33100		S5002 EXHAUST DUCT FITTING
85	10010-86000		SCREW M5 X 20
86	30050-23500		S5002 FLOOR BASE COMPLETE
87	30030-15800		S5002 HEAT DEFLECTOR
88	10010-66200	001201	SCREW B 5.5 X 25
89	30050-00300	801301	S5002 CONTROL ROD TO MAY 1998
90	30050-53700 10010-64200	853700	S5002 CONTROL ROD AFTER MAY 1998 SCREW B 3.5 X 6.5
92			
93	30050-01800 30050-01700		S5002 BURNER COMPLETE 30MBAR S5002 BURNER COMPLETE 50MBAR
94	30050-07900		S5002 BURNER SET 50MBAR
94	30050-07800		S5002 BURNER SET 30MBAR
95	30050-00800		S5002 PILOT TUBE SET 30MBAR
95	30050-00700		S5002 PILOT TUBE SET SOMBAR
96	30050-01000		S5002 BURNER TUBE SET 30MBAR
96	30050-01000		S5002 BURNER TUBE SET SOMBAR
97	30050-08900		S5002 CLAMP SHEET SET
98a	30050-01500		S5002 SPARK ELECTRODE 55CM TO AUGUST '04
98b	30050-08600		S5002 SPARK ELECTRODE 55CM AFTER AUGUST '04
99	30050-12600		S5002 DISTANCE SHEET UNTIL MAY 1999
100	30050-29000		S5002 FRAME COMPLETE
101	30651-01	830651	ROOF COWL AKL-5 ASSEMBLY
102	30050-19300		COWL PART AKL-5 70MM
103	30050-17800		SEALING RING FOR COWL AKL-5
104	30050-17900		SCREWING RING FOR COWL AKL-5
105	30160-00		EXHAUST DUCT AE-5 / 65
106	40250-00		INSULATING DUCTI UR5
107	10010-72000		SCREW B 3.5 X 9.5
108	30050-60200	830050G	S5002 FRONT CASE AGATE GREY
108	30050-60100		S5002 FRONT CASE SEPIA BROWN
110	30050-52700		COVER BLACK/BROWN
110			****
111	39010-57000		U-CLIP
			U-CLIP SCREW PVZ 3 X 12
111	39010-57000		





REF	TRUMA	GROVE	DESCRIPTION
1	30030-89400		S3004 HEAT EXCHANGER COMPLETE
1	30050-32300		S5004 HEAT EXCHANGER COMPLETE
2	30030-42700	842700	MICA WINDOW 43 X 15 MM
3	30030-03600	803600	S3004 EXHAUST DUCT FITTING COMPLETE
3	30050-33100	S40122	S5004 EXHAUST DUCT FITTING COMPLETE
4	10030-26500	826500	0-RING 52 X 5
5	10010-84500		SCREW M5 X 15
6	30090-09900		HOLDER FOR HEAT DETECTOR
7	30090-18000		PIEZO IGNITOR C/W EARTH CABLE
8a	30090-90400	S41138	KNOB
8b	30090-90500		KNOB ILLUMINATED
8c	30090-98800		KNOB CHROME
9	30090-90600		KNOB SOCKET
10	30090-16200		KNOB SOCKET, ILLUMINATED
11	30090-16400		HEAT PROTECTION PANEL
12	30050-53000	853000	AUTO IGNITOR (NO BATTERY - WITH CABLE)
13	30030-99200		SMALL BATTERY 1.5V
14	30090-91800		FLOOR BASE COMPLETE
15	10010-66200		SCREW B 5.5 X 25
16	30090-14200		EARTH SPRING FOR 3004 P ONLY
17	30090-20700		CONTROL ROD S 3004
18a	30090-92100		BURNER SET AUTO IGNITOR
18b	30090-92200		BURNER SET PIEZO IGNITOR
19	30090-91300		THERMOCOUPLE COMPLETE
20	10010-71300		SCREW B 2.9 X 9.5 TORX
21	30090-91100		BURNER 30 MBAR
22a	30090-91200		SPARK ELECTRODE 48 CM
22b	30090-92300		SPARK ELECTRODE 100 CM
23	30010-23500		FLAT CONNECTOR 2.8 MM
24	30090-90800		SAFETY PILOT VALVE COMPLETE
25	30030-02400		PILOT TUBE 30 MBAR
26	30030-02200		BURNER TUBE 30 MBAR
27	30050-58100	585100	MICROSWITCH
28	30030-12200	000.00	MAGNET INSET MINI
29	30030-12000		MS-NUT
30	30030-04300	804300	EXTENSION COMPLETE
31	30030-17500	817500	PERFORATED PLATE
32	30030-28500	828500	EXTENSION SPRING
33	30030-04800	804800	AIR INTAKE EXTENSION
34	30030-16400		FRAME COMPLETE
35	10170-00	810170	ELBOW UNION 8MM
36	30700-02	830702	COWL TOP T-2
37	30700-03	830703	COWL TOP T-3
38	30010-20800	820800	COWL EXTENSION AKV 15CM
39	30630-01		COWL AK-3/60
40	30010-20900	801020	COWL ROOF
41	10010-72500		SCREW B 3.5 X 16
42	30010-20600	820600	SEALING RING
43	30010-20700	3_3_3	SCREWING RING
44	30140-00		EXHAUST DUCT AE-3-/55
45	40230-00	801288	DUCT UR 65MM
46	40241-01	S41014	CLIP US AGATE GREY 65MM
	.52 51	341314	

REF	TRUMA	GROVE	DESCRIPTION
47	30090-93000		CABLE SENSOR
48a	30090-93100		BLANK COVER
48b	30090-44700		BLANK COVER ULTRAHEAT
49	30090-94900		COVER S3004
50	30090-93300		SENSOR
51	30090-38100		CABLE CI
53	30090-44300		FUSE 3 A
54	30090-18000		PIEZO IGNITOR
59	30090-95000		SUPPORT TOP
60	30090-93700		BUSH CONTROL ROD
62	30090-95300		BLEND PEARL GREY S 3004
62	30090-95200		BLEND TITAN GREY S 3004
63	30090-95500		FRONT CASE PEARL GREY
63	30090-95700		FRONT CASE PEARL GREY CHROME
63	30090-95400		FRONT CASE TITAN GREY
63	30090-95600		FRONT CASE TITAN GREY CHROME
64	10010-68000		SCREW PVZ 3 X 12
65	30070-11500		SPRING NUT
66	30090-95800		INSTALLATION BOX COMPLETE
67	30050-10500	S40205	DISTANCE SHEET
68	30010-19800		STARLOCK WASHER
69	10030-23400		0-RING 16 X 2.5
70	30050-18700	S40318	IGNITION PIPE
71	30050-32400		EXHAUST COLLECTOR WITH DUCT
72	30050-33100	S40122	EXHAUST DUCT FITTING
73	10010-86000		SCREW M5 X 20
74	30090-90000		FLOOR BASE COMPLETE
75	30090-41900		CONTROL ROD S5004
77	30090-91000		BURNER SET 30 MBAR S5002
78	30090-94800		BURNER 30 MBAR S5002
79	30050-00800		PILOT TUBE SET 30 MBAR
80	30050-01000		BURNER TUBE SET 30 MBAR
81	30050-08900		CLAMP SHEET SET
82	30050-29000		FRAME COMPLETE
84	30651-01		COWL AKL-5
85	30050-17800		SEALING RING FOR COWL
86	30050-17900		SCREWING RING FOR COWL
87	30160-00		EXHAUST DUCT AE-5-/55 PER METRE
88	40250-00		INSULLATING DUCT UR5 PER METRE
89	40261-01		CLIP US 5 AGATE GREY 75MM
90	30090-93200		COVER S5004
91	30090-93500		SUPPORT TOP
92	30090-93800		BLEND TITAN GREY S5004
92	30090-93900		BLEND PEARL GREY S5004
93	30090-94300		FRONT CASE PEARL GREY CHROME S5004
93	30090-94200		FRONT CASE TITAN GREY CHROME S5004
93	30090-94100		FRONT CASE PEARL GREY \$5004
93	30090-94000		FRONT CASE TITAN GREY S5004
94	10010-72000		SCREW B3.5 X 9.5
95	30090-94400		INSTALLATION BOX COMPLETE \$5004
95	30090-94600		INSTALLATION BOX FOR 2 FANS \$5004
JJ	20000 34000		

Trumatic spares images



S3002 Front Case Agate Grey **830040G**



S3002 Front Case Sepia Brown **830040B**



Cover (Shelf) Black Brown **863000**



S5002 Front Case Agate Grey **830050G**



S5002 Front Case Sepia Brown **830050B**



Blank Cover 35mm 860800



Control Knob After 05/96 **840400**



Knob Socket 818700



Knob Socket **860700**



\$3002 Installation Box Complete **816800**



Auto Ignitor With Adapter Cable **853000**



Battery Box For Auto Ignitor **813300**



S3002 Piezo Ignitor Older Casing **800300**



S3002 Piezo Ignitor Newer Casing **862900**



Heat Deflector **816100**



S3002 Burner Complete 30mBar Piezo Newer casing **864600**



\$3002 Burner 30mBar **803200**



Safety Pilot Valve Complete 859700



Micro Switch 858100



Feed Pipe **803100**



S3002 Spark electrode 75cm Piezo to 08/04 **864500**



S3002 Spark electrode 45cm Auto to 08/04 **802900**



Thermocouple 25cm **813900**



S3002 Gas Tube Interion Connection Right **885500**



S3002 Gas Tube Interion Connection Left **885600**



\$5002 Control Rod to May 1998 **801301**



83002Control Rod After May 1996 **813600**



0-Ring 52 x 5 **826500**



0-ring 35 x 5 **825000**



Rear Wall RWS 830190



Rear Wall RWSL 830191



Mica Window 42 x 15mm **842700**



Mica Window 58 x 12mm **603299**



Retaining Spring **860000**



Roof Cowl AK3 Assembly **801263**



Roof Cowl AKL-5 Assembly **830651**



Sealing ring **820600**



Roof Cowl Screw Top AK3 **801020**



Cowl Extension AKV, 15cm **820800**



Cowl Top T2 **830702**



Cowl Top T3 **830703**



Wall Cowl Disc 822300



S3002 Exhaust Duct Fitting Complete **803600**



Exhaust Duct 55mm Stainless Steel **801536**



Extension complete **804300**



Perforated Plate **817500**



Extension Spring **828500**




Air Intake Nozzle DT For 80mm Fan **840660**



Air Intake Nozzle For Multivent Fan 65mm **840670**



Air Intake Extension **804800**



REF	TRUMA	GROVE	ROVE DESCRIPTION	
1	30030-98600		CONTROL (WITHOUT CABLE UNTIL 04/02)	
2	10010-78900	SCREW B 2.9 X 25		
3	39010-84000	S40231	CONTROL KNOB COMPLETE	
6	30030-96900		SCREW COVER	
7	00000-01100		CONTRO L KNOB (SPECIAL ORDER UK VERSION)	
8	30030-98400	898400	CONTROL PANEL NEW NO CABLE (FROM 05/02)	
9	34000-60600	860600	COVER FRAME GREY (FROM 05/02)	
10	34000-09400	809400	CABLE 5M FOR CONTROL PANEL	
10	34000-09300	809300	CABLE 3M FOR CONTROL PANEL	
11	30030-70900		PCB (POWER ELECTRONICS)	
12	30030-69200	S40983	ELECTRONICS HOUSING UPPER	
13	30030-69100	S40984	ELECTRONICS HOUSING LOWER	
14	10010-40500		PT-SCREW KAL 40 X 16	
15	10010-40400		PT-SCREW KB 40 X 10	
16	34010-04900		POWER SUPPLY LINE 1.6M	
18	30030-70100	870100	HEATING ELEMENT COMPLETE	
19	30030-95700		FASTENING PLATE	
20	10010-73800		SCREW B 3.5 X 9.5	
21	30030-65100	865100	TEPERATURE CONTROL DEVICE	
22	30030-65200	865200	TEMP LIMITER (ONLY FOR S3002 / S5002)	
23	10010-70000		SCREW B 2.9 X 6.5 TORX	
24	30030-69800		COVER	
25	30030-94400		DOUBLE CABLE GREEN/YELLOW	
26	30030-94200		CABLE 200MM BLUE	
27	30030-94300		CABLE 185MM BLACK	
28	30030-68700		CABLE BUSHING	
29	30030-69600		RADIANT REFLECTOR	
30	34201-01	834200	REMOTE SENSOR FFC 2	
31	34000-71900	834205	CAMBLE FOR ROOM SENSOR 4M	
32	34000-71800	834206	ADAPTER CABLE WITH JACK	



860600





809300





%







834200

934205


Trumavent






REF	TRUMA	GROVE DESCRIPTION	
1	40000-48000		CONTROL PANEL TEB 2 1.5M
2	40000-00100	800100	CONTROL KNOB COMPLETE
3	10010-78900		SCREW B 2.9 X 25
4	40000-52900	S40406	CONTROL PANEL TEB 2 2.5M
4	40000-53800		CONTROL PANEL TEB 2 1.5M
5	34000-60600	860600	COVER FRAME AGATE GREY
6	40000-47600		CONTROL PANEL INTEGRATED CABLE 1.3M
6	40000-47500	S40345	CONTROL PANEL INTEGRATED CABLE 0.8M
7	40000-46000	846000	CONTROL PANEL TEB 2 INTEGRATED
8	40000-47900		CONTROL PANEL CABLE 1.3M
8	40000-45000	845000	CONTROL PANEL CABLE 0.8M
9	40000-43000		COVER TEB 2
10	10010-83700		SCREW M4 X 10
11	40000-60900	857100	PCB TEB 2 (POWER ELECTRONICS)
12	40000-41000		FAN CASE
13	10010-72700		SCREW B 3.5 X 22
14	40000-41200		COVER
15	40000-42400	842400	12V DC MOTOR WITH AIR WHEEL, CABLE & PLUG
16	40000-42000	842000	12V DC MOTOR (AFTER 01/99)
17	40000-28800	828800	CARBON BRUSHES WHITE/BLACK
18	40000-42500		FAN WHEEL (AFTER 01/99)
19	40000-43300		Y PIECE
20	40000-39900		TRANSFORMER SPU 230/12V (TO ENABLE OPERATION OF FAN WITH 230V - TEN 2)





REF	TRUMA	GROVE	DESCRIPTION
1	40000-39100		CONTROL PANEL TEB 3 5.5M
1	40000-39200		CONTROL PANEL TEB 3 2.5M
2	34000-60600	860600	COVER FRAME AGATE GREY
3	40000-92900		CONTROL PANEL INTEGRATED CHROME
3	40000-92800		CONTROL PANEL INTEGRATED
3	40000-93000		CONTROL PANEL INTEGRATED, ILLUMINATED
4	40000-93100		CONTROL PANEL CABLE 1.3M
4	40000-93200		CONTROL PANEL CABLE 0.8M
5	40000-93300	COVER TEB 3	
6	10010-83300	SCREW M4 X 10 TORX	
7	40000-93400	S41135	PCB TEB 3 (POWER ELECTRONICS)
8	40000-93500	FUSE M 2.5A	
9	40000-33700		FAN CASE TEB 3
10	10010-74400		SCREW B 3.5 X 19
11	40000-34600		COVER TEB 3 / TN 3
12	40000-93600	S41136	12V DC MOTOR
13	40000-28800	828800	CARBON BRUSHES WHITE/BLACK
14	40000-42500	FAN WHEEL	
15	40000-93700	MOTOR MOUNTING SET	
16	40000-92700		WARM AIR DISTRIBUTOR ASSEMBLY (C/W 2 CLIPS)
17	34020-24000		CLIPS (3)
18	10010-71300		SCREW B 2.9 X 9.5 TORX
19	40000-39900		TRANSFORMER SPU 230/12V (TO ENABLE OPERATION OF FAN WITH 230V - TEN 3)



REF	TRUMA	GROVE	DESCRIPTION
1	39050-68000		CASE COMPLETE
2	39050-58100		PT SCREW WN 1411
3	34000-054000		SILICON FOAM SEAL 2MM
4	39050-63000		INTAKE GRILL
6	39050-60000		AIR GUIDE PLATE
7	39050-20300		HEATER EXCHANGER WITH AIR BOX
8	39080-17500		DOME BEARING
9	39080-17400		BEARING SPRING
10	39050-59000		SEAL CORD 4MM
11	10030-23900		0-RING 22 X 2
12	39050-52000		AIR BOX COVER
13	39050-53100		D.C. MOTOR 24V
13	39050-53000		D.C. MOTOR 12V
14	39010-17400	S40753	CARBON BRUSHES RED/BLACK
15	39050-52600		VIBRATION ABSORBER
16	39080-16000		SPACER BUSH
17	10010-83200		SCREW M 3.5 X 12
18	39050-52400		SHAFT COUPLING
19	10020-41000		THREADED BOLT
20	39050-52900		FAN WHEEL
21	39050-56000		COMBUSTION FAN WHEEL
22	39050-17000		COVER
23	39050-15400		FLAME TUBE
24	10020-48900		RIVET A 3.2 X 6
25	39050-62000		BURNER COMPLETE 50MBAR (NATURAL GAS)
25	39050-69300		BURNER COMPLETE 30/50MBAR (LPG)
26	39050-15700		FLAME RECTIFICATION ELECTRODE
27	39050-15500		SPARK ELECTRODE LEFT
28	39050-15600		SPARK ELECTRODE RIGHT
29	10010-70500		SCREW B 2.9 X 6.5
30	39050-14900		BURNER POT 50MBAR (NATURAL GAS)
30	39050-15200		BURNER POT 30/50MBAR (LPG)
31	39050-15800		FUNNEL
32	10010-83400		SCREW M 4 X 12


REF	TRUMA	GROVE	DESCRIPTION
33	39050-57000		BUSH
34	39050-54000		INJECTOR TUBE
35a	39050-57100		INJECTOR (LPG) 11MM OCHRE-BROWN
35b	39050-55100		INJECTOR (LPG) 8.4MM PURPLE
35C	39050-55200		INJECTOR (NATURAL GAS) 7.6MM YELLOW
36a	39050-68200		SOLENOID VALVE 30MBAR
36a	39050-68100		SOLENOID VALVE 50MBAR
36a	39050-18900		SOLENOID VALVE MAN TGA 30MBAR
36b	39050-55500		SOLENOID VALVE NATURAL GAS 50MBAR
37	10030-20000		O-RING 8 X 1.5
38	39080-13200		BUSH
39	10010-72600		SCREW B 3.5 X 13
40	70000-54600		SET COIL HOLDERS
42	10020-25000		SELF LOCKING NUT M 4
43	39010-04700		SOLENOID COILS
44a	39050-01800		CABLE HARNESS 12V SMD
44a	39050-01900		CABLE HARNESS 24V SMD
44b	39050-68400		CABLE HARNESS 24V
44b	39050-68300		CABLE HARNESS 12V
45	10010-71200		SCREW B 2.9 X 25
46	39050-69100		MOTOR TRANSISTOR
47	39010-48900		INSULATION SHEET
48	10010-82000		SCREW M 3 X 6
49	10020-20000		WASHER 3.2
50	39050-69200		INSULATION BUSH
51	39080-19700		VOLTAGE REGULATOR (FOR 24V)
52	39050-68600		THERMOSTAT PLATE
53	39050-61000		CLIP
54	39010-15700		FUSE 184°C
55	39080-18600		TEMPERATURE SENSOR
56	39050-19000	819000	IGNITOR 12V
57a	39050-02500		ELECTRONIC 12V SMD
57a	39050-01600		EXCHANGE ELECTRONIC 12V SMD

REF	TRUMA	GROVE	DESCRIPTION
57b	39050-02600		ELECTRONIC 24V SMD
57b	39050-01700		EXCHANGE ELECTRONIC 24V SMD
57c	39050-77500	S40329	EXCHANGE ELECTRONIC 12V TO 07/06
57c	39050-77700		ELECTRONIC 12V FROM 07/06
57c	39050-77300		EXCHANGE ELECTRONIC 12 FROM 07/06
57d	39050-77400		EXCHANGE ELECTRONIC 24V FROM 08/06
57d	39050-77600		EXCHANGE ELECTRONIC 24V TO 08/06
57d	39050-77800		ELECTRONIC 24V FROM 08/06
58	39050-53900	020000	FUSE 3.15 AT FUSE 1.6 AT
59 60	70000-07100 39020-02500	828900	ELECTRONIC HOUSING COMPLETE
61a	39080-24600		PT SCREW KB 30 X 12
61b	39080-24500		PT SCREW KB 30 X IE
62	39010-73900		CONTROL PANEL SURFACE TYPE 10M TO 04/02
63	10010-79200		SCREW B 2.9 X 38
64	39010-84000	S40231	CONTROL KNOB COMPLETE
65	39030-03600	340E31	CONTROL PANEL COMPLETE 10M FROM 05/02
65	39030-02400	802400	CONTROL PANEL COMPLETE 4M FROM 05/02
66	39030-03100	80E400	CONTROL PANEL NO CABLE FROM 05/02
67	39030-03100		CONTROL PANEL NO CABLE FROM 05/02
67	39050-45900		CONTROL PANEL CABLE IOW CONTROL PANEL CABLE 4M
68	-		
	34000-60500	060600	HOUSING COVER
69 70	34000-60600	860600	COVER FRAME AGATE GREY
70 71	39050-35000		CONTROL KNOR
71	39050-35500		CONTROL KNOB
72	39010-86700		MOUNTING FRAME
73	10010-78900		SCREW B 2.9 X 25
74	39050-36800		CONTROL PANEL CABLE 10M
74	39050-36700		CONTROL PANEL CABLE 4M
75	0000-00300		CONTROL PANEL GB
76	00000-01100		CONTROL KNOB
77	00000-01000		SCREW M 3.5 X 25
78	30030-96900		SCREW COVER
X	39050-71900		ACCESSORY KIT COMPLETE
	SORIES E 2400		
79	39050-74100		FASTENING BOW FLAT
80	39050-74300		FASTENING BOW HIGH
81	39050-74500		FASTENING BOW
82	39010-16400		PT SCREW KA50 X 14
84	39140-01		COWL COVER KKW BLACK TO 03/01
84	39140-02		COWL COVER KKW BIANCO TO 03/01
84	39140-00		COWL COVER KKW CREAM TO 03/01
85	39381-08		WALL COWL WK 24 GREY NO DUCTS
85	39381-07		WALL COWL WK 24 LIGHT GREY NO DUCTS
85	39381-03		WALL COWL WK 24 BLACK NO DUCTS
85	39381-06		WALL COWL WK 24 BIANCO NO DUCTS
85	39381-01		WALL COWL WK 24 CREAM NO DUCTS
85	39381-10		WALL COWL WK 24 ANTHRACITE NO DUCTS
86	39050-65800		COWL OUTER ONLY GREY AFTER 03/01
86	39050-62800		COWL OUTER ONLY LIGHT GREY AFTER 03/01
86	39050-62400		COWL OUTER ONLY BLACK AFTER 03/01
86	39050-62900		COWL OUTER ONLY BIANCO AFTER 03/01
86	39050-62300		COWL OUTER ONLY CREAM AFTER 03/01
87	10010-42700		SCREW M4 X 10
88	39050-59300		COWL INNER PART AFTER 03/01
89	10010-72400		SCREW ST 3.5 X 13
90	10010-72400		NUT M 4
90 91	10020-17800		0-RING 22 X 2
91 92	39050-65900		GASKET FOR WALL COWL GREY
92 92	39050-65900		GASKET FOR WALL COWL GREY GASKET FOR WALL COWL LIGHT GREY
	-		GASKET FOR WALL COWL LIGHT GREY GASKET FOR WALL COWL BLACK
92 02	69050-70300		
92 02	39050-62500 39050-71600		GASKET FOR WALL COWL BIANCO
92			GASKET FOR WALL COWL CREAM
93	39050-73700		CLIP
94	39141-01		COWL COVER KKW 2 BLACK TO 03/01
94	39141-02		COWL COVER KKW 2 BIANCO TO 03/01
94	39141-00	020422	COWL COVER KKW 2 CREAM TO 03/01
95 06	39420-00	839420	EXHAUST DUCT AA24 PER M
96 77	39440-00	074000	AIR FEED DUCT ZR 24 PER M
97	39050-71800	871800	HOSE CLIP 50 - 70
98	40241-01	S41014	CLIP US AGATE GREY 65MM
99	39062-00		FLOOR COWL BK 24 LONG TO 06/10
100	39062-01		FLOOR COWL BK 24 SHORT TO 06/10
101	10010-79400		SCREW B 3.5 X 13
102	39050-70000		DEFLECTOR FOR BK 24
103	39010-51800		RUBBER FUNNEL
104	39010-49500		ANTI-KINK NOZZLE
105	39450-00	839580	AIR DUCT VR 80
106	39050-74000		FASTENING BOW
107	39080-16900		AIR DUCT LF 12 FIXED LENGTH 60CM
108	39010-61800		HOSE CLIP 70 - 90
	39050-73400		CONNECTOR PIECE
109	33030 73400		

REF	TRUMA	GROVE	DESCRIPTION
111	39890-00		TIME SWITCH ZUE
112	39010-65200		TIMER CABLE AFTER 02/90
113	39010-87400		LAMP 24V
113	39010-87300		LAMP 12V
114	39010-86700		MOUNTING FRAME
115	10010-78900		SCREW B 2.9 X 25
116	39891-00		TIME SWITCH ZUE 2
117	39010-57000		U-CLIP
118	39030-04400		MOUNTING FRAME ZU
119	34000-65200		LARGE COVER FRAME AGATE GREY
120X	39010-78100		ZU CABLE FROM 01/89 0.3M
121	39010-78200		MULTIPLE BOX MSD 0.3M CABLE
122	39010-76800		EXTERIOR SWITCH ASI 10M CABLE
122	39010-76700		EXTERIOR SWITCH AS 4M CABLE
123	39010-78000		DIRECT SWITCH DIS 10M
124a	39030-15000		ACOUSTIC WARNER ASM
124b	39030-14900		CONTROL UNIT ASM
124c	39030-14800		SIREN ASM
125	39310-01		SERIES VG-2 0.3M CABLE
126	39050-38400		BATTERY CUT OFF BTS
127	39980-01		CONTROL PANEL FRAME BR
128	39950-00		PROTECTION CASE SKE
129	39050-34200		DIODE MODULE
131	39010-77300	877300	REMOTE SENSOR FF 4M
131	39010-77400		REMOTE SENSOR FF 1, 10M
132	39010-85800		CABLE CLIP
133	39010-93600		ON SURFACE FRAME
Χ	39010-78300		EXTENSION CABLE 4M
Χ	39010-78400		EXTENSION CABLE 10M



Therme Series 2 From 09/1995



REF	TRUMA	GROVE	DESCRIPTION
1	40050-12300	801500	CONTAINER (EMPTY) WITH SEALS AND ISOLATOR
4	40050-11800		ALUMINIUM HEATING PIPE
5	40050-11000		STIFFENING RING
6	10030-26600		0-RING 65 X 2
7	10010-73700		SCREW ST 4.2 X 16
8	40050-14200	814200	HEATING ELEMENT 230V
9	10030-15600		0-RING 32 X 2.5
10	10010-91200		SCREW C 4.2 X 13 TORX
11	40020-00400	800400	DRAIN VALVE
12	70000-01600	801600	CONTROL PANEL 230V, 2.5M TO 04/02
13	10010-78900		SCREW B 2.9 X 25
14a	40050-19900	819900	CONTROL PANEL 2.5M FROM 05/02
14b	40050-20200		CONTROL PANEL 6M FROM 05/02
15	34000-60600	860600	COVER FRAME AGATE GREY
16	40020-00300		MIXING VALVE
17	40020-10700		MIXING VALVE KNOB
18	40020-10800		HEXAGONAL NUT
19	40020-12300		WASHER
20	40020-00900		DRAIN VALVE DOUBLE CONNECTION
















860600





REF	TRUMA	GROVE	DESCRIPTION		-	
	70020-36400		CASE LID UGE			
2	70020-36500		CASE SUPPORTS LEFT AND RIGHT			
3	70020-36600		CASING 1 & 2 UGE COMPLETE			
1	70000-41200		CLAMP RING WITH SCREW		2	A second
5	10010-66700		SCREW B 5.5 X 32		2	1000
3	70020-36700		WATER CONTAINER WITHOUT ELEMENT	ial -	(10)	1
7	70000-14000		SEALING RING	'/ I		-
3	70020-36800	802505	HEATING ELEMENT 230V 1300W	802505	863900	803300
9	10030-16100		0-RING 38 X 3			
0	10020-25000		SELF-LOCKING NUT M 4			
1	10020-16800		NUT M 3 WITH WASHER			
2	34020-63900	863900	ELBOW RED FLEX 10MM	-	-	IN LEGEL
3	34020-64000	803900		200		
			ELBOW RED JOHN GUEST (12MM PUSH FIT)	1		- Contract
4	34000-17700		CONDENSATION TUBE 900MM			RAINA S
5	34020-16900		ELBOW BLUE FLEX 10MM			F. 6
6	34020-16200		ELBOW BLUE JOHN GUEST (12MM PUSH FIT)			E. Carl
7	70000-36100		WIND GUIDE		- 13	ALTERNOON, STR.
8	70000-36200		OUTER POT	· W	00045	200000
9	70000-13300		FORM RING	814102	870145	899500
21	70020-36900		CASE FLOOR			
22	70000-03300	803300	NON RETURN VALVE FLEX 10MM			
23	70020-03500		NON RETURN VALVE J. GUEST (12MM PUSH FIT)			
24	70141-02	814102	DRAIN VALVE FLEX 10MM			
25	70141-02	870145	DRAIN VALVE FLEX IONINI DRAIN VALVE JOHN GUEST (12MM PUSH FIT)			
		3/0143	,			
26	10010-66200		SCREW B 5.5 X 25		1.	
27	70000-20200	04:05-	DRAIN TUBE 110MM			
28	70000-36300	S41095	ORIEL WITH GASKET AND SCREWS		-	
29	70000-29100		PROFILED GASKET 140MM			
30	70020-60800		SILICONE SQUARE SEALING 65CM	828900	856300	834201
32	70020-37100		ELECTRONIC HOUSING COVER	020000	000000	004201
33	10010-71300		SCREW B 2.9 X 9.5 TORX			
34	70020-37200		ELECTRONIC HOUSING LID			
35	70020-72000		PCB (ELECTRONICS)			
,,,	70020 72000		·			/
36	70020-72100	899500	EXCHANGE PCB (ELECTRONICS) - MUST RETURN OLD PCB	(60)	(A)	
7	70000-07100	020000	FUSE 1.6 AT	100		/
37 38	70000-07100	828900	CABLE HARNESS	mage		
		856300		Conning		
39	70000-26400		CONNECTION CLAMP	130011		
40	34000-34200	834201	THERMOSTAT OVER TEMPERATURE	5-0-0-00 (B-0-0)		
41	34000-34300	834300	TEMPERATURE SENSING DEVICE	834300	854200	856200
42	70020-10200		ELECTRONIC FLOOR PLATE C/W ELECTRODE			
13	10010-63100		SCREW B 2.9 X 19 TORX			
14	70000-54200	854200	BURNER	-		
45	70000-56200	856200	FLAME RECTIFICATION ELECTRODE	<u> </u>		
46	70000-34500		CLAMP	er 20	me law	Wall of the
47	10010-70000		SCREW B 2.9 X 6.5 TORX	IL	3	
48	70000-38200	838200	SOLENOID VALVE 30MBAR WITH GASKET	- 00		
49	70000-35800	030200	GASKET			
49 50					No.	VI.
	10010-65300		SCREW B 4.2 X 19		-	-
51	70000-54600		SET COIL HOLDERS	838200	807000	807200
52	70020-44500		WALL COWL COMPLETE WHITE		-0,000	23, 230
52	70020-44800		WALL COWL COMPLETE BLACK			
52	70020-44700		WALL COWL COMPLETE IVORY			
52	70020-44600		WALL COWL COMPLETE BIANCO			The same of
53	70000-43900		COWL FLOOR PLATE			100
54	70020-07000	807000	GRILL FOR WALL COWL B 3 WHITE			
54	70020-07100		GRILL FOR WALL COWL B 3 BIANCO			1
54	70020-07200	807200	GRILL FOR WALL COWL B 3 IVORY			
54	70020-07300	22,200	GRILL FOR WALL COWL B 3 BLACK			
55	70122-01	870122	COWL COVER KBS 3 WHITE	1000		100 m
	70122-01	UTUILE				SECTION A
55		070122	COWL COVER KBS 3 BLACK	870122	870123	870131
55	70122-03	870123	COWL COVER KBS 3 IVORY			
55	70122-02		COWL COVER KBS 3 BIANCO	_		
56	10010-72900		SCREW B 3.5 X 25			
57	10010-83300		SCREW M4 X 10 TORX			-
8	70131-00	870131	COWL EXTENSION VBO 2 COMPLETE	- 1	-	1
9	70000-17900		CONNECTION TUBE	7	CALL TO SERVICE OF THE PARTY OF	A 14.0
60	70000-18000		DISTANCE TUBE			
61	70000-49500		THREADED BOLT M4			
32	10020-17500		NUT M4	//IX	65	
						The same
33	10020-20100		WASHER 4.3			
54	70020-37300		CONTROL PANEL UGE (NO CABLE)			
35	34000-60500		HOUSING COVER	896200	853500	860600
36	70000-96200	896200	CONTROL PANEL CABLE 3M			
37	70000-53500	853500	CONTROL PANEL EXTENSION CABLE 5M			
88	70020-38500		CONTROL PANEL 230V WITH 2.5M CABLE			
38 38	70020-3740		CONTROL PANEL 230V WITH 0.3M CABLE			
, ,		860600	COVER FRAME AGATE GREY	-		
69	34000-60600			The second secon		




REF	TRUMA	GROVE	DESCRIPTION
1	70000-41200		CLAMP RING WITH SCREW
2	10010-66700		SCRE B 5.5 X 32
3	70020-60500		WATER CONTAINER B 10 LITRE
3	70020-60600		WATER CONTAINER B 14 LITRE
4	70000-14100		SEALING RING
5	70000-13300		FORM RING
6	70000-36200		OUTER POT
7	70000-36300	S41095	ORIEL WITH GASKET AND SCREWS
8	70000-29100	041000	PROFILED GASKET 140MM
			SILICONE SQUARE SEALING 65CM
9	70020-60800		· ·
11	70000-36100		WIND GUIDE
13	70020-09900		CASE LID
14	70020-09700		CASING 14 LITRE
14	70020-09800	S40503	CASING 10 LITRE
15	70020-09600		CASE FLOOR
16	70020-09400		ELECTRONIC HOUSING COVER
17	70020-09300	S40672	ELECTRONIC HOUSING LID
18	10010-79100		SCREW B 2.9 X 32
19	70020-72000		PCB (ELECTRONICS)
15	70020 72000		
19	70020-72100	899500	EXCHANGE PCB (ELECTRONICS) - MUST RETURN OLD PCB
20	70000-07100	828900	FUSE 1.6 AT
20	70000-28900	USE	FUSE 1.25 AT USE 1.6A FUSE ABOVE
	.0000 20500	828900	. SOE HEST AGO HON TOSE ABOVE
21	70000-57900		CONTROL PANEL
22	40000-00100	800100	CONTROL KNOB COMPLETE
23	10010-78900		SCREW B 2.9 X 25
24	70000-53500	853500	EXTENSION CABLE 5M FOR CONTROL PANEL
	70000-33300	S40544	CONTROL PANEL BOILER FROM 05/02 NO CABLE
25a	70000-09000	540544	
25b	70000-06700	806700	CONTROL PANEL ULTRASTORE
	12 23,00		FROM 05/02 NO CABLE
250	70000-04000	C40661	CONTROL PANEL 230V ULTRASTORE
25c	70000-04900	S40661	FROM 07/06 NO CABLE
26	34000-60500		COVER FOR CONTROL PANEL FROM 05/02
27	70000-96200	896200	CABLE FOR CONTROL PANEL 3M
28	70000-00100	000200	C/PANEL BOILER FROM 05/02, 3M CABLE
28			1
	00000-00500	000000	C/PANEL ULTRASTORE FROM 05/02, 3M CABLE
29	34000-60600	860600	COVER FRAME AGATE GREY
30	00000-00600		C/PANEL ULTRASTORE FROM 05/02, NO CABLE
31	00000-01000		SCREW M3.5 X 25
32	30030-96900		SCREW COVER
33	70000-99400	899400	CONTROL KNOB
34	NO LONGER AVAI		
35	70000-01600	801600	CONTROL PANEL 230V
		001000	
36	70020-44500		WALL COWL COMPLETE WHITE
36	70020-44800		WALL COWL COMPLETE BLACK
36	70020-44700		WALL COWL COMPLETE IVORY
36	70020-44600		WALL COWL COMPLETE BIANCO
37	70000-43900		COWL FLOOR PLATE
38a	70020-07000	807000	GRILL FOR WALL COWL B 3 WHITE FROM 07/06
39a	70122-01	870122	COWL COVER KBS 3 WHITE FROM 07/06
38a	70020-07100	0,0.22	GRILL FOR WALL COWL B 3 BIANCO FROM 07/06
	70122-02		COWL COVER KBS 3 BIANCO FROM 07/06
39a		007200	
38a	70020-07200	807200	GRILL FOR WALL COWL B 3 IVORY FROM 07/06
39a	70122-03	870123	COWL COVER KBS 3 IVORY FROM 07/06
38a	70020-07300		GRILL FOR WALL COWL B 3 BLACK FROM 07/06
39a	70122-04		COWL COVER KBS 3 BLACK FROM 07/06
38b	70000-25300		GRILL FOR WALL COWL BIANCO TO 06/06
39b	70121-04		COWL COVER KBS 2 BIANCO TO 06/06
38b	70000-43200	843200	GRILL FOR WALL COWL CREAM TO 06/06
	70122-01		COWL COVER KBS 2 CREAM TO 06/06
39b		870121	
38b	70020-54700		GRILL FOR WALL COWL BLACK TO 06/06
39b	70121-05		COWL COVER KBS 2 BLACK TO 06/06
40	10010-72900		SCREW B 3.5 X 25
41	10010-83300		SCREW M4 X 10 TORX
42	10020-20100		WASHER 4.3
43a	70141-02	814102	DRAIN VALVE FLEX 10MM
43b	70141 02	870145	DRAIN VALVE JOHN GUEST
		3/0143	
44	10010-66200		SCREW B 5.5 X 25
/I L	70000-20200		DRAIN TUBE 110MM
	70000-03300	803300	NON RETURN VALVE FLEX 10MM
46			NON RETURN VALVE J. GUEST (12MM PUSH FIT)
46	70000-03500		CABLE HARNESS
46 47	70000-03500 70000-56300	856300	
46 47 48		856300	CONNECTION CLAMP
46 47 48 49	70000-56300 70000-26400		
46 47 48 49 50	70000-56300 70000-26400 34000-34200	834201	THERMOSTAT OVER TEMPERATURE
46 47 48 49 50 51	70000-56300 70000-26400 34000-34200 34000-34300		THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE
46 47 48 49 50 51 52	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V)
46 47 48 49 50 51 52	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP
46 47 48 49 50 51 52 55	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900 70020-10200	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP ELECTRONIC FLOOR PLATE C/W ELECTRODE
46 47 48 49 50 51 52 55	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP
46 47	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900 70020-10200	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP ELECTRONIC FLOOR PLATE C/W ELECTRODE
46 47 48 49 50 51 52 55 56 57	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900 70020-10200 10010-63100 70000-54200	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP ELECTRONIC FLOOR PLATE C/W ELECTRODE SCREW B 2.9 X 19 TORX BURNER
47 48 49 50 51 52 55 56 57	70000-56300 70000-26400 34000-34200 34000-34300 70000-07000 70000-52900 70020-10200 10010-63100	834201	THERMOSTAT OVER TEMPERATURE TEMPERATURE SENSING DEVICE HEAT CONDUCTING PLATE (NOT FOR 230V) SWITCH CLAMP ELECTRONIC FLOOR PLATE C/W ELECTRODE SCREW B 2.9 X 19 TORX

REF	TRUMA	GROVE	DESCRIPTION
62	70000-38200	838200	SOLENOID VALVE 30MBAR
62	70000-36500		SOLENOID VALVE 50MBAR
63	70000-35800		GASKET
64	10010-65300		SCREW B 4.2 X 19
65	70000-54600		SET COIL HOLDERS
66	10020-25000		SELF-LOCKING NUT M4
67	10020-17500		NUT M4
68	70131-00	870131	COWL EXTENSION VBO 2 COMPLETE
69	70000-34200		EXTENSION
70	70000-17900		CONNECTION TUBE
71	70000-18000		DISTANCE TUBE
72	70000-49500		THREADED BOLT M4
73	10020-16800		NUT M3 WITH WASHER
74	10030-15700		O-RING 32 X 2.8 FOR 230V ELEMENT
75	70000-02500	802500	HEATING ELEMENT 230V 450W TO 06/03
76	70000-03010	802501	HEATING ELEMENT 230V 850W FROM 07/03
77a	34150-01	834151	ELBOW 2 FLEX 10MM
77b	34151-03		ELBOW 2 JOHN GUEST 12MM
78	34000-17700		CONDENSATION TUBE
79a	70150-01	870151	ELBOW FLEX 10MM
79b	70151-03	870153	ELBOW JOHN GUEST 12MM BLUE
80	10030-21600		0-RING 10 X 25



E: sales@groveproducts.co.uk



REF	TRUMA	GROVE	DESCRIPTION
1	34010-08000		CASE COVER
2	34000-50600		SEAL
3	34010-16000		SCREW / NUT SET (4)
5	34000-43500		CASING
6	10010-64600		SCREW B 3.5 X 13
7	34000-06100		ELECTRONIC HOUSING
8	34000-51900		STARLOCK WASHER
_			PCB C3402 (ELECTRONICS) FROM 05/02 -
9	34000-98000		EXCHANGE PRICE ONLY - RETURN THE OLD PCB
9	34000-77000		PCB C3402 (ELECTRONICS) TO 04/02 - EXCHANGE PRICE ONLY - RETURN THE OLD PCB
9	34000-98300	898300	PCB C6002 (ELECTRONICS) FROM 12200001 TO 16300000 - EXCHANGE PRICE ONLY - RETURN THI OLD PCB
9	34000-77100		PCB C6002 (ELECTRONICS) TO FABR. NO. 1220000 - EXCHANGE PRICE ONLY - RETURN THE OLD PCB
9	34000-98100		PCB C6002, D, E (ELECTRONICS) FROM 16300001
9			PCB C6002, D, E (ELECTRONICS) FROM 16300001
	34000-98200	0.40000	EXCHANGE PRICE ONLY - RETURN THE OLD PCB
10	34000-76800	S40985	FUSE 6.3 AT (FOR C 6002 FROM NO. 12200001
10	34000-33100	833100	FUSE 4 AT
11	34000-06200		ELECTRONIC HOUSING LID TO 04/02
12	30050-13000		SCREW KB 30 X 8
13	34000-91100		ELECTRONIC HOUSING LID FROM 05/02
14	34000-91200		CONNECTION COVER FROM 05/02
15	34000-59000	859000	CONTROL PANEL TRUMATIC C FROM 05/02
16	34000-60500		HOUSING COVER FROM 05/02
17	34000-69700		ROOM TEMPERATURE SENSOR FROM 05/02
18	34000-71900	834205	CABLE FOR ROOM SENSOR 4M FROM 05/02
19	34000-09300	809300	CABLE FOR CONTROL PANEL 3M
20	34000-09300	809400	CABLE FOR CONTROL PANEL SM
	34000-09400	009400	COUPLING FOR CONTROL PANEL SIM
21		024204	
22	34300-01	834301	5M EXTENSION CABLE FOR CONTROL PANEL
23	34000-63800	000000	CONTROL PANEL TRUMATIC C EL FROM 05/02 (3M)
24	34000-60600	860600	COVER FRAME AGATE GREY
26	10010-78900		SCREW B 2.9 X 25
27	39010-84000	S40231	CONTROL KNOB COMPLETE
28	70000-01600	801600	CONTROL PANEL 230V 2.5M TO 04/02
29	00000-00200		CONTROL PANEL COMBI (UK) NO CABLE
30	00000-01100		CONTROL KNOB
31	00000-01000		SCREW M 3.5 X 25
32	30030-96900		SCREW COVER
33	34000-71200	S40953	CABLE HARNESS FROM 05/02
33	34000-51400		CABLE HARNESS TO 04/02
34	34000-31700		SPADE CONNECTOR HOUSING 2 PIN
35	34000-33900		FLAT CONNECTOR 2.8MM
36	34000-51300		THERMOSTAT PLATE
37	34000-04500		THERMOSTAT HOLDER
38	10010-82400		SCREW CM 3 X 10
39	34000-31500		SPADE CONNECTOR HOUSING 1 PIN
40	34000-31300		CONNECTOR HOUSING 1 PIN
			SPADE CONNECTOR HOUSING 1 PIN
41	34000-50700	CADEED	
42	34000-24100	S40668	SOLENOID VALVE C34, 30MBAR
42	34000-24000		SOLENOID VALVE C34, SOMBAR
42	34000-21040		SOLENOID VALVE C60/40, 30MBAR
42	34000-24000		SOLENOID VALVE C60/40, 50MBAR
43	34000-02300	S40680	GASKET
44	10010-11500		SCREW M4 X 12
46	34000-81000	S40851	SOLENOID COILS
47	70000-54600		SET COIL HOLDERS
48	10020-25000		SELF LOCKING NUT M4
49	34010-14100	S40852	IGNITOR 35 Hz
50	34000-53500		CLIP
51	34000-34200	834201	THERMOSTAT OVERTEMP
52	34000-34300	834300	TEMPERATURE SENSOR
53	70000-07000		HEAT CONDUCTING PLATE
54	10020-17000		NUT M3
55	34000-83500		THERMOSTAT PLATE
56	34000-57400		CABLE CLIP
57	10010-89000		PT SCREW 3 X 10 WITH WASHER
		C/07F4	COMBUSTION AIR FAN
58	34000-55000	\$40751	
59	34000-77300	\$40928	12V DC MOTOR C 60/40, D FROM NO. 12200001
59	34000-70500	S40938	12V DC MOTOR C 3402, 6002
60	34000-31600		CONNECTOR HOUSING 2 PIN
61	34000-33800		SPADE CONNECTOR 2.8
62	34000-04400		MOTOR BRACKET
63	10010-13600		SCREW M4 X 6 WITH THREAD LOCK
64	10010-51100		SCREW MM 5 X 12
65	34000-04700		FAN WHEEL AIR
66	10020-41000		THREADED BOLT AM 4 X 4
			FAN HOUSING COMPLETE
	34010-08100		
67	34010-08100 10010-40600		PT SCREW WN 1452
	10010-40600 10010-91200		PT SCREW WN 1452 SCREW C 4.2 X 13 TORX


REF	TRUMA	GROVE	DESCRIPTION
71	34000-82000		HEAT EXCHANGER C 3402
71	34000-82500		HEAT EXCHANGER C 6002/4002
72	34000-02700		SLEEVE
73	10020-41400		DOWEL PIN 2.5 X 12
74	34010-05700		0-RING 40 X 2.5
75	34000-06900		REDUCER VR-UR
76	10010-51200		SCREW M 5 X 16
77	34000-52700		FLAME TUBE
78	34000-85000	S40973	BURNER COMPLETE
79	34000-76500	S40932	FLAME RECTIFICATION ELECTRODE
80	34000-76300	S40933	SPARK ELECTRODE LEFT
81	34000-76400	S40934	SPARK ELECTRODE RIGHT
82	10010-70000		SCREW B 2.9 X 6.5 TORX
83	10010-83300		SCREW M4 X 10 TORX
84	34000-43900		BURNER PLATE
86	10030-27000		0-RING 110 X 2
87	10010-51000		SCREW M 5 X 16
88	34000-05600		GASKET
90	10030-23600		O-RING 16 X 3.5
91	10030-26900		0-RING 90 X 3
92	34000-57100		LEADTROUGH
93	34000-57200		CLAMP SHEET
94	34000-88000		WATER CONTAINER
95	34150-01	834151	ELBOW 2 FLEX 10MM
96	34151-03		ELBOW 2 JOHN GUEST 12MM
97	34000-17700		CONDENSATION TUBE 900MM
98	70150-01	870151	ELBOW FLEX 10MM
99	70151-03	870153	ELBOW JOHN GUEST 12MM BLUE
100	10030-21600		0-RING 10 X 25
101	34000-57500		HEATING COLLAR 230V
102	34000-57600		RETAINING SPRING
103	34000-41500		FLOOR PLATE
104	10020-15100		NUT M5 WITH WASHER
106	34000-03100		ROUND CORD SEAL 203 X 4
107	34000-01900		FOOT
108	10010-51500		SCREW DM 5 X 20
109	10010-66200		SCREW B 5.5 X 25
111	70000-20200		DRAIN TUBE 110MM
112	34020-80200		FROST CONTROL 2.8 BAR FLEX 10MM
113	34020-80300	S40952	FROST CONTROL 2.8 BAR JOHN GUST 12MM



870153

870151

834151




REF	TRUMA	GROVE	DESCRIPTION
1	34010-08000		CASE COVER
2	34000-50600		SEAL
3	34010-16000		SCREW / NUT SET (4)
5	34000-43500 34000-06100		CASING
7	34000-06100		ELECTRONIC HOUSING STARLOCK WASHER
-			
8	34010-71800		PCB (ELECTRONICS) FROM FABR. NO. 16300001
8	34010-71900		PCB (ELECTRONICS) FROM FABR. NO. 16300001 - EXCHANGE PRICE ONLY - RETURN OLD PCB
8	34010-72100		PCB (ELECTRONICS) TO FABR. NO. 16300000 - EX- CHANGE PRICE ONLY - RETURN OLD PCB
9a	70000-07100	828900	FUSE 1.6 AT
9b	34000-76800	876800	FUSE 6.3 AT
10	30050-13000 34000-91100		SCREW KB 30 X 8 ELECTRONIC HOUSING LID FROM 05/02
12	34000-91200		CONNECTION COVER FROM 05/02
13	34000-59000	859000	CONTROL PANEL TRUMATIC C FROM 05/02
14	34000-60500		HOUSING COVER FROM 05/02
15	34000-69700		ROOM TEMPERATURE SENSOR FROM 05/02
16	34000-71900	834205	CABLE FOR ROOM SENSOR 4M FROM 05/02
17	34000-09300	809300	CABLE FOR CONTROL PANEL 3M
18 19	34000-09400 34000-09800	809400	CABLE FOR CONTROL PANEL 5M COUPLING FOR CONTROL PANEL CABLE
20	34300-01	834301	5M EXTENSION CABLE FOR CONTROL PANEL
21	34000-63800		CONTROL PANEL TRUMATIC C EL FROM 05/02 (3M)
22	34000-60600	860600	COVER FRAME AGATE GREY
23	34010-73000		CABLE HARNESS C 4002
24	34000-31700		SPADE CONNECTOR HOUSING 2 PIN
25	34000-33900		FLAT CONNECTOR 2.8MM
26 27	34000-51300 34000-04500		THERMOSTAT PLATE THERMOSTAT HOLDER
28	10010-82400		SCREW CM 3 X 10
29	34000-31500		SPADE CONNECTOR HOUSING 1 PIN
30	34000-03900		CONNECTOR HOUSING 1 PIN
31	34000-50700		SPADE CONNECTOR HOUSING 1 PIN
32	34000-21400		SOLENOID VALVE C60/40, 30MBAR
33	34000-02300	540680	GASKET
34 36	10010-11500 34000-81000	S40851	SCREW M4 X 12 SOLENOID COILS
37	70000-54600	340031	SET COIL HOLDERS
38	10020-25000		SELF LOCKING NUT M4
39	34010-14100	S40852	IGNITOR 35 Hz
40	34000-53500		CLIP
41	34000-34200	834201	THERMOSTAT OVERTEMP
42 43	34000-34300 70000-07000	834300	TEMPERATURE SENSOR HEAT CONDUCTING PLATE
44	10020-17000		NUT M3
45	34000-83500		THERMOSTAT PLATE
46	34000-57400		CABLE CLIP
47	10010-89000		PT SCREW 3 X 10 WITH WASHER
48	34000-55000	S40751	COMBUSTION AIR FAN
49	34000-70500	S40938	12V DC MOTOR
50 51	34000-31600 34000-33800		CONNECTOR HOUSING 2 PIN SPADE CONNECTOR 2.8
52	34000-33800		MOTOR BRACKET
53	10010-13600		SCREW M4 X 6 WITH THREAD LOCK
54	10010-51100		SCREW MM 5 X 12
55	34000-04700		FAN WHEEL AIR
56	10020-41000		THREADED BOLT AM 4 X 4
57 58	34010-08100 10010-40600		FAN HOUSING COMPLETE PT SCREW WN 1452
59	10010-40600		SCREW C 4.2 X 13 TORX
60	39010-55400		SHEET NUT 4.2
61	34000-82500		HEAT EXCHANGER C 6002/4002
62	34000-02700		SLEEVE
63	10020-41400		DOWEL PIN 2.5 X 12
64	34010-05700		0-RING 40 X 2.5
65 66	34000-06900 10010-51200		REDUCER VR-UR SCREW M 5 X 16
67	34000-52700		FLAME TUBE
68	34000-85000	S40973	BURNER COMPLETE
69	34000-76500	\$40932	FLAME RECTIFICATION ELECTRODE
70	34000-76300	S40933	SPARK ELECTRODE LEFT
71	34000-76400	S40934	SPARK ELECTRODE RIGHT
72	10010-70000		SCREW B 2.9 X 6.5 TORX
73 74	10010-83300 34000-43900		SCREW M4 X 10 TORX BURNER PLATE
76	10030-27000		0-RING 110 X 2
77	10030 27000		SCREW M 5 X 16
78	34000-05600		GASKET
80	10030-23600		0-RING 16 X 3.5
81	10030-26900		0-RING 90 X 3
82	34000-57100		LEADTROUGH

REF	TRUMA	GROVE	DESCRIPTION
83	34000-57200		CLAMP SHEET
84	34000-88000		WATER CONTAINER
85	34150-01	834151	ELBOW 2 FLEX 10MM
86	34151-03		ELBOW 2 JOHN GUEST 12MM
87	34000-17700		CONDENSATION TUBE 900MM
88	70150-01	870151	ELBOW FLEX 10MM
89	70151-03	870153	ELBOW JOHN GUEST 12MM BLUE
90	10030-21600		0-RING 10 X 25
91	34000-57500		HEATING COLLAR 230V
92	34000-57600		RETAINING SPRING
93	34000-41500		FLOOR PLATE
94	10020-15100		NUT M5 WITH WASHER
96	34000-03100		ROUND CORD SEAL 203 X 4
97	34000-01900		FOOT
98	10010-51500		SCREW DM 5 X 20
99	10010-66200		SCREW B 5.5 X 25
101	70000-20200		DRAIN TUBE 110MM
102	34020-80200		FROST CONTROL 2.8 BAR FLEX 10MM
103	34020-80300	S40952	FROST CONTROL 2.8 BAR JOHN GUST 12MM





870153



REF	TRUMA	GROVE	DESCRIPTION
1	34010-08000		CASE COVER
2	34000-50600		SEAL
3	34010-16000		SCREW / NUT SET (4)
5	34000-43500		CASING
6 7	34000-06100 34000-51900		ELECTRONIC HOUSING STARLOCK WASHER
8	34010-07100		PCB (ELECTRONICS) FROM FABR. NO. 17100001
U	34010 07100		PCB (ELECTRONICS) TO FABR. NO. 17100000 - EX-
8	34010-06900		CHANGE PRICE ONLY - RETURN OLD PCB
			PCB (ELECTRONICS) FROM FABR. NO. 17100001 -
8	34010-07300		EXCHANGE PRICE ONLY - RETURN OLD PCB
9	70000-07100	828900	FUSE 1.6 AT
10	34000-76800	876800	FUSE 6.3 AT
11	34000-91100		ELECTRONIC HOUSING LID FROM 05/02
12	30050-13000		SCREW KB 30 X 8
13	34000-91200		CONNECTION COVER FROM 05/02
14 15	34010-02800 34010-07200	S40995	POWER PCB (ELECTRONICS) C 6002 EH
16	34010-07200	S40993	FUSE 10 AT
17	34010-02900	3409E/	ELECTRONIC HOUSING COVER COMPLETE
20	30030-12500		SPRING
21	34000-51900		STARLOCK WASHER
22	34010-04900		POWER SUPPLY LINE 1.6M
23	34000-59000	859000	CONTROL PANEL TRUMATIC C
24	34000-09400	809400	CABLE FOR CONTROL PANEL 5M
24	34000-09300	809300	CABLE FOR CONTROL PANEL 3M
25	34300-01	834301	5M EXTENSION CABLE FOR CONTROL PANEL
26	34000-09800		COUPLING FOR CONTROL PANEL CABLE
27	34010-01800		POWER SELECTOR SWITCH
28 28	34010-01900 34010-02000		CABLE 3M FOR POWER SELECTOR CABLE 5M FOR POWER SELECTOR
29	34010-02000		5M EXTENSION CABLE FOR POWER SELECTOR
30	34010-060000		COUPLING FOR POWER SELECTOR
31	34000-60500		HOUSING COVER
32	34000-60600	860600	COVER FRAME AGATE GREY
33	34000-69700		ROOM TEMPERATURE SENSOR
34	34000-71900	834205	CABLE FOR REMOTE SENSOR 4M
35	34010-04100	S40978	CABLE HARNESS C 6002 EH COMPLETE
36	34000-31700		SPADE CONNECTOR HOUSING 2 PIN
37	34000-33900		FLAT CONNECTOR 2.8MM
38	34000-31500		SPADE CONNECTOR HOUSING 1 PIN
39 40	34000-03900		CONNECTOR HOUSING 1 PIN
41	34000-50700 34000-51300		SPADE CONNECTOR HOUSING 1 PIN THERMOSTAT PLATE
42	34000-04500		THERMOSTAT FEATE THERMOSTAT HOLDER
43	10010-82400		SCREW CM 3 X 10
44	34000-34200	834201	THERMOSTAT OVERTEMP
45	34000-34300	834300	TEMPERATURE SENSOR
46	70000-07000		HEAT CONDUCTING PLATE
47	10020-17000		NUT M3
48	34000-83500		THERMOSTAT PLATE
49	34000-57400		CABLE CLIP
50 52	10010-89000 34000-21400		PT SCREW 3 X 10 WITH WASHER SOLENOID VALVE C60/40, 30MBAR
53	34000-21400	S40680	GASKET
54	10010-11500	5-3000	SCREW M4 X 12
56	34000-81000	S40851	SOLENOID COILS
57	70000-54600		SET COIL HOLDERS
58	10020-25000		SELF LOCKING NUT M4
59	34010-14100	S40852	IGNITOR 35 Hz
60	34000-53500	0.4000=	CLIP
61a	34010-05400	\$40925	230V HEATING ELEMENT RED CABLE
61b 62	34010-07400	S40926	230V HEATING ELEMENT WHITE CABLE CABLE COVER
63	34010-02300 34010-01300		OVER HEATING PROTECTION WTS CEH 230V
64	34010-01300		LEVELLING PLATE
65	34000-55000	S40751	COMBUSTION AIR FAN
66	34000-77300	\$40928	12V DC MOTOR C60/40, D
67	34000-31600		CONNECTOR HOUSING 2 PIN
68	34000-33800		SPADE CONNECTOR 2.8
69	34000-04400		MOTOR BRACKET
70	10010-13600		SCREW M4 X 6 WITH THREAD LOCK
71	10010-51100		SCREW MM 5 X 12
72	34000-04700		FAN WHEEL AIR
73 74	10020-41000 34010-08100		THREADED BOLT AM 4 X 4 FAN HOUSING COMPLETE
74 75	10010-40600		PT SCREW WN 1452
76	10010-40600		SCREW C 4.2 X 13 TORX
77	39010-55400		SHEET NUT 4.2
78	34010-00300		HEAT EXCHANGER C 6002 EH
79	34000-02700		SLEEVE
80	10020-41400		DOWEL PIN 2.5 X 12
81	34010-05700		0-RING 40 X 2.5
82	34000-06900		REDUCER VR-UR

REF	TRUMA	GROVE	DESCRIPTION
83	10010-51200		SCREW M 5 X 16
84	34000-52700		FLAME TUBE
85	34000-01900		FOOT
86	10010-51500		SCREW DM 5 X 20
87	10010-66200		SCREW B 5.5 X 25
88	34000-85000	S40973	BURNER COMPLETE
89	34000-76500	S40932	FLAME RECTIFICATION ELECTRODE
90	34000-76300	S40933	SPARK ELECTRODE LEFT
91	34000-76400	S40934	SPARK ELECTRODE RIGHT
92	10010-70000		SCREW B 2.9 X 6.5 TORX
93	10010-83300		SCREW M4 X 10 TORX
94	34000-43900		BURNER PLATE
96	10030-27000		0-RING 110 X 2
97	10010-51000		SCREW M 5 X 16
98	34000-05600		GASKET
100	10030-23600		O-RING 16 X 3.5
101	10030-26900		0-RING 90 X 3
102	34000-57100		LEADTROUGH
103	34000-57200		CLAMP SHEET
104	34000-88000		WATER CONTAINER
105	34150-01	834151	ELBOW 2 FLEX 10MM
106	34151-03		ELBOW 2 JOHN GUEST 12MM
107	34000-17700		CONDENSATION TUBE 900MM
108	70150-01	870151	ELBOW FLEX 10MM
109	70151-03	870153	ELBOW JOHN GUEST 12MM BLUE
110	10030-21600		0-RING 10 X 25
111	34000-41500		FLOOR PLATE
112	10020-15100		NUT M5 WITH WASHER
114	34000-03100		ROUND CORD SEAL 203 X 4
116	70000-20200		DRAIN TUBE 110MM
117	34020-80200		FROST CONTROL 2.8 BAR FLEX 10MM
118	34020-80300	S40952	FROST CONTROL 2.8 BAR JOHN GUST 12MM






870153


REF	TRUMA	GROVE	DESCRIPTION
1	34011-09		WALL COWL WKC BLACK
1	34011-08		WALL COWL WKC LIGHT GREY
1	34011-07		WALL COWL WKC GREY RAL 7037
1	34011-05	834015	WALL COWL WKC BIANCO
1	34011-01		WALL COWL WKC CREAM
1	34011-10		WALL COWL WKC ANTHRACITE
1	34011-11		WALL COWL WKC GREY RAL 7012
2	34000-14400		COWL OUTER PART BLACK
2	34000-15000		COWL OUTER PART LIGHT GREY
2	34000-10600		COWL OUTER PART GREY RAL 7037
2	34000-11000	S40176	COWL OUTER PART BIANCO
2	34000-33600	833600	COWL OUTER PART CREAM
2	34010-12000		COWL OUTER PART GREY RAL 7012
2	34000-50300		COWL OUTER PART ANTHRACITE
3	10010-72900		SCREW B 3.5 X 25
4	34000-33500		COWL INNER WITH O-RING
5	34010-05700		0-RING 40 X 2.5
6a	34000-10700		SEAL COWL
6b	34000-08100		SEAL COWL CREAM
7	39010-01500		SE TENSION CLIP
8	39320-00		EXHAUST DUCT AA 3, 55MM DIAM
9	39580-00		AIR FEED DUCT ZR 80, 80MM DIAM
10	39010-61800		HOSE CLIP 70-90
11	39590-00	839590	CLIP ZRS
12	34051-01	S40894	ROOF COWL DKC 2
13	34000-19700	340094	COWL ROOF
14	10010-75500		SCREW B 2.9 X 13
15	34000-36800		COWL PART
16 17	34000-34700		SCREWING RING
	34070-01 34000-13900		COWL EXTENSION KVC SEALING RING
18			
19	34080-01		COWL LEADTHROUGH
20	10030-26700		0-RING 66 X 2
22	34042-01		TIME SWITCH ZUC 2 FROM 09/01
23	39010-87300		LAMP 12V
24	39010-57000		U-CLIP
25	39030-04400		MOUNTING FRAME ZU
26	34000-65200		LARGE COVER FRAME AGATE GREY
27	34000-37900		CABLE 3M FOR ZUC 2
28	34000-37000	00.4000	EXTENSION CABLE 5M FOR ZUC 2
30	34201-01	834200	REMOTE SENSOR FFC 2
31	34000-71900	834205	CABLE FOR ROOM SENSOR 4M
32	34000-71800	834206	ADAPTER CABLE WITH JACK
33	40352-00	801335	BLANK COVER VD
34	34091-01	S40636	ELBOW BGC
35	34170-01		REMOTE CONTROL ELASI FOR DRAIN VALVE
36	70070-06500		CONTROL PANEL REMOTE
37	10010-79100		SCREW B 2.9 X 32
38	70070-06300		PLASTIC TUBE PER M
39	70070-06200		PLASTIC TUBE CONNECTION
40	70070-06800		LIFT ZYLINDER
41	70070-05400		CONNECTION BOLT
42	34000-86000		EXTENSION CABLE REMOTE CONTROL
43	39020-10500		SPACER RING
Χ	34000-81800		SET U CLIPS (8)





REF	TRUMA	GROVE	DESCRIPTION
1	34020-07100		COVER COMBUSTION AIR
2	34020-07300		GRILL
3	34020-21600		COVER CIRCULATION AIR
4	34020-60000		SCREW / NUT SET
5	34020-65000		COVER CIRCULATION AIR RIGHT
6	34020-65200		COVER CIRCULATION AIR LEFT E
6	34020-65100		COVER CIRCULATION AIR LEFT
7	34020-09900 34020-60200	S40744	LEADTROUGH BUSHING IGNITOR
9	34020-60300	340/44	COMBUSTION AIR MOTOR C/W NO.10
10	34020-08700		ROUND CORD SEAL 79 X 3MM
11	34020-60500		COVER COMBUSTION AIR E
11	34020-60400		COVER COMBUSTION AIR
12	34020-60600		ROUND CORD SEAL SET
13	34020-60700		BURNER POT COMPLETE INC. 14, 16, 17 & 52
14	10030-24200		0-RING 22 X 3
15	34020-08800		ROUND CORD SEAL
16	34020-60800		IGNITOR PLUG & SCREWS INC. 14, 12, 15 & 52
17	34020-08600		CABLE BUSHING
18	34020-60900		FLAME TUBE INC. 24
19 20	34020-61000 34020-01500		HEAT EXCHANGER C/W WARM AIR OUTLETS INC. 2.
21	34020-01500		ACOUSTIC PLATE 1
22	34020-19700		PROFILED GASKET
23	34020-10800		ACOUSTIC PLATE 2
24	34020-55000		FORM SEAL (REPLACES 34020-04900 USED TO 12/09
26	34020-61100	861100	HEATING ELEMENTS
27	34020-61200		CABLE HARNESS FOR HEATING ELEMENTS
28	34000-04700		FAN WHEEL AIR
29	34020-61300	S40805	12V DC MOTOR
30	PLEASE CALL FOR	RINFORMATIO	
31	34020-61400		INTERIOR AIR HOOD
32	34020-61500		THERMOSTAT PLATE LTF
33	34020-61600		WARM AIR DISTRIBUTOR ASSEMBLY
35 36	34020-53100 34020-24000		CLIP (3)
37	34020-01600		CLIP (3) OUTER CASING
38	34020-61700		ELECTRONIC HOUSING
39	34020-61800		ELECTRONIC HOUSING LID
40	34020-06500		COMBI CONNECTION COVER
41	34020-62000	S40743	COMBI 4 / 4E PCB (ELECTRONICS)
41	34020-64600		COMBI 4 / 4E PCB (ELECTRONICS) - EXCHANGE PRICE ONLY - RETURN THE OLD PCB
41	34020-61900	S40127	COMBI 6 / 6E PCB (ELECTRONICS)
41	34020-64700		COMBI 6 / 6E PCB (ELECTRONICS) - EXCHANGE PRICE ONLY - RETURN THE OLD PCB
42	34010-05900	S40927	FUSE 10 AT
43	34020-63800		POWER ELECTRONICS (4E / 6E)
44	34020-62300		CABLE 230V 1.6M
45	34020-09300		CABLE E-PCB
46	34020-62500		CABLE HARNESS COMBI 4 / 4E INC 46a
46	34020-62400		CABLE HARNESS COMBI 6 / 6E INC 46a
46a	34020-57000		EARTH CABLE - FLINT IGNITOR
47	34020-62800		HOLDER THERMOSTAT PLATE DEVICE
48	34020-14900		INSULATING PLATE FOR THERMOSTAT PLATE
49 49	34020-63500		THERMOSTAT PLATE DEVICE FOR COMBI 4 / 4E
50	34020-63300 34020-62900		THERMOSTAT PLATE DEVICE FOR COMBI 6 / 6E SOLENOID COILS
51	34020-62900		SOLENOID VALVE INC. 52
52	34020-52900		SEALING BRACKET, COATED
53	70000-54600		SET COIL HOLDERS
54	34020-08200		230V SWITCH WTS WITH SOCKET
	34020-11000		LEVELLING PLATE
55	34020-63100		WATER TEMPERATURE SWITCH CABLE
55 56			HEAT CONDUCTING PLATE
	34020-03500		HEAT CONDUCTING PLATE
56	34020-03500 34020-63200		WATER TEMP SENSOR CABLE HARNESS
56 57			
56 57 58	34020-63200		WATER TEMP SENSOR CABLE HARNESS






1 34011-09 WALL COWL WKC BLACK 1 34011-07 WALL COWL WKC GREY 1 34011-07 WALL COWL WKC GREY PAIL 7037 1 34011-05 WALL COWL WKC GREY PAIL 7037 1 34011-05 WALL COWL WKC GREY PAIL 7037 1 34011-01 WALL COWL WKC GREY PAIL 7037 1 34011-01 WALL COWL WKC GREY PAIL 7037 2 34000-14000 COWL OUTER PART BLACK 2 34000-15000 COWL OUTER PART BLACK 2 34000-13000 COWL OUTER PART GREY 3 34000-33000 S40176 COWL OUTER PART BLACK 2 34000-33000 COWL OUTER PART GREY RAL 7037 2 34000-33000 COWL OUTER PART GREY RAL 7037 2 34000-33000 SCREW B 3.5 X 25 3 34000-33000 COWL OUTER PART GREY RAL 7032 3 1000-72800 SCREW B 3.5 X 25 3 34000-05700 COWL INNER WITH O'RING 5 34000-05700 COWL WITH PAIR WITH O'RING 5 34000-05700 SEAL COWL 5 34000-05700 SEAL COWL 6 SET-ENSION CLP 8 39320-00 EXHAUST DUCK A3, 55MM DIAM 9 39580-00 EXHAUST DUCK A3, 55MM DIAM 10 38010-61800 STREED BLACK 10 34000-61800 STREED BLACK 10 34000-61800 STREED BLACK 10 34000-61800 LARY EZY	REF	TRUMA	GROVE	DESCRIPTION
1 34011-08				
1 34011-07 34011-05 34011-05 34011-01 WALL COWL WKC GREY RAL 7037 WALL COWL WKC GREAM WALL COWL WKC CAREAM WALL COWL COWL COUNTER PART GREY RAL 7037 COWL OUTER PART GREY RAL 7037 COWL OUTER PART GREY RAL 7037 COWL OUTER PART GREY RAL 7012 COWL GREY RAL 7012 COW				
1 34011-01		34011-07		
11 34011-10 WALL COWL WKC ANTHRACITE 12 34000-14000 COWL OUTER PART BLACK 22 34000-16000 COWL OUTER PART BLACK 23 34000-16000 SA0176 COWL OUTER PART BLACK 24 34000-16000 SA0176 COWL OUTER PART BLACK 25 34000-16000 SA0176 COWL OUTER PART GREY PAIL 7037 26 34000-33600 COWL OUTER PART GREY PAIL 7037 27 34000-33600 COWL OUTER PART GREY PAIL 7037 28 34000-50300 COWL OUTER PART GREY PAIL 7032 29 34000-50300 COWL OUTER PART GREY PAIL 7032 30 10010-72900 SCREW B 3.5 x 25 30 34010-05700 COWL OUTER PART ANTHRACITE 30 34010-05700 COWL OUTER PART ANTHRACITE 30 34000-05700 COWL OUTER PART ANTHRACITE 30 39010-05700 COWL OUTER PART ANTHRACITE 30 39010-05700 COWL OUTER PART ANTHRACITE 30 39010-05700 SETENSION CLIP 30 34000-04800 BS9590 CUP ZRS 30 34000-04800 COWL PAIL STAN AND AND AND AND AND AND AND AND AND A	1	34011-05	834015	WALL COWL WKC BIANCO
1 3401-11 2 34000-15000 2 34000-15000 2 34000-15000 2 34000-15000 3 34000-15000 3 34000-15000 3 34000-15000 2 34000-15000 3 34000-15000 3 34000-15000 3 34000-15000 3 34000-15000 2 34000-3500 3 34000-15000 2 34000-35000 3 0 COWL OUTER PART GREY PAL 7012 3 34000-50300 2 34000-50300 3 COWL OUTER PART GREAM 2 34000-15000 3 10010-72900 3 COWL OUTER PART GREAM 3 34000-35000 5 COWL OUTER PART GREAM 3 34000-35000 5 COWL OUTER PART ANTHRACITE 5 34010-05700 0 -RING 40 X 2.5 6 34000-05700 7 39010-01500 8 55-TENSION CLIP 8 39320-00 8 EVHALIST DUCT 7 A 3, 55MM DIAM 10 39010-61800 11 39900-0 12 34020-14200 13 34043-01 13 39010-87300 1 -LAMP 12V 13 39010-87300 1 -LAMP 12V 14 39010-87300 1 -LAMP 12V 15 39010-87300 1 -LAMP 12V 15 39010-57000 1 -CLIP 16 39030-04400 17 34000-05200 1 -LARGE COVER FRAME AGATE GREY 18 34020-1800 19 34301-03 20 34000-056000 8 800600 1 34000-056000 8 800600 1 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 34000-056000 8 800600 2 4 34020-18000 8 800600 2 541071 2 CABLE 3M 2 CONTROL PANEL COMMECTING CABLE 2 34020-12000 8 34020-12000 8 34000-05700 9 34000-05900 8 34000-05	1	34011-01		WALL COWL WKC CREAM
2 34000-14000 COWL OUTER PART LIGATY GREY 2 34000-10000 S40176 COWL OUTER PART LIGATY GREY 2 34000-10000 S40176 COWL OUTER PART GREY RAL 7037 2 34000-33800 COWL OUTER PART GREY RAL 7012 2 34000-50300 COWL OUTER PART GREY RAL 7012 2 34000-50300 COWL OUTER PART GREY RAL 7012 3 10010-72800 SCREW B 3.5 X 25 5 34010-12000 COWL OUTER PART GREY RAL 7012 2 34000-33500 COWL OUTER PART GREY RAL 7012 3 10010-72800 SCREW B 3.5 X 25 6 34000-35000 COWL INNER WITH O-RING 5 34000-105700 SEAL COWL 7 38010-01500 SE-TENSION CLIP 8 39320-00 EXHAUST DUCT AA 3, 55MM DIAM 9 39580-00 AIR FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 HOSS COMPANDED TO THE SWITCH ZUB 11 39590-00 B39590 CLIP ZRS 12 34020-14200 SEAL COWL 13 34043-01 TIME SWITCH ZUB 14 39010-87300 LAMP IZV 15 39010-57300 LAMP IZV 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LAGE COVER FRAME AGATE GREY 18 34020-19800 S40242 CONTROL PANEL COMBI 19 34301-03 SCREW SALE SMIT SWITCH COMBI 20 34000-06800 S40024 21 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 23 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 24 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 25 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 26 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 27 34301-01 EXTENSION CABLE 3M FOR CONTROL PANEL 28 34020-1200 S41071 POWER SELECTOR SWITCH COMBI E 29 34000-69700 S41071 ELBOW FITTING 2 LIGUEST TEAM SIDE SIDE SIDE SWITCH SIDE SIDE SIDE SIDE SIDE SIDE SIDE SIDE	1	34011-10		WALL COWL WKC ANTHRACITE
2 34000-15000 COWL OUTER PART GREY RAL 7037 2 34000-1000 S40176 COWL OUTER PART GREY RAL 7037 2 34000-33600 COWL OUTER PART GREY RAL 7037 2 34000-33600 COWL OUTER PART GREY RAL 7032 2 34000-50300 COWL OUTER PART GREY RAL 7032 3 10010-72900 SCREW B 35 X 25 3 4000-33500 COWL OUTER PART GREY RAL 7012 3 10010-72900 SCREW B 35 X 25 5 34010-05700 ORING 40 X 25 5 34010-05700 ORING 40 X 25 5 34010-05700 ORING 40 X 25 6 34000-05700 ORING 40 X 25 8 39320-00 EXHAUST DUCT AR 3, 55MM DIAM ART SEDUCT ZR 80, 80MM DIAM HOS 3990-00 ART REED DUCT ZR 80, 80MM DIAM HOS 39010-61800 HOSE CLIP 70-90 11 3990-00 B39590 CLIP ZS 12 34020-14200 EXHAUST DUCT CLIP STAND		-		
2 34000-06000 S40176 COWL OUTER PART GREY RAL 7037				
2 34000-1000 S40176 COWL OUTER PART ISIANCO 2 34000-33800 COWL OUTER PART CREAM 2 34000-33800 COWL OUTER PART CREY RAL 7012 3 10010-72900 SCREW B 3.5 x 25 4 34000-33500 COWL OUTER PART ANTHRACITE 5 34000-03500 COWL OUTER PART ANTHRACITE 6 34000-03500 COWL INNER WITH 0-RING 5 34000-03500 O-RING 40 x 2.5 5 34000-05700 O-RING 40 x 2.5 5 34000-05700 O-RING 40 x 2.5 6 34000-05700 SEAL COWL 7 39010-01500 SEAL COWL 8 39320-00 SEAL COWL 9 39380-00 RIPHALST DUCT AR 3, SSMM DIAM 10 39010-61800 PART FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 PART FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 PART FEED DUCT ZR 80, 80MM DIAM 10 39010-67300 EXHAUST DUCT CLIP 13 34043-01 TIME SWITCH ZUCB 14 39010-57000 U-CLIP 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 18 34020-19900 CABLE 3M, ZUCB 19 34301-03 20 34000-60500 B60600 COVER FRAME AGATE GREY 21 34020-19900 S41072 CABLE 3M, ZUCB 22 34020-11200 S41071 POWER SELECTOR SWITCH COMBIE 23 34020-1200 S41072 CABLE 3M 24 34020-21400 S41073 CONTROL PANEL COMBIE 25 34020-21400 S41073 CONTROL PANEL COMBIE 26 34301-02 EXTENSION CABLE 6M FOR CONTROL PANEL 27 34301-01 EXTENSION CABLE 6M FOR CONTROL PANEL 28 34020-21500 COURTING FRAME AGATE GREY 29 34000-69700 S41073 CONTROL PANEL CONSICTING CABLE 29 34000-09700 S41073 CONTROL PANEL CONSICTING CABLE 20 34000-09700 S41073 CONTROL PANEL CONSICTING CABLE 20 34000-09700 PART FAMEL CONSICTING CABLE 20 34000-09700 PART FAMEL CONSICTING PANEL 28 34020-21500 COURTING PANEL CONSICTING CABLE 39 34000-09700 PART FAMEL CONSICTING PANEL 30 34000-09700 PART FAMEL CONSICTING PANEL 30 34000-09700 PART FAMEL CONSICTING PANEL 30 34000-09700 PART FAMEL PART FAMEL PANEL 30 34000-09700 PART FAMEL PANEL PANEL 30 34000-09700 P				
2 34000-33600 833600 COWL OUTER PART CREAM 2 34010-12000 COWL OUTER PART CREY RAI. 7012 3 4000-53000 COWL OUTER PART ANTHRACITE 3 10010-72900 SCREW B 3.5 X 25 4 34000-33500 COWL INNER WITH 0-RING 5 34010-05700 -RING 40 X 2.5 6 34000-10700 SEAL COWL 7 39010-01500 SETENSION CLIP 8 39320-00 ESTENSION CLIP 8 39320-00 AIR FEED DUCT ZR 80, 80MM DIAM 9 39580-00 AIR FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 HOSS CLIP 70-90 11 39590-00 CLIP ZRS 2 34020-14200 ESTENSION CLIP 13 34043-01 TIME SWITCH ZUCB 14 39010-87300 LAMP 12V 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING RAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 2 A4020-19800 CABLE 3M, ZUCB 20 34000-06500 B60600 CRY RAME AGATE GREY 2 34020-19800 S41071 POWER SELECTOR SWITCH COMBIE 2 34020-14200 S41071 POWER SELECTOR SWITCH COMBIE 2 34020-14200 S41071 POWER SELECTOR SWITCH COMBIE 2 34020-1400 S41072 CABLE 3M 2 34020-1400 S41073 CONTROL PANEL COMBIE 2 34020-1400 S41073 CONTROL PANEL COMBIE 2 34020-1400 S41073 CONTROL PANEL COMBIE COVER PANE AGATE GREY 3 34020-1400 S41073 CONTROL PANEL COMBIE COVER PANE AGATE GREY 3 34000-1400 S41073 CONTROL PANEL COMBIE COVER PANE AGATE GREY 3 34000-14000 S41073 CONTROL PANEL COMBIE SATENSION CABLE 3M FOR CONTROL PANEL 2 34020-1400 S41073 CONTROL PANEL CONTROL PANEL 2 34020-1400 S41073 CONTROL PANEL CONTROL PANEL 3 34020-1400 S41073 CONTROL PANEL CONTROL PANEL 4 34020-1500 S41073 CONTROL PANEL CONTROL PANEL 5 34020-1500 COUPLING 5 CONTROL PANEL CONTROL PANEL 5 34020-1500 COUPLING 6 CONTROL PANEL CONTROL PANEL 6 34300-01 COUPLING 7 CONTROL PANEL CONTROL PANEL 7 CONT		-	C 40176	-
2 3400-12000 COWL OUTER PART ART ANTHRACITE 2 34000-50300 COWL OUTER PART ANTHRACITE 3 10010-72900 SCREW B 3.5 X 25 4 34000-05300 COWL INNER WITH O-RING 5 34000-05700 SEAL COWL 7 39010-01500 SEAL COWL 8 39320-00 SEAL COWL 9 39580-00 SEAL COWL 9 39580-00 SEAL COWL 9 39580-00 AIR FEED DUCT ZR 80, BOMM DIAM 10 39010-61800 HOSE CLIP 70-90 11 39590-00 SAPPENDEN CLIP RESEARCH STATE ART ANTHRACITE 13 34020-14200 EXHAUST DUCT AA 3, SSMM DIAM 14 39010-87300 LAMP IEV 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LAMP IEV 17 34000-65200 LARGE COVER PRAME AGATE GREY 18 34020-19900 CABLE 3M, ZUCB 19 343010-3 20 34000-60800 SAPO242 CONTROL PANEL COMBI 22 34020-14200 SAIO71 COVER SELECTOR SWITCH COMBI 23 34020-14200 SAIO72 CABLE 3M 24 34020-21400 SAIO72 CABLE 3M 25 34020-14200 SAIO73 CONTROL PANEL COMBI 26 34000-69700 SAIO73 CONTROL PANEL COMBI 27 343010-01 SAIO73 CONTROL PANEL COMBI 28 34020-21500 SAIO73 CONTROL PANEL CONNECTING CABLE 29 34000-69700 SAIO73 CONTROL PANEL CONNECTING CABLE 29 34000-69700 SAIO73 CONTROL PANEL CONNECTING CABLE 29 34000-7700 SAIO73 CONTROL PANEL CONNECTING CABLE 29 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 29 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 20 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 21 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 22 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 23 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 24 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 25 34000-7700 SAIO75 CONTROL PANEL CONNECTING CABLE 26 34300-01 SAIO75 CONTROL PANEL CONNECTING CABLE 27 3430-01 SAIO75 CONTROL PANEL CONNECTING CABLE 28 34000-01				
2 34000-50300 COWL OUTER PART ANTHRACTE			033000	
3		-		
5 34010-05700 O-RING 40 X 2.5 6 34000-10700 SEAL COWL 7 39010-01500 SETENSION CLIP 8 39320-00 EXHAUST DUCT AA 3, 55MM DIAM 9 39580-00 AIR FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 HOSE CLIP 70-90 11 39580-00 839590 CLIP ZRS 12 34020-14200 EXHAUST DUCT CLIP 13 34043-01 TIME SWITCH ZUCB 14 39010-57000 U-CLIP 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 20 34000-6080 860600 COVER FRAME AGATE GREY 21 34020-1200 S41071 POWER SELECTOR SWITCH COMBIE 22 34020-1200 S41071 POWER SELECTOR SWITCH COMBIE 23 34020-14600 S41073 CONTROL PANEL COMBIE 24 34020-1400 S41073 CONTROL PANEL COMBIE 25 3420	3	10010-72900		
6 34000-00700 SEAL COWL 7 39010-01500 SETENSION CLIP 8 39220-00 EXHAUST DUCT AA 3, 55MM DIAM 9 39580-00 AIR FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 HOSE CLIP 70-90 11 39590-00 839590 EXHAUST DUCT CLIP 13 34043-01 TIME SWITCH ZUCB 14 39010-87300 LAMP IZV 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 18 34020-19800 EXTENSION CABLE 6M, ZUCB 20 34000-60600 860600 COVER FRAME AGATE GREY 21 34020-78600 S40242 CONTROL PANEL COMBI 22 34020-11200 S41071 POWER SELECTOR SWITCH COMBI E 23 34020-14600 S41072 CABLE 3M 24 34020-21700 S41073 CONTROL PANEL CO	4	34000-33500		COWL INNER WITH O-RING
7 39010-01500 SE-TENSION CLIP 8 39320-00 EXHAUST DUCT AA 3, 55MM DIAM 10 39010-61800 AIR FEED DUCT ZR 80, 80MM DIAM 10 39010-61800 AIR FEED DUCT ZR 80, 80MM DIAM 11 39590-00 AIR FEED DUCT ZR 80, 80MM DIAM 12 3402-014200 HOSE CLIP 70-90 13 34043-01 TIME SWITCH ZUCB 14 39010-87300 LAMP IZV 15 39010-57000 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 18 34020-1800 EXTENSION CABLE 6M, ZUCB 19 34301-03 EXTENSION CABLE 6M, ZUCB 19 34301-03 EXTENSION CABLE 6M, ZUCB 20 34000-60600 S400242 CONTROL PANEL COMBI 21 34020-72600 S41071 POWER SELECTOR SWITCH COMBI 22 34020-11200 S41071 POWER SELECTOR SWITCH COMBI 23 34020-21400 S41073 CONTROL PANEL CABLE, 6M 25 34301-02 EXTENSION CABLE 3M POR CONTROL PANEL 26 34301-02 EXTENSION CABLE 3M POR CONTROL PANEL 28 34020-21500 S41073 CONTROL PANEL CONTROL PANEL 29 34000-69700 S34205 CABLE 50M POR CONTROL PANEL 29 34000-7700 S34151 ELBOW FITTING 2 FLEX IOMM < 19009000 30 34000-7700 S70151 ELBOW FITTING 2 FLEX IOMM < 19009000 31 34020-63900 B34151 ELBOW FITTING 15 FLEX IOMM SED 9009001 38 34020-63900 ELBOW FITTING 15 FLEX IOMM SED 9009001 39 34020-64000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 30 34020-63900 ELBOW FITTING 15 FLEX IOMM SED 9009001 31 34020-60000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 39 34020-60000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 30 34020-60000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 31 34020-60000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 32 34020-60000 AIR SED 9009001 ELBOW FITTING 15 FLEX IOMM SED 9009001 39 34020-60000 AIR SED 900900 ELBOW FITTING 15 FLEX IOMM SED 9009001 30 34020-60000 AIR SED 900900 ELBOW FITTING 15 FLEX IOMM SED 9009001	5	34010-05700		O-RING 40 X 2.5
8 39320-00 EXHAUST DUCT AA 3, 55MM DIAM 9 39580-00 AIR FEED DUCT ZR 80, 80MM DIAM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM DIAM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM DIAM AIR FEED DUCT ZR 80, 80MM DIAM AIR FEED DUCT ZR 80, 80MM DUCT ZR 80MM DIAM AIR FEED DUCT ZR 80MM DIAM AIR FEED DUCT ZR 80MM DUCT ZR 80MM DIAM AIR FEED DUCT ZR 80MM DI	6	34000-10700		SEAL COWL
9 39580-00		-		
10 39010-61800 HOSE CLIP 70-90 11 39590-00 839590 CLIP ZRS 12 34020-14200 ETHABUST DUCT CLIP 13 34043-01 TIME SWITCH ZUCB 14 39010-87300 LAMP I2V 15 39010-57300 U-CLIP 16 39030-04400 MOUNTING FRAME ZU 17 34000-65200 LARGE COVER FRAME AGATE GREY 18 34020-19800 CABLE 3M, ZUCB 19 34301-03 EXTENSION CABLE 6M, ZUCB 20 34000-69600 860600 COVER FRAME AGATE GREY 21 34020-72600 S41071 POWER SELECTOR SWITCH COMBI 22 34020-11200 S41071 POWER SELECTOR SWITCH COMBI 23 34020-14600 S41072 CABLE 3M 24 34020-21400 CONTROL PANEL CONNECTING CABLE 25 34301-02 EXTENSION CABLE 6M FOR CONTROL PANEL 26 34301-02 EXTENSION CABLE 6M FOR CONTROL PANEL 27 34301-01 EXTENSION CABLE 6M FOR CONTROL PANEL 28 34020-21500 COUPLING 29 34000-69700 ROOM TEMPERATURE SENSOR 30 34000-17700 ROOM TEMPERATURE SENSOR 31 34000-17700 ROOM TEMPERATURE SENSOR 32 34150-01 B34151 ELBOW FITTING 2 PLEX TOMM < 19009000 33 34150-01 B70151 ELBOW FITTING 2 PLEX TOMM < 19009000 34 70150-01 B70151 ELBOW FITTING 2 PLEX TOMM RED > 19009000 35 70151-03 B70153 ELBOW FITTING TB FLEX TOMM RED > 19009001 36 34020-63000 863900 ELBOW FITTING TB FLEX TOMM RED > 19009001 39 34020-64000 ELBOW FITTING TB FLEX TOMM RED > 19009001 39 34020-63000 S40952 FROST CONTROL 2.8BAR PLEX TOMM 34020-80200 SA0952 FROST CONTROL 2.8BAR PLEX TOMM 34020-80200 SA0954 SA0				·
11 39590-00 839590 CLIP ZRS				·
12 34020-14200		-	020500	
13 34043-01			839590	
14 39010-87300				
15 39010-57000		-		
16 39030-04400 MOUNTING FRAME ZU				
17 34000-65200				
19 34301-03 EXTENSION CABLE 6M, ZUCB				LARGE COVER FRAME AGATE GREY
20 34000-60600 860600 COVER FRAME AGATE GREY	18	34020-19800		CABLE 3M, ZUCB
21 34020-72600 S40242 CONTROL PANEL COMBI	19	34301-03		EXTENSION CABLE 6M, ZUCB
22 34020-11200 S41071 POWER SELECTOR SWITCH COMBI E	20	34000-60600	860600	COVER FRAME AGATE GREY
23 34020-14600 S41072 CABLE 3M	21	34020-72600	S40242	CONTROL PANEL COMBI
24 34020-21400 CONTROL PANEL CABLE, 6M 25 34020-21700 S41073 CONTROL PANEL CONNECTING CABLE 26 34301-02 EXTENSION CABLE 3M FOR CONTROL PANEL 27 34301-01 EXTENSION CABLE 3M FOR CONTROL PANEL 28 34020-21500 COUPLING 29 34000-69700 ROOM TEMPERATURE SENSOR 30 34000-77900 834205 CABLE FOR ROOM SENSOR 4M 31 34000-17700 CONDENSATION TUBE 8 X 1.5 32 34150-01 834151 ELBOW FITTING 2 FLEX 10MM < 19009000 33 3415-03 ELBOW FITTING 2 J.GUEST 12MM < 19009000 34 70150-01 870151 ELBOW FITTING 2 J.GUEST 12MM < 19009000 35 70151-03 870153 ELBOW FITTING J.GUEST 12MM BLUE < 19009000 36 34020-63900 863900 ELBOW FITTING J.GUEST 12MM RED > 19009001 37 34020-64000 ELBOW FITTING J.GUEST 12MM RED > 19009001 38 34020-16900 ELBOW FITTING J.GUEST 12MM RED > 19009001 39 34020-16200 ELBOW FITTING TB FLEX 10MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 10MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 S40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 42a 70140-02 814102 DRAIN VALVE J.GUEST 12MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 4000-08100 S40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 S40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 S40636 ELBOW BGC 47 34000-08100 S40894 ROOF COWL DKC 2 NO DUCTS 50 34000-36800 COWL DKC 2 NO DUCTS 51 34000-34700 SCREW B 2.9 X 13 50 34000-36800 COWL EXTENSION KVC 53 34000-36900 SCREW B 5.5 X 25 56 10010-66200 SCREW B 5.5 X 25		-		
25 34020-21700 \$41073 CONTROL PANEL CONNECTING CABLE			S41072	
EXTENSION CABLE 3M FOR CONTROL PANEL			0.44000	·
EXTENSION CABLE 6M FOR CONTROL PANEL			5410/3	
28 34020-21500 COUPLING				
ROOM TEMPERATURE SENSOR				
30 34000-71900 834205 CABLE FOR ROOM SENSOR 4M 31 34000-17700 CONDENSATION TUBE 8 X 1.5 32 34150-01 834151 ELBOW FITTING 2 PLEX 10MM < 19009000 33 34151-03 BELBOW FITTING 2 PLEX 10MM < 19009000 34 70150-01 870151 ELBOW FITTING 18 FLEX 10MM < 19009000 35 70151-03 870153 ELBOW FITTING 18 FLEX 10MM RED > 19009000 36 34020-63900 863900 ELBOW FITTING 18 FLEX 10MM RED > 19009001 37 34020-64000 ELBOW FITTING 18 FLEX 10MM BLUE > 19009001 38 34020-16900 ELBOW FITTING 19 FLEX 10MM BLUE > 19009001 39 34020-16200 ELBOW FITTING 19 FLEX 10MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 S40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE JUBEST 12MM 43 70070-01 S40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 S40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 S40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SCAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
31 34000-17700 834151 ELBOW FITTING 2 FLEX 10MM < 19009000 32 34151-03 ELBOW FITTING 2 J.GUEST 12MM < 19009000 34 70150-01 870151 ELBOW FITTING TB FLEX 10MM < 19009000 35 70151-03 870153 ELBOW FITTING J.GUEST 12MM BI.UE < 19009000 36 34020-63900 863900 ELBOW FITTING J.GUEST 12MM BI.UE < 19009001 37 34020-64000 ELBOW FITTING J.GUEST 12MM BI.UE < 19009001 38 34020-16900 ELBOW FITTING J.GUEST 12MM BI.UE > 19009001 39 34020-16200 ELBOW FITTING J.GUEST 12MM BI.UE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 FROST CONTROL 2.8BAR FLEX 10MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE FLEX 10MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SCAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEAL ING RING FLOW LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25			834205	
32 34150-01 834151 ELBOW FITTING 2 FLEX 10MM < 19009000 33 34151-03 ELBOW FITTING 2 J.GUEST 12MM < 19009000 34 70150-01 870151 ELBOW FITTING TB FLEX 10MM < 19009000 35 70151-03 870153 ELBOW FITTING J.GUEST 12MM BLUE < 19009000 36 34020-63900 863900 ELBOW FITTING TB FLEX 10MM RED > 19009001 37 34020-64000 ELBOW FITTING TB FLEX 10MM BLUE > 19009001 38 34020-16900 ELBOW FITTING J.GUEST 12MM RED > 19009001 39 34020-16200 ELBOW FITTING J.GUEST 12MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80200 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE FLEX 10MM 43 70070-01 \$40898 FROST CONTROL BEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-334700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25			00.200	
34		34150-01	834151	
35	33	34151-03		ELBOW FITTING 2 J.GUEST 12MM < 19009000
36 34020-63900 863900 ELBOW FITTING TB FLEX 10MM RED > 19009001	34	70150-01	870151	ELBOW FITTING TB FLEX 10MM < 19009000
37 34020-64000 ELBOW FITTING J.GUEST 12MM RED > 19009001 38 34020-16900 ELBOW FITTING TB FLEX 10MM BLUE > 19009001 39 34020-16200 ELBOW FITTING J.GUEST 12MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-98100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-33900 SCREWING RING 52 3407		70151-03	870153	ELBOW FITTING J.GUEST 12MM BLUE < 19009000
38 34020-16900 ELBOW FITTING TB FLEX 10MM BLUE > 19009001 39 34020-16200 ELBOW FITTING J.GUEST 12MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 42a 70141-02 \$14102 42b 70142-05 \$70145 43 70070-01 \$40898 43 70070-01 \$40898 44 34091-01 \$40636 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 47 34000-08100 \$54L COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 \$CREW B 2.9 X 13 50 34000-34700 \$CREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 \$SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 1			863900	
39 34020-16200 ELBOW FITTING J.GUEST 12MM BLUE > 19009001 40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-98100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 <td></td> <td></td> <td></td> <td></td>				
40 70000-20200 DRAIN TUBE 110MM 41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE JGUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-98100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25		-		
41a 34020-80200 FROST CONTROL 2.8BAR FLEX 10MM 41b 34020-80300 \$40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
41b 34020-80300 \$40952 FROST CONTROL 2.8BAR J. GUEST 12MM 42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE JGUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-38800 COWL PART 51 34070-01 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
42a 70141-02 814102 DRAIN VALVE FLEX 10MM 42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 \$40894 ROOF COWL DKC 2 NO DUCTS 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-19700 ROOF COWL ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 SCREW B 2.9 X 13 50 34000-36800 COWL PART SCREWING RING 52 34070-01 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25			SANDES	
42b 70142-05 870145 DRAIN VALVE J.GUEST 12MM 43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-38600 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
43 70070-01 \$40898 FROST CONTROL HEATING ELEMENT & 1.5M CABLE 44 34091-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-38600 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
44 3409I-01 \$40636 ELBOW BGC 45 34320-01 BLANK COVER VD-COMBI 46 3405I-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-38600 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
45 34320-01 BLANK COVER VD-COMBI 46 34051-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
46 3405I-01 \$40894 ROOF COWL DKC 2 NO DUCTS 47 34000-08100 SEAL COWL CREAM 48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
48 34000-19700 ROOF COWL 49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25		34051-01	S40894	ROOF COWL DKC 2 NO DUCTS
49 10010-75500 SCREW B 2.9 X 13 50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25		34000-08100		SEAL COWL CREAM
50 34000-36800 COWL PART 51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
51 34000-34700 SCREWING RING 52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
52 34070-01 COWL EXTENSION KVC 53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
53 34000-13900 SEALING RING 54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
54 34080-01 COWL LEADTHROUGH 55 10030-26700 O-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
55 10030-26700 0-RING 66 X 2 56 10010-66200 SCREW B 5.5 X 25				
56 10010-66200 SCREW B 5.5 X 25				
THE PROOF OF THE P	57	10010-72500		SCREW B 3.5 X 16



870145

814102



REF	TRUMA	GROVE	DESCRIPTION
l	46010-02	846012	FILTER HOUSING COMPLETE IVORY INC FILTER
1	46010-01	846011	FILTER HOUSING COMPLETE WHITE INC FILTER
2	40060-96100	846961	FILTER HOUSING COVER WHITE
2	40060-96200	846962	FILTER HOUSING COVER IVORY
3	40060-96300		DATE RING
4	40060-96400	846964	FILTER COVER WITH SEAL
5	40060-96500		SEAL FOR FILTER COVER
6	46020-01	846020	FILTER CARTRIDGE
7	40060-96600	846966	BLANKING PLUG WITH O-RING
8a	40060-91400		O-RING 25 X 2.3
8b	40060-72900	846729	O-RING 25 X 2
9	10010-79700		SCREW B 3.5 X 19
10	40060-96700	846967	CONNECTOR BRIDGE
11	46080-01	846080	SHOWER HOSE ASSEMBLY INC NO. 10
12	40060-96800	896800	SHOWER HEAD
13	40060-96900		SHOWER HOSE WITH SEALING RING
14	40060-85700		SEALING RING 1/2 "
15	40060-97700	846977	HOUSING PISTOL COMPLETE
16	40060-97100		PISTOL TRIGGER
17	40060-97200		HOSE HOLDER
18	46030-02	846032	COMPACT HOUSING COMPLETE WHITE
18	46030-01	846031	COMPACT HOUSING COMPLETE IVORY
19	40060-97400	846973	COMPACT HOUSING COVER WHITE
19	40060-97300	846974	COMPACT HOUSING COVER IVORY
20	46070-02	846072	COMPACT SHOWER ASSEMBLY IVORY
20	46070-01	846071	COMPACT SHOWER ASSEMBLY WHITE
21	40060-99600		SHOWER HOUSING COMPLETE WHITE
21	40060-99700		SHOWER HOUSING COMPLETE IVORY
22	40060-97600	846976	SHOWER HOUSING COVER IVORY
22	40060-97500	0.0070	SHOWER HOUSING COVER WHITE
23	46040-10	846042	PUMP ASSEMBLY COMPLETE 100CM
23	46040-01	846041	PUMP ASSEMBLY COMPLETE 80CM
25	40060-98000		PROTECTION HOOD
26	40060-98200		PUMP WITH HOSE ASSEMBLY 100CM
26	40060-98100		PUMP WITH HOSE ASSEMBLY 80CM
27	46050-01	846050	SURGE DAMPER COMPLETE
28	40060-98300	2.2000	HOUSING
29	40060-98400		ELECTRONICS COMPLETE WITH COVER
30	34000-76800	876800	FUSE 6.3 AT
31	40060-98600	2.2200	FUSE HOLDER
32	40060-87500		O-RING 4.5 X 1.8
33	30050-13000		SCREW KB 30 X 8
34	40060-99900	846999	ADAPTER J.GUEST 12MM / FLEX 10MM
35	46090-01	846090	WATERLINE COMPLETE
36	40060-98700	0000	WATERLINE PRESSURE REDUCING VALVE
37	40060-98800		CLIP
38	40060-88000	846880	NON RETURN VALVE UF J.GUEST 12MM
39	40060-90000	846900	NON RETURN VALVE UF FLEX 10MM
40	40060-69000	846979	ADAPTER PLATE CRYSTAL/ULTRAFLOW







Carver Cascade Spares

