SAFETY DATA SHEET

according to 1907/2006/EC, Article 31

MOTORHOME CLEANER

Page 1 of 5

Revision 5 Revision date 2015-12-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Motorhome Cleaner
Product code	

1.3. Details of the supplier of the safety data sheet

Company	Fenwick's Limited
Address	Unit C1 Wem Industrial Estate
	Soulton Road
	Wem
	Shropshire
	England
Web	www.fenwicks.info
Telephone	+44 (0)1939 234622
Email	info@fenwicks.info

1.4. Emergency Telephone Number

Emergency Tel Number	07766 706294
----------------------	--------------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification – EC 1272/2008	Eye Irrit. 2: H319; Aquatic Chronic 3: H412

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit 2: H319 - Causes serious eye irritation
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Procautionary Statement	P102 – Keep out of reach of children
Precautionary Statement Prevention	P264 – Wash thoroughly after handling
	P273 - Avoid release to the environment.
	P280 – Wear protective gloves/protective clothing/eye protection/face protection
Precautionary Statement	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.
Response	P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
	P330 - Rinse mouth.
	P337+P313 – If eye irritation persists: Get medical advice/attention

Revision 5 Revision date 2015-12-10

	P501 - Dispose of contents/container to
Precautionary Statement: Disposal	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EINECS No.	REACH	Conc.	Classification
				Registration Number	(%w/w)	
Quaternary ammonium compound		68989-03-7			0.5 – 1%	Xi;R38-41 N; R51/53
(2-Methoxyethoxy)propanol		34590-94-8			1 – 10%	
((2-methoxymethylethoxy) propanol)						
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		1 – 10%	Xn; R20/21/22 Xi; R36/38

EC 1272/2008

Chemical Name	Index No.	CAS No.	EINECS No.	REACH	Conc.	Classification
				Registration Number	(%w/w)	
LAURETH 7					1 – 10%	Acute Tox 4: H302; Aquatic Chronic 3:H412
(2-Methoxyethoxy)propanol		34590-94-8			1 – 10%	
((2-methoxymethylethoxy) propanol)						
Ethylene glycol monobutyl ether (2-Butoxyethanol)	603-014-00-0	111-76-2	203-905-0		1 – 10%	Acute Tox 4: H332; Acute Tox 4: H312 Acute Tox 4: H302; Eye Irrit 2: H319; Skin Irrit 2:H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	May cause irritation to mucous membranes. Move the exposed person to fresh air.	
Eye Contact	May cause irritation to eyes. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.	
Skin Contact	May cause irritation to skin. Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.	
Ingestion	May cause irritation to mucous membranes. DO NOT INDUCE VOMITING. Seek medical attention if irritation or symptoms persist.	

Revision 5
Revision date 2015-12-10

	Revision date 2015-12-1			
SECTION 5: Firefighting me	asures			
5.1. Extinguishing media				
	Use extinguishing media appropriate to the surrounding fire conditions			
5.2. Special hazards arising from the substance or mixture				
	Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when necessary.			
SECTION 6: Accidental rele	ase measures			
6.1. Personal precautions, prot	ective equipment and emergency procedures			
	Ensure adequate ventilation of the working area.			
6.2. Environmental precautions				
	Do not allow product to enter drains. Prevent further spillage if safe.			
6.3. Methods and material for c	ontainment and cleaning up			
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled container for disposal. Clean spillage area thoroughly with plenty of water.			
SECTION 7: Handling and S	torage			
7.1. Precautions for safe handl	ing			
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adoptest Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage	e, including any incompatibilities			
	Keep in a cool, dry, well-ventilated area. Keep containers tightly closed. Store in correct labelled containers.			
SECTION 9: Exposure contr	and the control of th			

SECTION 8: Exposure controls/personal protection

- 8.1. Control Parameters
- 8.1.1 Exposure Limit Values

(2-Methoxyethoxy)propanol	WEL 8-hr limit ppm: 50 WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: 308 WEL 15 min limit mg/m3: -		
Ethylene glycol monobutyl ether (2-Butoxyethanol)	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total: -	WEL 8-hr limit mg/m3: 123 WEL 15 min limit mg/m3: 101.2		

Revision 5 Revision date 2015-12-10

8.2. Exposure controls

8.2.1. Appropriate	Ensure adequate ventilation of the working area.
engineering controls	
8.2.2. Individual protection	Wear protective clothing.
measures	
Eye / face protection	In case of splashing, wear: Approved safety goggles.
Skin protection -	Chemical resistant gloves (PVC).
Hand protection	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	Red
Odour	Mild
рН	11 +/- 0.5
Boiling point	99
Description	Liquid
Relative Density	1.01

SECTION 10: Stability and reactivity

10.2. Chemical stability

Stable under normal conditions.

SECTION 11: Toxicological information

11.1.4. Toxicological Information

No known adverse health effects.

SECTION 12: Ecological information

12.1. Toxicity

No known adverse environmental effects.

SECTION 13: Disposal considerations

General Information

Dispose of in compliance with all local and national regulations.

Revision 5 Revision date 2015-12-10

SECTION 14: Transport information

Further Information

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

Labelling

Risk phrases	No Significant Hazard.

SECTION 16: Other information

Other Information

Text of risk phrases in Section 3	R22 - Harmful if swallowed. R35 - Causes severe burns. R36/38 - Irritating to eyes and skin. R38 - Irritating to skin. R41 - Risk of serious damage to eyes. R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Text of Hazard Statements in Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Skin Irrit. 2: H315 – Causes skin irritation. Acute Tox. 4: H302 – Harmful if swallowed Acute Tox. 4: H312 – Harmful in contact with skin Acute Tox. 4: H332 – Harmful if inhaled
Further Information	

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Legal Disclaimer

The purpose of the above information is to describe the products only in terms of health and safety requirements. The information given should not, therefore, be construed as guaranteeing specific properties or as specification. Customers should satisfy themselves as to the suitability and completeness of such information for their own particular use.