

Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 1 of 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DEKASYL MS 2 GREY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Adhesives, sealants

Uses advised against

No further relevant information available.

1.3. Details of the supplier of the safety data sheet

Company name: DINOL GmbH
Street: Pyrmonter Strasse 76
Place: D-32676 Luegde

Telephone: + 49 (0) 5281 982980 Telefax: + 49 (0) 5281 9829860

e-mail: msds@dinol.com

Contact person: Labor

Responsible Department: msds@dinol.com

1.4. Emergency telephone Giftnotruf Berlin: +49 30 30686 700 (Beratung in Deutsch und Englisch)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains Trimethoxyvinylsilane. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 2 of 10

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	Classification (GB CLP Regulation))			
13822-56-5	3-Aminopropyltrimethoxysilan			1 - < 3 %	
	237-511-5		01-2119510159-45		
	Skin Irrit. 2, Eye Dam. 1; H315 H318				
2768-02-7	Trimethoxyvinylsilane		1 - < 3 %		
	220-449-8		01-2119513215-52		
	Flam. Liq. 3, Acute Tox. 4, Skin Sens. 1B; H226 H332 H317				
52829-07-9	Bis(2,2,6,6-tetramethyl-4-piperidyl)		0,1 - < 1 %		
	258-207-9		01-2119537297-32		
	Repr. 2, Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 2; H361f H318 H400 H411				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc. I	Specific Conc. Limits, M-factors and ATE			
2768-02-7	220-449-8	Trimethoxyvinylsilane			
	inhalation: LC50 = 16,8 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3540 mg/kg; oral: LD50 = 7120-7236 mg/kg				
52829-07-9	258-207-9	Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	0,1 - < 1 % %		
	inhalation: LC50 = 500 mg/l (vapours); dermal: LD50 = >3170 mg/kg; oral: LD50 = >2000 mg/kg				

Further Information

The homogeneous mixing of this product is controlled by continuous physical tests. Formerly dusty raw materials are completely integrated into the liquid/pasty mass. Possible AGW-values for solid substances are therefore not given, as there is no longer any risk of inhalation of these substances (when handling this mixture).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

No special measures are necessary.

After inhalation

Provide fresh air. Call a doctor if you feel unwell.

After contact with skin

Change contaminated clothing.

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).

Do NOT induce vomiting.

Call a physician immediately.

Put victim at rest, cover with a blanket and keep warm.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 3 of 10

No further relevant information available.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Extinguishing powder, Water spray jet

In case of major fire and large quantities: Water spray jet, alcohol resistant foam

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation.

Wear personal protection equipment.

Avoid contact with skin, eyes and clothes.

Avoid breathing dust/fume/gas/mist/vapours/spray.

For emergency responders

For further specification, refer to section 8 of the SDS.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

For cleaning up

Provide adequate ventilation.

Clear contaminated areas thoroughly.

Do not rinse down with water.

Other information

No information available.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 4 of 10

Advice on safe handling

Use only in well-ventilated areas.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from moisture.

Hints on joint storage

Not required.

Further information on storage conditions

storage temperature: 10 - 35 °C

7.3. Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

DNEL/DMEL values

CAS No	Substance				
DNEL type		Exposure route	Effect	Value	
2768-02-7 Trimethoxyvinylsilane					
Worker DNEL, long-term		inhalation	systemic	27,6 mg/m³	
Worker DNEL, long-term		dermal	systemic	3,9 mg/kg bw/day	
52829-07-9 Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate					
Worker DNEL, acute		inhalation	systemic	2,82 mg/m³	
Worker DNEL, long-term		dermal	systemic	1,6 mg/kg bw/day	



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 5 of 10

PNEC values

CAS No	Substance			
Environmenta	l compartment	Value		
2768-02-7	Trimethoxyvinylsilane			
Freshwater		0,33 mg/l		
Marine water		0,033 mg/l		
Micro-organisms in sewage treatment plants (STP)		13 mg/l		
Soil		0,04 mg/l		
52829-07-9	Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate			
Freshwater		0,018 mg/l		
Marine water		0,0018 mg/l		
Freshwater sediment		29 mg/kg		
Marine sediment		2,9 mg/kg		
Soil 5,9 m		5,9 mg/kg		

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

Individual protection measures, such as personal protective equipment

Eye/face protection

Filling and transfer: Eye glasses with side protection (EN 166)

Hand protection

Tested protective gloves must be worn (EN ISO 374):

FKM (fluoro rubber) penetration time (maximum wearing period): 480 min.

NBR (Nitrile rubber) penetration time (maximum wearing period): 480 min.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Protective gloves have to be replaced at the first sign of deterioration.

Protect skin by using skin protective cream.

Skin protection

Wear anti-static footwear and clothing

Respiratory protection

Usually no personal respirative protection necessary.

short-term : gas filtering equipment (EN 141)., Filter material/medium: A/P2

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: grey
Odour: characteristic
Odour threshold: not determined



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 6 of 10

Test method

not determined Melting point/freezing point:

Boiling point or initial boiling point and > 34 °C

boiling range: Flammability

Solid/liquid:

not determined Gas: Lower explosion limits: not determined Upper explosion limits: not determined Flash point: Auto-ignition temperature: not determined Decomposition temperature: not applicable

pH-Value: The study does not need to be conducted because the substance is

known to be insoluble in water.

not determined

48 °C

Viscosity / kinematic: not determined Water solubility: practically insoluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined

Density (at 20 °C): 1,48 g/cm3 DIN 51757

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties not determined Oxidizing properties not determined

Other safety characteristics

Softening point: not determined Viscosity / dynamic: 7000000 - 13000000 mPa·s

(at 20 °C)

Further Information

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Protect from moisture.

10.5. Incompatible materials

No further relevant information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 7 of 10

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

Dose Species Source

LD50, dermal 4114,90 mg/kg LC50, inhalation (vapour) 598,70 mg/l

CAS No	Chemical name	chemical name					
	Exposure route	Dose		Species	Source	Method	
2768-02-7	Trimethoxyvinylsilane						
	oral	LD50 7236 mg/kg	7120-	Rat			
	dermal	LD50 mg/kg	3540	Rabbit			
	inhalation (4 h) vapour	LC50	16,8 mg/l				
	inhalation dust/mist	ATE	1,5 mg/l				
52829-07-9	Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate						
	oral	LD50 mg/kg	>2000	Rat			
	dermal	LD50 mg/kg	>3170	Rat			
	inhalation (4 h) vapour	LC50	500 mg/l	Rat			

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

Contains Trimethoxyvinylsilane. May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

No information available.

Specific effects in experiment on an animal

No information available.

Additional information on tests

No information available.

Practical experience

No information available.

11.2. Information on other hazards

Endocrine disrupting properties

Endocrine disrupting potential No information available.



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 8 of 10

Further information

There are no data available on the preparation/mixture itself.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

No further relevant information available.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation	•			
52829-07-9	Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate				
	OECD 303A	24	28		
	Moderately/partially biodegradable.				

12.3. Bioaccumulative potential

No further relevant information available.

12.4. Mobility in soil

No further relevant information available.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No further relevant information available.

Further information

There are no data available on the mixture itself.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Dispose of waste according to applicable legislation.

Do not mix with other wastes.

List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

Contaminated packaging

Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 9 of 10

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Marine pollutant: no

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 0,0 % 0.0 g/l

Additional information

Observe in addition any national regulations!

Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

Additional information

This mixture contains the following substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH: none

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,4,9,12.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route



Safety Data Sheet

according to UK REACH Regulation

DEKASYL MS 2 GREY

Revision date: 12.01.2023 Product code: 0970 Page 10 of 10

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains Trimethoxyvinylsilane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

EUH210 Sarety data sneet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)